
AIR FORCE OCCUPATIONAL MEASUREMENT CENTER RANDOLPH AFB TX F/8 5/9 INTERRATED AVIONICS COMPUTERIZED TEST STATION AND COMPONENT (F/--ETC(U) JUN 82 B C HANDY AD-A115 991 UNCLASSIFIED NĽ





UNITED STATES AIR FORCE

OGGPATION SURVEY REPORT

INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND COMPONENTS (F/FB-111) CAREER LADDER AFS 326X4A.

AFPT 90-326-428C

JUNE 1982

UN 2 3 1982

OCCUPATIONAL ANALYSIS PROGRAM
USAF OCCUPATIONAL MEASUREMENT CENTER
AIR TRAINING COMMAND
RANDOLPH AFB, TEXAS 78150

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DISTRIBUTION FOR

AFSC 326X4A OSR AND SUPPORTING DOCUMENTS

	OSR	JOB INV	ANL EXT	TNG EXT
AFHRL/LRT	1	1	1 m	1m/1h
AFHRL/MODS	2	6	1m	'lm
AFLMC/LGM	2	2		2
AFMEA/MEMD	1	1	1h	1
AFMPC/MPCHS	1	1		
AFMPC/MPCRPQ	2			
ARMY OCCUPATIONAL SURVEY BRANCH	1	1		
CCAF/AYX	1	1		
DEFENSE TECHNICAL INFORMATION CENTER	1	1		
HQ AFISC/DAP	1	1		
HQ ATC/DPAE	3	3		3
HQ ATC/TTQ	2	1		1
HQ ATC/TTY	2	1		1
HQ SAC/DPAT	3	3		3
HQ SAC/LGMQ (ATCLO)	1	1		1
HQ TAC/DPAT	3	3		3
HQ TAC/DPLATC	1	1		1
HQ USAF/LEYM	1	1		1
HQ USAF/MPPT	1	1		1
HQ USAFE/DPAT	3	3		3
HQ USAFE/DPATC	1	1		1
HQ USMC/OMU	1	1		
LMDC/AN	1			
NODAC	1	1		_
3400 TCHTW/TTGX (LOWRY AFB CO)	5	2	2	9
388 TFW/MAT	2	2		2
3507 ACS/DPUI	1	1		_
3785 FLDTG/TTFO	2	2		2

m = microfiche only
h = hard copy only

TABLE OF CONTENTS

	PAGE NUMBERS
PREFACE	iii
SUMMARY OF RESULTS	iv
INTRODUCTION	1
SURVEY METHODOLOGY	2
SPECIALTY JOBS (CAREER LADDER STRUCTURE)	8
ANALYSIS OF DAFSC GROUPS	30
COMPARISON OF SURVEY DATA TO AFR 39-1 SPECIALTY DESCRIPTIONS	36
ANALYSIS OF EXPERIENCE (TAFMS) GROUPS	37
TRAINING ANALYSIS	42
ANALYSIS OF CONUS VERSUS OVERSEAS GROUPS	48
ANALYSIS OF MAJCOM GROUPS	51
SUMMARY OF BACKGROUND INFORMATION	56
IMPLICATIONS	60
APPENDIX A - REPRESENTATIVE TASKS OF CAREER LADDER JOB GROUPS	61



PREFACE

This report presents the results of a detailed Air Force Occupational Survey of the Integrated Avionics Computerized Test Station and Component (F/FB-lll) career ladder (AFSCs 32634A, 32654A, and 32674). This report was prepared in response to a request by HQ ATC/TTQG. Authority for conducting occupational surveys is contained in AFR 35-2. Computer outputs from which this report was produced are available for use by operating and training officials.

The survey instrument was developed by Captain Gary K. Patterson, Inventory Development Specialist. Mr. Bob Vance served as CODAP programmer for the study. Second Lieutenant Beverly C. Handy, Occupational Survey Analyst, analyzed the data and wrote the final report. This survey has been reviewed and approved by Mr. Jim Keeth, OMYO, Technical Advisor, and Lieutenant Colonel Jimmy L. Mitchell, Chief Airman Career Ladders Analysis Section, Occupational Analysis Branch, USAF Occupational Measurement Coater, Randolph AFB, Texas 78150.

Copies of this report are distributed to air staff sections, major commands, and other interested training and management personnel. Additional copies may be obtained upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Analysis Branch (OMY), Randolph AFB, Texas 78150.

PAUL T. RINGENBACH, Col, USAF Commander USAF Occupational Measurement Center WALTER E. DRISKILL, Ph.D. Chief, Occupational Analysis Branch USAF Occupational Measurement Center

SUMMARY OF RESULTS

- l. <u>Survey Objective</u>: This survey was conducted to provide current information on job composition and training adequacy since a major restructuring of the 326XX career ladders.
- 2. Survey Coverage: The integrated Avionics Computerized Test Station and Component (F/FB-III) career ladder job inventory was administered to incumbents worldwide. Survey results were based on the responses of 459 respondents, comprising a 75 percent return rate.
- 3. Career Ladder Structure: Fourteen separate independent job types and clusters covering all varieties of test stations, training, and supervisory functions were identified. Typically, 326X4A personnel focus most of their time on one type of test station and its associated LRUs. Nearly all groups, however, performed general maintenance and administrative functions.
- 4. Career Ladder Progression: As incumbents progress through the AFSC, less time is spent maintaining test stations and LRUs and correspondingly greater amounts of time on managerial and supervisory duties. As a result, while the job of the 3- and 5-skill level respondents has primarily a technical orientation, 7-skill level incumbents perform a wide variety of supervisory tasks in addition to technical functions.
- 5. AFR 39-1 Specialty Descriptions: Overall, the AFR 39-1 specialty descriptions provided accurate overviews of the 326X4 AFSC.
- 6. <u>Training Analysis</u>: An evaluation of specialty training documents indicates that due to low performance levels, areas of the STS and the POIs for the F/FB-111A/E/F and F-111D courses may warrant further review by career ladder training personnel.
- 7. <u>Implications</u>: Because incumbents often specialize by concentrating much of their time on a small number of functional areas, it may be most efficient to use a generalized training approach in which only the common fundamentals are taught. Additionally, although job satisfaction is fairly high among specialty members, low reenlistment intentions of first-term personnel may be a potential problem area.

OCCUPATIONAL SURVEY REPORT INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND COMPONENTS (F/FB-111) (AFS 326X4A)

INTRODUCTION

This is a report of an occupational survey of the Integrated Avionics Computerized Test Station and Components (F/FB-111) career ladder (AFSC 326X4A) completed by the Occupational Analysis Branch, USAF Occupational Measurement Center in May 1982. This survey was requested by HQ ATC/TTQG to determine job compositions and training adequacy since a major restructuring of the career ladder. There has been no previous survey of the 326X4A specialty.

Background

The history of the 326X4A AFSC is complex and stems from a major restructuring of all 326XX specialties over a number of years in the late 1970s. In October 1978, the job of shop repairing aircraft avionics line replaceable units (LRUs) was consolidated with the job of maintaining the associated avionics test stations on which this equipment is checked. Personnel from the 326X1D (Integrated Avionics Component Specialist, Automatic Avionics AGE Test Operator) and the 326X0B (Avionics Aerospace Ground Equipment Specialist, Automatic Avionics AGE) specialties were combined into AFS 326X1F (Integrated Avoinoics Component Specialist Microwave, Computer/Inertial, Displays/Indicators, RF, RTM, CENPAC, Flight Control, Sensors, Fire/Weapons Control and Associated AGE). In April 1979, the 326X1F career ladder was reorganized according to aircraft weapon system and given the 326X4 designation.

The basic job of 326X4A, B, and C shred personnel, as described by AFR 39-1, is to inspect, troubleshoot, repair, modify, calibrate, program, and certify integrated avionic computerized test stations, systems components, and support equipment (SE) at the intermediate level. This generally includes analyzing malfunctions, calibrating, and performing maintenance on avionics computerized test stations and SE utilizing calibration standards. Career ladder members receive formal training in the basic Integrated Avionics Computerized Test Station and Component Specialist (F/FB-111) courses which are offered at Lowry Technical Training Center, Colorado. These courses are 121 days (F/FB-111A/E/F) and 122 days (F-111D), respectively.

Objective

This survey has been requested to obtain current task and training data on 326X4A incumbents. Major areas discussed in this report include: (1) the

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

development and administration of the survey instrument; (2) the job structure within the AFSC; (3) a comparison of career field responsibilities to AFR 39-1 Specialty Descriptions; (4) an analysis of the Total Active Federal Military Service (TAFMS) and Duty Air Force Specialty Code (DAFSC) groups; (5) an analysis of training; and, (6) the implications of this occupational survey report.

SURVEY METHODOLOGY

Inventory Development

The data collection instrument for this occupational survey was USAF Job Inventory AFPT 90-326-428C. Initially, a tentative task list was prepared after reviewing a previous Occupational Survey Report of the 326X0 AFSC, pertinent career ladder publications and directives, as well as interviews with technical school personnel at Lowry AFB CO. This new task list was further reviewed and validated through interviews with subject matter specialists at Plattsburg AFB, Cannon AFB, and Mt Home AFB. The resulting job inventory contained a comprehensive listing of 1373 tasks organized under 23 duty headings. Also included in the inventory was an extensive background section that asked for such information as:

- (A) Job Title
- (B) Duty Section
- (C) Shift worked
- (D) Organizational Level
- (E) Number of Test Stations in the Shop
- (F) Number of individuals assigned to shop
- (G) AFSC through which 7-skill level Primary AFSC was attained
- (H) Amount of time spent on aircraft
- (I) Aircraft worked on in present job
- (J) Test stations used

Survey Administration

During the period January through April 1981, Consolidated Base Personnel Offices (CBPOs) in operational units worldwide administered the inventory to job incumbents holding a 326X4A DAFSC. These job incumbents were selected from a computer generated mailing list obtained from personnel data tapes maintained by the Air Force Human Resources Laboratory (AFHRL).

Each respondent who completed a job inventory first completed an identification and biographical information section and then checked all tasks which are performed in their present job. Those tasks that were checked were then rated on a nine-point scale showing the relative amount of time spent on that task as compared to all other tasks checked. The ratings ranged from one (very small amount of time spent) to nine (very large amount of time spent), with a rating of five representing an average amount of time spent in performing time spent.

Data Processing and Analysis

Once job inventories are returned from the field, they are prepared so task responses and background information can be optically scanned. Other biographical information (such as name, base, AUTOVON extension) are keypunched onto disks and entered directly into a Univac 1100/81 computer. Once both sets of data are entered into the computer, the tasks, background, and biographical information are merged to form a complete case record for each respondent. Computer-generated programs using Comprehensive Occupational Data Analysis Programs (CODAP) techniques are then applied to the data.

CODAP produces job descriptions for respondents based on their responses to specific inventory tasks. Computer generated job descriptions are available for DAFSC, TAFMS, and MAJCOM groups, and include such information as percent members performing each task, the average percent time spent performing each task, the percent members utilizing various pieces of equipment, and the cumulative average percent time spent by all members on each task in the inventory.

Task Factor Administration

In addition to completing the job inventory, selected senior 326X4 incumbents were also asked to complete a second booklet for either training emphasis or task difficulty. Information from these booklets was processed separately from the job inventories, and the information was then used in a number of different analyses which will be discussed in greater detail within this report.

Task Difficulty. The experienced NCOs who completed the task difficulty booklets rated all of the tasks on a nine-point scale from extremely low to extremely high difficulty, with difficulty being defined as the length of time that it takes for the average incumbent to learn to do the task. Ratings were then adjusted so tasks of average difficulty have a rating of 5.00.

Task difficulty data was independently collected from 31 senior incumbents holding the 326X4 AFSC. The interrater reliability (as assessed through components of variance of standard group means) was .92, which indicated good agreement among the raters. The resulting data is a rank ordering of tasks based on the relative degree of difficulty assigned to each task within the inventory.

Job Difficulty Index (JDI). After computing a task difficulty rating for each task item, it is then possible to also compute a Job Difficulty Index (JDI) for the job groups identified in the survey analysis. This provides a relative measure of the job difficulty for each functional group. The number of tasks performed and the average task difficulty per unit time spent are used as the major variables to compute JDI. The index ranges from one for very easy jobs to 25 for very difficult jobs. The indices are adjusted so the average

job difficulty index is 13.00. Consequently, the more time a group spends on difficult tasks, and the greater the number of tasks performed, the higher will be the job difficulty index.

Training Emphasis. Individuals completing training emphasis booklets were asked to rate all of the tasks on a ten-point scale which ranged from no training required to extremely heavy training required. Training emphasis yields a rating of tasks which indicates where emphasis should be placed on structured training for first-term personnel. Structured training is defined as training provided at resident technical schools, field training detachments (FTD), mobile training teams (MTT), formal OJT, or any other organized training method. The training emphasis data were collected from 39 incumbents (see Table 4 for command representation of raters). The interrater reliability (as assessed through the components of variance of standard group means) for these raters was .95, which indicated fairly high agreement among the raters as to which tasks required some form of structured training and which did not. Tasks which were rated highest in training emphasis had ratings of 3.25 and above, while the average rating was 2.07. Those tasks with a training emphasis of .89 and below could be considered to require very little emphasis in training.

When used in conjunction with other factors, such as percent members performing, the training emphasis ratings can provide an insight into training requirements. This may help validate the lengthening or shortening of specific units of instruction in various training programs.

Survey Sample

Incumbents were selected to participate in the survey so as to ensure an accurate representation across major commands (MAJCOMs) and paygrade groups. Table 1 reflects the percentage distribution by major command of assigned personnel in the AFSC as of July 1981. Also listed in this table is the percent distribution of respondents in the final sample by MAJCOM. The 353 3- and 5-skill level respondents in the final survey sample represent 73 percent of the 326X4A career ladder. Table 2 provides a listing of paygrade group distributions, while Table 3 reflects the sample distribution by TAFMS groups. As demonstrated by these tables, the survey sample provides a fairly good representation of the career ladder population.

TABLE 1
COMMAND REPRESENTATION OF SURVEY SAMPLE

COMMAND		PERCENT OF ASSIGNED	PERCENT OF SAMPLE
TAC		49	49
USAFE		23	29
SAC		15	13
ATC		9	8
OTHER		4	1
	TOTAL	100	100

TOTAL ASSIGNED - 485
TOTAL ELIGIBLE FOR SURVEY* - 608
TOTAL NUMBER OF SURVEYS - 459 (106 7-SKILL LEVEL INCUMBENTS WERE INCLUDED IN
THIS FIGURE)

PROPORTION OF CAREER FIELD SURVEYED - 73%

^{*} EXLUDES PERSONNEL IN PCS STATUS, HOSPITAL, OR LESS THAN SIX WEEKS ON THE JOB (THIS FIGURE ALSO INCLUDES SELECTED 32674 PERSONNEL CURRENTLY ASSIGNED WITH A-SHRED INCUMBENTS)

TABLE 2
PAYGRADE DISTRIBUTION OF SURVEY SAMPLE

PAYGRADE	PERCENT OF ASSIGNED	PERCENT OF SAMPLE*
AIRMAN	35	33
E-4	43	33
E-5	_22	<u>17</u>
TOTAL	100	83

^{*} SEVENTEEN PERCENT OF THE SURVEY SAMPLE WAS COMPOSED OF E-6 AND E-7 PERSONNEL HOLDING THE 32674 AFSC AND ASSIGNED WITH A-SHRED INCUMBENTS.

TABLE 3
TAFMS DISTRIBUTION OF SURVEY SAMPLE

	MONTHS	TOTAL	ACTIVE	FEDERAL MI	LITARY SI	RVICE
	1-48	<u>49-96</u>	97-144	145-192	192-240	241+
NUMBER IN SAMPLE	282	59	39	37	31	7
PERCENT OF SAMPLE	62%	13%	8%	8%	7%	2%

TABLE 4

COMMAND REPRESENTATION OF TASK DIFFICULTY AND TRAINING EMPHASIS RATERS

COMMAND		PERCENT OF ASSIGNED	PERCENT OF TASK DIFFICULTY RATERS	PERCENT OF TRAINING EMPHASIS RATERS
TAC		49	47	46
USAFE		23	38	36
SAC		15	9	13
ATC		9	6	5
OTHER		4		
	TOTAL	100	100	100

SPECIALTY JOBS (Career Ladder Structure)

The number of distinct jobs within a career field can have a great impact on the Air Force personnel classification structure, technical training programs, and on-the-job training (OJT) programs. Thus, this report begins with a description of the jobs within the specialty and how these jobs relate to one another.

Specialty Overview

The job structure of the Integrated Avionics Computerized Test Station and Component (F/FB-111) career ladder was determined by performing a job type analysis of the 459 survey respondents. Based on similarity of tasks performed and the amount of time spent in performing each task, the jobs performed by 326X4A respondents are listed below and illustrated in Figure 1. (Each job group is identified with a group identification number to cross reference the groups to computer printouts included in the statistical summary package provided to selected users. These identification numbers are shown as GRP numbers for each type of job. "N" stands for the number of people in each group.)

- I. TEST STATION AREA SUPERVISORS (GRP111, N=9)
- II. INDICATORS/SERVOS TEST STATION PERSONNEL (GRP075, N=26)
 - a. 12A6895 and 12A6876 Test Station Personnel (GRP217, N=9)
 - b. 12A6895, 12A6876, and 12A6873 Test Station Personnel (GRP204, N=8)
 - c. 12A6825 Test Station Personnel (GRP128, N=5)
- III. NAVIGATIONAL SYSTEMS MAINTENANCE PERSONNEL (GRP054, N=47)
 - a. Consolidated Maintenance Squadron Personnel (GRP105, N=8)
 - b. 12A6863 Test Station Personnel (GRP068, N=39)
- IV. VIDEO TEST STATION PERSONNEL (GRP037, N=73)
 - a. 12A6885, 12A6815, and 12A6825 Test Station Personnel (GRP189, N=13)
 - b. Senior 12A6875 Test Station Personnel (GRP140, N=21)
 - c. 12A6815 Test Station Personnel (GRP157, N=7)
 - d. Junior 12A6875 Test Station Personnel (GRP168, N=6)
 - e. 12A6885 Test Station Personnel (GRP097, N=21)
- V. CONTROLS, SENSORS, INDICATORS, AND MODULES MAINTAINERS (GRP079, N=24)
 - a. 12A6886 Test Station Personnel (GRP119, N=14)
 - b. 12A6846 Test Station Personnel (GRP130, N=10)

VI. COMPUTER MAINTENANCE PERSONNEL (GRP066, N=44)

- a. Central Processors and Controllers (CENPAC) and 12A16803 Computer Test Station Personnel (GRP183, N=6)
- b. 12A16803 and 12A16846 Test Station Personnel (GRP161, N=21)
- c. 12A6873 Test Station Personnel (GRP084, N=11)
- d. Junior Computer Test Station Personnel (GRP117, N=6)

VII. RECEIVER-TRANSMITTER-MODULATOR TEST STATION PERSONNEL (GRP083, N=51)

- a. 12A16882 Test Station Personnel (GRP099, N=20)
- b. 12A6872 Test Station Personnel (GRP244, N=8)
- c. 12A16802 Test Station Personnel (GRP236, N=14)


VIII. CENPAC, MAGNETIC TAPE UNIT, AND TAPE READER MAINTAINERS (GRP067, N=24)

- a. CENPAC Supervisors (GRP159, N=5)
- b. CENPAC Maintainers (GRP137, N=13)
- IX. DISPLAYS TEST STATION PERSONNEL (GRP065, N=18)
- X. APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERSONNEL (GRP071, N=7)
- XI. SUPERVISION AND MANAGEMENT PERSONNEL (GRP014, N=60)
 - a. Shop NCOICs (GRP116, N=20)
 - b. Shift Supervisors (GRP077, N=15)
 - c. Instructor Supervisors (GRP049, N=11)
- XII. ATTITUDE AND RATE TEST STATION PERSONNEL (GRP061, N=8)
- XIII. RESIDENT TECHNICAL SCHOOL INSTRUCTORS (GRP026, N=14)
- XIV. SCHEDULING/DUE-IN FROM MAINTENANCE (DIFM) MONITORS (GRP091, N=5)

Incumbents forming these job types and clusters accounted for approximately 87 percent of the total survey sample. The remaining 13 percent of the sample consisted of respondents who held dissimilar jobs such that they did not group with any of the identified groups described above.

Overall, members of the 326X4A specialty were distinguished basically by the type of test station that was primarily maintained and operated. As demonstrated by Table 5, respondents typically reported spending large percentages of their job time focused primarily on one major category of test station and its associated line replaceable units. A few incumbents, however, (approximately 16 percent of the sample) such as members of the Consolidated Maintenance Squadron Personnel Group (GRP105), indicated operating and maintaining a variety of stations. Also, as illustrated by this table, nearly all identified job groups performed general maintenance tasks, such as inspecting and cleaning test stations and LRUs, removing or replacing test station or

test equipment light bulbs, fuses, or minor hardware, and removing or replacing LRU pins or connectors. Similarily, nearly all groups were responsible for performing a number of administrative and supply functions and making entries on such forms and records as AFTO Form 95 (Significant Historical Data) and AFTO Form 349 (Maintenance Data Collection Record).



Job Group Descriptions

The following paragraphs contain descriptions of the clusters, their respective job types, and independent job types identified through the specialty structure analysis. Selected background and job satisfaction data are provided for these groups in Tables 6 and 7. Appendix A contains representative task lists for each of the clusters, job types, and independent job types.

I. TEST STATION AREA SUPERVISORS (GRPIII, N=9).

Comprising two percent of the total sample, incumbents in this independent job type are responsible for supervising subordinates, verifying and reviewing reports, and conducting OJT. Members of this group also indicated performing a number of tasks in support of mobility operations and other general maintenance activities. Their job commonly includes such tasks as:

performing TCTO modifications of F/FB-111 LRUs supervising avionics computerized test station and component specialist (F/FB-111) (AFSC 32654A) supervising apprentice integrated avionics conputerized test station and component specialists (F/FB-111) (AFSC 32634A) verifying monitor reports (D-18 or D-19) preparing F/FB-111 avionics and support equipment for mobility operations verifying due-in from maintenance (DIFM) document listings (R-26) conducting OJT installing F/FB-111 test stations in work areas

The majority of these respondents (78 percent) hold a 7-skill level, with the remaining individuals holding a 5-skill level. The average paygrade for this group is E-5, and the members average ll5 months TAFMS and 89 months in the career field. Performing the greatest average number of tasks of any group within the sample (350), these individuals also had the highest JDI (21.6) of all respondents.

II. <u>INDICATORS/SERVOS TEST STATION PERSONNEL (GRP075, N=26)</u>.

Representing six percent of the total sample, members of this cluster primarily maintain the 12A6825 or 12A6895 indicators and servos test stations and associated LRUs, although some group personnel also devoted substantial percentages of their job time to the operation and maintenance of other stations such as the 12A6876 indicators and sensors test station or the 12A6873 navigation and flight controls test station. These incumbents are responsible for checking such units as altitude vertical velocity indicators, air speed mach indicators, and attack radar system antennas. Tasks typically performed by these individuals include:

bench checking F/FB-lll altitude vertical velocity indicators isolating malfunctions in F/FB-lll altitude vertical velocity electronic control amplifiers bench checking F/FB-lll air speed mach indicators isolating malfunctions in F/FB-lll ARS antenna control units bench checking F/FB-lll ARS antenna pedestals for any F-lll aircraft except the F-lllD bench checking F/FB-lll bearing distance heading indicators

The average paygrade for members of this groups is E-4 with an average of 45 months TAFMS and 37 months in the career field. These respondents perform the highest number of tasks (156) and have the highest JDI (16.9) of any group within the sample, with the exception of the Test Station Area Supervisors. Approximately half (54 percent) of these respondents have a 5-skill level, with 35 percent having a 3-skill level and ll percent holding a 7-skill level.

III. NAVIGATIONAL SYSTEMS MAINTENANCE PERSONNEL (GRP054, N=47).

Comprising approximately 10 percent of the entire sample, this cluster is composed of two major groups. For 39 of these individuals, the major focus of their job seems to center around the operation and maintenance of the 12A6863 Digital Navigation and Weapons delivery test station and the Inertial Navigational Test Set/Aid (see Table 5). Incumbents in this group are responsible for such functions as benchchecking and calibrating inertial reference units, isolating malfunctions in the F/FB-lll 12A6863 test station, or bench checking AJN-16 Navigation computer units. The responsibilities of the remaining eight members of this cluster, however, are slightly wider in scope. Performing a greater overall number of tasks (182 versus 121), these respondents are primarily assigned to the 3415 Consolidated Maintenance Squadron located at Lowry AFB CO. Although these personnel also maintain the 12A6863 test station, they also spend a large percentage of their time maintaining numerous other varieties of test stations in support of technical school functions (see Appendix A). Overall, tasks common to personnel within this cluster often include:

isolating malfunctions in F/FB-lll 12A6863 test stations isolating malfunctions in F/FB-lll test point controllers and relays using manual programming, test points, schematics isolating malfunctions in F/FB-lll AYK-6 general purpose computers isolating malfunctions in stimulus controllers and relays using manual programming, test points, schematics inspecting and cleaning F/FB-lll test station, simulators, mockups, or line replaceable units (LRU)

IV. VIDEO TEST STATION PERSONNEL (GRP037, N=73).

The main job of these respondents is to operate and maintain F/FB-lll video test stations and assigned LRU. Overall, this cluster is composed of five separate groups. Twenty-one of these respondents, who were mostly assigned to Cannon AFB, indicated working primarily with the 12A6885 test station, while two separate groups reported working with the 12A6875 test station. Of the two groups operating and maintaining the 12A6875, one group was more experienced in terms of time in service (51 versus 31 months) and time in the career field (41 versus 25 months). These more senior individuals typically perform nearly twice as many tasks as their less experienced counterparts (169 versus 87), although most of these tasks were generally concerned with the maintenance of common automatic test equipment. Also within this cluster were a group of airmen who indicated that they divided their time between the operation and maintenance of the 12A6885 and 12A6815 video test stations as well as the 12A6825 servos and indicators test station. As a result, these members check and isolate malfunctions in units assigned to both types of stations. Finally, the job of the last group of incumbents identified within the cluster focused mainly around the operation and maintenance of the 12A6815 test station. Tasks commonly performed by cluster personnel include:

isolating malfunctions in F/FB-lll terrain following computers bench checking F/FB-lll terrain following computers isolating malfunctions in F/FB-lll interference blankers bench checking F/FB-lll low altitude monitors isolating malfunctions in F/FB-lll indicator recorders isolating malfunctions in F/FB-lll LARARTs

Sixty-seven percent of this major job group hold a 5-level, while 25 percent have a 3-skill level and the remaining members hold a 32674 DAFSC. The average paygrade of these individuals is E-4 with an average of 45 months in service.

V. CONTROLS, SENSORS INDICATORS, AND MODULES MAINTAINERS (GRP079, N=24).

Representing five percent of the survey sample, this cluster is composed of two groups of respondents working on either 12A6886 or 12A6846 test stations. Personnel within this group devote over 38 percent of their time on the job to bench checking, isolating malfunctions, and maintaining F/FB-lll controls, sensors, indicators, and modules assigned to these stations, as well as performing maintenance on the stations themselves. The majority of incumbents working on the 12A6846 test station are assigned to Mt. Home AFB (F-lllA), while respondents operating and maintaining the 12A6886 station are primarily stationed at Cannon AFB (F-lllD). Members of this cluster commonly perform such tasks as:

isolating malfunctions in F/FB-111 controls, sensors, indicators, or modules to SRU bench checking F/FB-111 controls, sensors, indicators, or modules except ARS antenna indicator controls isolating malfunctions in F/FB-111 controls, sensors, indicators, or modules to SRU component removing or replacing F/FB-111 12A6886 test station TRU SRUs confidence checking F/FB-111 12A6886 test stations confidence checking F/FB-111 12A6846 test stations performing maintenance tape checks of F/FB-111 12A6846 test stations

Sixty-seven percent of these individuals hold a 5-skill level, with the remaining 33 percent holding a 3-skill level. Members of this group are also fairly junior with an average paygrade of E-3 and an average of 29 months TAFMS.

VI. COMPUTER MAINTENANCE PERSONNEL (GRP066, N=44).

Individuals in this cluster commonly devote a large percentage of their job time to the checking and maintaining of flight control computers, ballistic computer units, and AJQ-20 navigation computer units. This cluster was composed of four groups of incumbents. One group, consisting of six of these repondents, was relatively junior and on the average performed fewer tasks than other members of the same cluster. Airmen in this group also reported spending slightly greater amounts of time making entries on various required forms and records. Twenty-one incumbents in this cluster indicated operating and maintaining both the 12A16803 computer test station and the 12A16846 Indicators and Modules test station in addition to the avionics equipment assigned to both. Another small group of personnel reported maintaining central processors and controllers, as well as spending substantial amounts of their time working on the 12A16803 test station. Finally, the job of the remaining members of the cluster is basically centered around the 12A6873 Navigation and Fight Controls test station. Personnel within this cluster typically perform tasks such as:

isolating malfunctions in F/FB-lll flight control computers removing or replacing F/FB-lll feel and trim assembly components bench checking F/FB-lll AJQ-20 navigation computer units isolating malfunctions in F/FB-lll 12A16803 test stations using maintenance test, test equipment, and schematics removing or replacing F/FB-lll ballistic computer unit SRUs isolating malfunctions in F/FB-lll 12A6873 test stations using maintenance test, test equipment, and schematics bench checking F/FB-lll feel and trim assemblies

The average paygrade for these members is E-4, with an average of 54 months TAFMS. The majority of these incumbents hold 5-skill levels (66 percent) with 16 percent holding a 3-skill level and the remaining 18 percent having the 32674 DAFSC.

VII. RECEIVER-TRANSMITTER-MODULATOR TEST STATION PERSONNEL (GRP083, N=51).

Members of this cluster, comprising approximately ll percent of the total sample, is composed of three groups of incumbents who spend a large percentage of their job time operating and maintaining either the 12A16802, 12A6872, or 12A16882 test stations and the associated line replaceable units. These incumbents, similar to the majority of personnel within the specialty, were also responsible for performing a number of common administrative, supply, and general maintenance tasks such as researching microfiche for part information, ordering parts by telephone, and performing periodic inspecting of test stations. Tasks typically performed by these members include:

removing or replacing F/FB-111 12A16882 test station TRU SRUs isolating malfunctions in F/FB-111 12A16882 test station using maintenance test, test equipment, and schematics isolating malfunctions in F/FB-111 12A6872 test station using maintenance test, test equipment, and schematics isolating malfunctions in F/FB-111 12A6872 test stations through interconnects of an installed LRU confidence checking F/FB-111 12A16802 test stations performing maintenance tape checks of F/FB-111 12A16802 test stations isolating maintenance tape checks of F/FB-111 12A16802 test stations

Group personnel have an average paygrade of E-4 and an average of 46 months TAFMS. The majority of these airmen (65 percent) hold a 5-skill level, with 24 percent holding the 3-skill level and the remaining members having a 32674 DAFSC.

VIII. CENPAC, MAGNETIC TAPE UNIT, AND TAPE READER MAINTAINERS (GRP067, N=24).

Comprising approximately five percent of the survey sample, these respondents reported spending 44 percent of their time on the job maintaining central processors and controllers (CENPAC), magnetic tape units and tape readers (see Table 5). Similar to the majority of other groups, they typically devoted the remainder of their time to making entries on forms and records, performing general avionics maintenance, and maintaining common automatic test equipment. Although five of these individuals also performed some supervisory and training tasks such as determining work priorities, conducting OJT, and preparing APRs, all group personnel also maintained this equipment. These members performed such tasks as:

aligning F/FB-111 MTU capstans
aligning F/FB-111 MTU circuit cards
isolating malfunctions in F/FB-111 CENPACs using diagnostic
tapes only
removing or replacing F/FB-111 CENPAC teletypewriters
copying F/FB-111 CENPAC tapes
updating F/FB-111 CENPAC tapes

Seventy-one percent of this cluster hold a 5-skill level, with 21 percent holding a 3-skill level, and eight percent having a 32674 DAFSC. The average paygrade of these members is E-4 with 48 months TAFMS and 42 months in the career field.

IX. DISPLAYS TEST STATION PERSONNEL (GRP065, N=18).

Members of this independent job type primarily maintain the LRU associated with the 12A6887 displays test station and indicator display system mockups. These respondents commonly work on such equipment as heads up display (HUD) units, multisensor displays, and video signals displays (VSD). This typically includes such tasks as:

isolating malfunctions in F/FB-111 HUD units removing or replacing F/FB-111 multisensor display SRUs removing or replacing F/FB-111 HUD unit SRUs isolating malfunctions in F/FB-111 VSD confidence checking F/FB-111 12A6887 test stations isolating malfunctions in F/FB-111 horizontal situation display indicators

With an average of 27 months TAFMS and 23 months in the career field, these personnel represented the most junior group identified within the sample. All of these incumbents were in their first enlistment, with 67 percent holding a 5-skill level, and the remaining individuals having a 3-skill level.

X. APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERSONNEL (GRP071, N=7).

The job of these seven respondents focuses mostly around the maintenance of the APQ-130 attack radar subsystem test station (SST) and the assigned LRUs for the F-lllD aircraft. Primarily assigned to Cannon AFB, these incumbents are responsible for working with such equipment as F-lllD ARS antennas, F-lllD bad actor ARS electronics processor units, and F-lllD APQ-130 test station components. This typically includes such tasks as:

electrically boresighting F-111D ARS antennas adjusting video phase shift of F-111D attack radar system (ARS) antennas isolating malfunctions in F-111D APQ-130 test stations to SRU components determining status of F-111D bad actor ARS electronics processor units removing or replacing F-111D APQ-130 test station components overhauling F-111D ARS antennas

Fifty-seven percent of the group members hold a 5-skill level and 43 percent hold a 3-skill level. The average paygrade is E-3, with 31 months TAFMS and 17 months in the career field.

XI. SUPERVISION AND MANAGEMENT PERSONNEL (GRP014, N=60).

Personnel in this cluster are responsible for supervising and evaluating subordinates, interpreting policies, and performing general training functions. Composed of three groups--Shop NCOICs, Shift Supervisors, and Instructor Supervisors--this major grouping represents the most senior incumbents within the survey sample. With an average of 173 months TAFMS and 92 months in the career field, these members commonly perform tasks such as:

preparing APRs evaluating individuals for recognition establishing performance standards for subordinates counseling trainees on training progress supervising integrated avionics computerized test station and component specialists (F/FB-111) (AFSC 32654A) analyzing workload requirements

The average paygrade for these respondents is E-6, with the majority holding a 7-skill level.

XII. ATTITUDE AND RATE TEST STATION PERSONNEL (GRP061, N=8).

Respondents in this independent job type spend a large percentage of their job time maintaining the 12A16805 test station and associated units. These members commonly perform tasks such as:

bench checking F/FB-111 stablized platform units isolating malfunctions in F/FB-111 stablized platform units to SRU removing or replacing F/FB-111 12A16805 test station TRU SRUs removing or replacing F/FB-111 12A16805 test station SRU components isolating malfunctions in F/FB-111 12A16805 test stations using maintenance test, test equipment, and schematics aligning F/FB-111 stablized platform units

The majority of this group (75 percent) hold a 5-skill level and 25 percent hold a 3-skill level. These individuals have an average of 33 months TAFMS, 29 months in service, and have an average paygrade of E-4. Performing an average of only 49 tasks, the JDI for these personnel is relatively low (7.9).

XIII. RESIDENT TECHNICAL SCHOOL INSTRUCTORS (GRP026, N=14).

Comprising three percent of the total sample, members of this independent job type are responsible for conducting the basic resident course technical training at Lowry AFB CO. Performing approximately 42 tasks, this group is typically involved in such activities as:

preparing lesson plans
evaluating progress of students
scoring tests
administering tests
demonstrating how to locate technical information
conducting resident course classroom training

Individuals in this group report an average paygrade of E-5, with an average of 80 months TAFMS and 54 months in the career field.

XIV. SCHEDULING/DUE-IN FROM MAINTENANCE (DIFM) MONITORS (GRP091, N=5).

Personnel in this independent job type serve a basically administrative and supply function. These incumbents devote over 79 percent of their time to the performance of tasks related to these duties. Individuals in this group are usually responsible for tasks such as:

verifying due-in from maintenance (DIFM) document listings (R-26)
making entries on forms such as Repair Cycle Control Log
(AF Form 2520) to show receipt of LRU
making entries on DOD single line item release/receipt documents
(DD Form 1348-1)
certifying status of repairable, serviceable, or condemned parts
making entries on Supply Control Log (AF Form 2413)
maintaining status boards, graphs, or charts

Group members have an average of 83 months TAFMS and 37 months in the career field. Performing the smallest number of tasks of any identified group (18), these respondents also had the lowest JDI within the sample.

Comparison of Specialty Jobs

In addition to identifying the characteristic tasks or responsibilities for each job group, it is also useful to contract information about the groups to highlight differences in background data or job attitudes.

Table 8 lists the JDI for each of the job groups identified within the 326X4A specialty. As shown by this table, there is a very wide range of variability in the comparative difficulty of each of the jobs performed. The Test Station Area Supervisors, who also perform the greatest number of tasks of any group (352), had the highest JDI with an index of 21.6. In contrast, the Scheduling/Due-In From Maintenance (DIFM) Monitors performed a much lower number of tasks (18) and had the lowest JDI rating of 1.0. Such a large variation seems to be the result of the great differences between the responsibilities of incumbents in many of the clusters and independent job types.

Overall, those incumbents operating and maintaining the F/FB-lll test stations, LRUs, and performing general equipment maintenance functions had the highest job difficulty indices and typically performed the greatest number of tasks.

In contrast, those groups having the lowest JDI ratings performed an essentially supvisory or administrative job. The only notable exceptions were the Test Station Area Supervisors. These incumbents are likely to have had such a high index because their job includes both supervisory and technically

oriented responsibilities. Groups such as those found in the Supervision and Management Personnel cluster and members of the DIFM Monitor independent job type typically performed a much smaller overall number of tasks. Many of these tasks, in addition, were frequently rated lower in task difficulty than more technically oriented tasks, such as isolating malfunctions, aligning equipment, and overhauling test stations. Such a trend is unusual. Typically, jobs requiring supervisory skills, have the highest JDI ratings in most of the surveyed AFSCs.

Table 5 summarizes the relative amount of job time each job group spends on the various test stations and other duties. As shown by the highlighted figures, the data clearly distinguishes the major focus of most specialty jobs, particularly those jobs specialized to a specific test station.

Background information summaries for the various job groups are displayed in Table 6, which provides a quick reference to the skill level, grade and experience levels, and MAJCOMs characteristic of each group. From this table, each group can be analyzed in terms of key information. For example, the Displays Test Station Personnel (GRP065) are identified as a small group, all assigned to TAC, who are relatively junior (average grade E-3, all 3- and 5-skill level, 100 percent first enlistment) and who have a job of about average difficulty (12.7). Interestingly, 33 percent of the group, although first enlistment personnel, are supervising.

Job attitudes are summarized by job groups in Table 7. These data are useful in highlighting where problems may exist within a career ladder. For example, the average who found their jobs interesting is about 75 percent. The groups vary, however, from 100 percent for APQ-130 Attack Radar Test Station Personnel to a low of 62 pecent for Attitude and Rate Test Station Personnel. Similar data is displayed for attitudes about use of one's talents, their training, and reenlistment or retirement interest.

One group which stands out in reviewing these data is the Scheduling-DIFM monitors. While their job interest is high (80 percent interesting), their attitudes toward use of their talents and training are low and none plan to reenlist.

This group was discussed above as having the least difficult job in the career field (only an average of 18 tasks performed). Yet, their job interest is high. Such low reenlistment intentions may suggest a problem area in terms of the expected loss of members of this group to the Air Force. Career area managers may want to consider what could be done to expand this job to make better use of individual's talents and training and to deal with retention issues.

Overall, the reenlistment intent for most 326X4A job groups (except supervisors and instructors) is relatively low. This may be a function of a variety of things (job demands, weapons systems, assignments, etc.). This low reenlistment may represent a serious manpower problem for future 326X4A maintenance activities. This issue may need to be investigated to see if management action is required.

Summary

Generally, personnel in the 326X4A AFSC spend the majority of their job time working on one kind of test station and the associated line replaceable units. Similarities found between the functional groups included general maintenance functions and the annotation of forms and records.

In terms of job satisfaction, most incumbents seem to find their job interesting and feel their talents and training are utilized at least fairly well. However, reenlistment intentions are characteristically very low for these individuals. On the average, only approximately one-third of the members of many groups reported that they currently plan to reenlist. This would seem to indicate that this may be an issue supervisors and other career ladder managers need to be aware of and attempt to improve.

TABLE 5

RELATIVE PERCENTAGE OF TIME SPENT ON DUTIES BY CLUSTERS AND INDEPENDENT JOB TYPES

DUTIES	ES	RECEIVER- TRANSHITTER- MODULATOR TEST STATION PERSONNEL (GRP083)	CONTROLS, SENSORS, INDICATORS, AND MODULLS MAINTAINERS (GRPO79)	COMPUTER MAINT PERSONNEL (GRP066)	NAVIGATIONAL SYSTEMS MAINT PERSONNEL (GRPOS4)	VIDEO TEST STATION PERSONNEL	INDICATORS/ SERVOS TEST STATION PERSONNEL. (GRP075)	DISPLAYS TEST STATION PERSONNEL (GRP065)
₹ 6	ORGANIZING AND PLANNING	-	÷,	-	-	1		÷
ပ	TRECTING AND INFLEMENTING INSPECTING AND EVALUATING	– c			-			
Q	FRAINING	۰			۰		-	٠
ш ы.	AAKING ENTRIES ON FORMS AND RECORDS PERFORMING ADMINISTRATIVE, SUPPLY, AND GENFRAL	12	6	œ	s o	6	7	13
	EQUIPMENT MAINTENANCE FUNCTIONS	7	9	9	٠,	S	5	10
ა:	1.1	17	15	15	14	13	11	17
= .		17	18	19	17	15	6	9
- ·	MAINTAINING F/FB-111 CENTRAL PROCESSORS AND CONTROLLERS (CENPAC,							
י.	izaosjuj, magnelic lafe units (MIU), AND Jafe READERS Maintaining F/FR-111 12a16805 12a16846 12a6876 and 12a6886	ÇE.	-ic	7	æ		*	ns
	TEST STATIONS AND ASSIGNED LINE REPLACEABLE UNITS (LRU)	~	38	10	2	2	15	
×		1	}		ı	ı	:	•
	STATIONS AND ASSIGNED LINE REPLACEABLE UNITS	**	٣	29	9	2	80	44
_ ·	MAINTAINING F/FB-111 12A6836, 12A6815, 12A6875, AND 12A6885							
Σ.	IEST STATIONS AND ASSIGNED LINE REPLACEABLE UNITS MAINTAINING F/FB-111 1246868 AND 1246888 TEST STATIONS	2	-	-		37	-	4
	,		_	41	2	*	*	9
z.	MAINTAINING F/FB-111 12A16802, 12A6872, AND 12A16882 TEST STATIONS, FLUID & PRESSURIZATION TEST STATIONS (65AN) & ASSIGNED TIME							
	-	33	40	3	e	-		5
0	MAINTAINING F/FB-111 12A6825 AND 12A6895 TEST STATIONS			ı	k		•	,
۵	& ASSIGNED LINE REPLACEABLE UNITS MAINTAINING P.FD-113 1946069 THEY CHAINING INFORMAT MAINTAINING	ને	-	*	*	7	38	nje.
	SYSTEM TEST AIDS (ITS), & ASSIGNED LINE REPLACEABLE UNITS	-	1	*	33	~	*	η¢
2. −	MAINTAINING LINE REPLACEABLE UNITS ASSIGNED TO F/FB-1:: 12A6887 TEST STATIONS AND INDICATOR DISPLAY SYSTEM MO.M.F.	÷	-	-;c	-	÷	4	ç
<u>~</u>	တ		•		-	l.	1	. <u>.</u>
7.	STATION (SST) AND ASSIGNED LINE REPLACEABLE UNITS	2	2	નંદ	*	-	4	1

WOTES LESS THAN ONE PERCENT

S S S S S S S S S S S S S S S S S S S	TEST STATION AREA SUPVS (GRP111)	APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERS (GRP071)	ATTITUDE & RATE TEST STATION PERSONNEL (GRP061)	CENPAC, MTU, & TAPE READER MAINT (GRP067)	SUPV AND HGMT PERS (GRP014)	SCHEDULING/ DIFH HONITORS (GRP091)	RES TECH SCHOOL INST (GRP026)
ORGANIZING AND PLANNING	^			~	71		,
DIRECTING AND IMPLEMENTING	- 00	۰ ۵	. –	۰ د	16) oc	. ~
INSPECTING AND EVALUATING) <u>-</u>	. ~		ı «	22	. 6	
TRAINING	۰	5 2	. ~	m	14		57
MAKING ENTRIES ON FORMS AND RECORDS	•	11	19	10	12	45	S
FERFURNING AUTHOUGHTONE, SUFFLY, AND GENERAL EQUIPMENT MAINTENANCE FINCTIONS	5	5	:	d	:	76	٢
PERFORMING GENERAL F/FR-11) AUTONICS MAINTENANCE	2 2	24	7 2	ا ،	,	*	- 4
. <	۰	'n	4	9		*	
MAINTAINING F/FB-111 CENTRAL PROCESSORS AND CONTROLLERS (CENDAC 1246830) MACHETY TARE INITS (MT) AND TARE							
	2	*	e	77	*	*	*
MAINTAINING F/FB-111 12A16805, 12A16846, 12A6876, AND			•	;			
UNITS (LRU)	6	6	31	*	*	*	4
MAINTAINING F/FB-111 12A16803, 12A6873, AND 12A6883 TEST		•					
Ξ.	ო	*	*	7	-	+k	4
TAINIAINING F/FB-111 12A6836, 12A6815, 12A68/5, & 12A6885 TEST STATIONS & ASSIGNED LINE REPLACEABLE UNITS	4	*	*	4	*	*	m
MAINTAINING F/FB-111 12A6868 AND 12A6888 TEST STATIONS		÷		-			•
G LINE KEFLACEABLE UNITS MAINTAINING F/FR-111 12416802 1246872 AND 12416882	-	k	k	ķ	je.	ķ	įs.
TEST STATIONS, FLUID & PRESSURIZATION TEST STATIONS	,		,			,	
(6) AND ASSIGNED LINE REPLACEABLE UNITS MAINTAINING FIFF-111 1926895 E 1926895 TEST STATIONS E	7	*	m	ķ	¥	k	m
a izaceza izai aiailena NITS	2	*	*	*	∤ ¢	*	*
MAINTAINING F/FB-111 12A6863 TEST STATIONS, INERTIAL MAUTCATIONAL SYSTEM TEST AIDS (TES) S. ASSIGNED THE							
REPLACEABLE UNITS	9	*	*	*	*	*	*
MAINTAINING LINE REPLACEABLE UNITS ASSIGNED F/FB-111 1246887 TPST STATIONS E INDICATOR DISSEAN SYSTEM MORPHOS	•	4	-}0	*	*	*	-
MAINTAINING F-111D APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION	4						•
(SST) & ASSOCIATED LINE REPLACEABLE UNITS	7	28	4 x	*	*	*	*

*DENOTES LESS THAN ONE PERCENT

TABLE 6

BACKGROUND DATA FOR CLUSTERS AND INDEPENDENT JOB TYPES

	RECEIVER- TRANSHITTER- MODULATOR TEST STATION PERSONNEL (GRP083)	CONTROLS, SENSORS, INDICATORS, AND MODULES MAINTAINERS (GRP079)	COMPUTER MAINT PERSONNE (GRP066)	NAVICATIONAL SYSTEMS HAINT IL PERSONNEL (GRPOS4)	VIDEO TEST STATION PERSONNEL (GRP037)	INDICATORS/ SERVOS TEST STATION PERSONNEL (GRP075)	DISPLAYS TEST STATION PERSONNEL (GRP065)
NUMBER IN GROUP: PERCENT OF SAPPLE: PERCENT LOCATED OVERSEAS:		24 54 44 44	44 10% 52%	47 10% 21%	73 16% 40%	26 6% 46%	18 44
DAFSC DISTRIBUTION 32634A 32654A 32674 NOT REPORTED	244 654 104 174	33%	18 8 18 18 18 18 18	17% 70% 13%	255 6758 - 8558	35% 54% 11%	833 674 1
AVERAGE GRADE: AVERAGE MONTHS IN CAREER FIELD: AVERAGE MONTHS IN SERVICE (TAFMS): PERCENT IN FIRST ENLISTMENT:	E-4 36 46 78%	E-3 23 29 96%	E-4 38 54 71%	E-4 60 69 79%	8-4 34 55 745	E-4 37 45 85%	E-3 23 27 100%
PERCENT HEMBERS SUPERVISING: AVERAGE NUMBER DIRECTLY SUPERVISED: AVERAGE NUMBER OF TASKS PERFORMED: JOB DIFFICULTY INDEX (JD1):	33% 1 96 14.1	25% 1 122 15.7	43% 1 109 14.8	37% 1 131 16.6	36% 1 128 16.1	23 % 1 156 16.9	33% 1 94 12.7
MAJCOH: ATC USAFE SAC TAC	14 24 24 20 00 - 0 20 00 00 00	, 3 00 00 24 24 24 24 24 24	55% 4 25% 4 14	15 26 38 38 38 38	4- 404 185 185 485	- 200 M	1000

25	TEST STATION AREA SUPVS	APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERS	ATTITUDE & RATE TEST STATION PERSONNEL	CENPAC, HTU, & TAPE READER HAINT	SUPV AND MGMT PERS	SCHEDULING/ DIFN HONITORS	RES TECH SCHOOL INST
	(GRP111)	(GRP071)	(CRP061)	(GRP067)	(GRP014)	(CRP091)	(CKP026)
WUMBER IN GROUP: PERCENT OF SAMPLE: PERCENT LOCATED OVERSEAS:	9 22 22 %	7 22 142 143	8 25 25 25	24 5% 29%	60 13% 28%	2 M 1	71 26.
DAFSC DISTRIBUTION					· •		1
32634A	•	43%	25%	21%	•	10 7	, \$
32654A 32674	22 K	57. -	1 5/	2.2	7.98	1 1 1 1 1 1 1 1 1 1	žĸ
NOT REPORTED		•	•		•	•	•
ATTERACE COADS.	8-8	6-3	4-4	7-3	E-6	£-5	E-5
AVERAGE MONTHS IN CAREER FIRID:	68	17	53	77	92	37	24
AUTRACE MONTHS IN SERVICE (TAFAS):	115	31	33	84	173		2
PERCENT IN FIRST ENLISTMENT:	22%	%28 %28	75%	199	1	1 09	29%
PERCENT NEMBERS SUPERVISING.	787	29%	25%	20%	3 58	107	•
AVERAGE NUMBER DIRECTLY SUPERVISED:	14.	7		m	10	7	• (
AVERACE NUMBER OF TASKS PERFORMED:	351	7.4	64	88	69	18	42
JOB DIFFICULTY INDEX (JDI):	9'12	11.9	7.9	11	9.1	1.0	7.5
MA-TCOM.							i
ATC	7 1	***	25. 25.	33%	23 % 2 8%	pe pe	e se S
ount E SAC TAC	11 % 12 %	# ## 198	75%	29% 38%	121 358	1001	sie sie

TABLE 7

JOB SATISFACTION DATA FOR CLUSTERS AND INDEPENDENT JOB TYPES

 RESPONDING)**
MEMBERS
(PERCENT
_

DISPLAYS TEST STATION PERSONNEL (GRP065)	83 83	28 61 11	17 72 11	39
INDICATORS/ SERVOS TEST STATION PERSONNEL	15 69	27 73	23 73 4	38 38 38
VIDEO TEST STATION PEKSONNEL (GRP037)	16 7. 7.	18 75 7	22 73 5	26
NAVIGATIONAL SYSTEMS MAINT PERSONNEL (GRP054)	4 13 81	4 6 6	30 99 99	2 60 38
COMPUTER MAINT PERSONNEL (GRP066)	11 14 75	20 73 7	29 64 7	2 36 36
CONTROLS, SENSORS, INDICATORS, AND HODULES MAINTAINERS (GRPO79)	8 113 79	17 75 8	29	. 55
RECEIVER- TRANSHITTER- HODULATOR TEST STATION PERSONNEL (GRP083)	12 14 74	8 90 2	27 11 2	2 59 37
	DULL SO-SO INTERESTING	MY JOB UTILIZES MY TALENTS: LITTLE OR NOT AT ALL FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	MY JOB UTILIZES MY TRAINING: LITTLE OR NOT AT ALL FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	I PLAN TO REENLIST: I WILL RETIRE NO OR PROBABLY NO YES OR PROBABLY YES

* SOME COLUMNS MAY NOT ADD UP TO 100 PERCENT DUE TO NO RESPONSE

TABLE 7 (CONTINUED)

RES TECH SCHOOL INST (GRP026)	7 2 6 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	23 23 23	28 43 28	. 29
SCHEDULING/ DIFM HONITORS (GRP091)	· 50 %	2 0 - 20	3 3 '	80° -
SUPV AND MCHT PERS (GRP014)	10 23 65	23 62 13	28 60 10	28 17 53
CENPAC, HTU, & TAPE READER HAINT (GRP067)	12 12 75	8 75 17	17 25 8	- 62 37
ATTITUDE 6 RATE TEST STATION PERSONNEL (GRP061)	25 12 6 2	25	37	- 62 37
APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERS	- ' 001	- 43 57	72.7	. 71
TEST STATION AREA SUPVS (GRP 111)	- :: 68	33 55 57	95 44 1	11 89
	I FIND MY JOB: DULL SO-SO INTERESTING	MY JOB UTILIZES MY TALENTS: LITTLE OR NOT AT ALL FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	NY JOB UTILIZES MY TRAINING: LITTLE OR NOT AT ALL FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	I PLAN TO REENLIST: I WILL RETIRE NO OR PROBABLY NO YES OR PROBABLY YES

* SOME COLUMNS MAY NOT ADD UP TO 100 PERCENT DUE TO NO RESPONSE

TABLE 8

JOB DIFFICULTY INDICES FOR CAREER LADDER GROUPS

GROUP		ATDPUTS*	NUMBER OF TASKS PERFORMED	JOB DIFFICULTY INDEX
I.	TEST STATION AREA SUPERVISORS (GRP111)	4.8	352	21.6
II.	INDICATORS/SERVOS TEST STATION PERSONNEL (GRP075)	4.7	156	16.9
	 a. 12A6895 and 12A6875 Test Station Personnel (GRP217) b. 12A6895, 12A6876, and 12A6873 Test Station 	4.8	150	17.1
	Personnel (GRP204) c. 126825 Test Station Personnel (GRP128)	4.8 4.5	203 89	20.2 11.4
III.	NAVIGATIONAL SYSTEMS MAINTENANCE PERSONNEL (GRP054)	5.0	131	16.6
	a. Consolidated Maintenance Squadron Personnel (GRP105)b. 12A6863 Test Station Personnel (GRP068)	5.2 4.9	182 121	20.9 15.7
IV.	VIDEO TEST STATION PERSONNEL (GRP037)	4.9	128	16.1
	a. 12A6885, 12A6815, and 12A6825 Test Station Personnel (GRP189)	4.9	175	19.1
	b. Senior 12A6875 Test Station Personnel (GRP140)c. 12A6815 Test Station Personnel (GRP157)	5.0 5.0	169 93	19.1 14.1
	d. Junior 12A6875 Test Station Personnel (GRP168) e. 12A6885 Test Station Personnel (GRP097)	5.0 4.9	87 92	13.7 13.5
v.	CONTROLS, SENSORS, INDICATORS AND MODULES			
	MAINTAINERS (GRP079) a. 12A6886 Test Station Personnel (GRP119) b. 12A6846 Test Station Personnel (GRP130)	4.9 4.9 4.8	122 149 84	15.7 17.8 12.7
VI.	COMPUTER MAINTENANCE PERSONNEL (GRP066)	4.6	109	14.8
	a. Central Processors and Controllers (CENPAC) and 12A16803 Computer Test Station Personnel (GRP183)	5.0	149	18.2
	b. 12A16803 and 12A16846 Test Station Personnel (GRP161)	4.9	112	15.1
	c. 12A6873 Test Station Personnel (GRP084)d. Junior Test Station Personnel (GRP117)	5.0 4.6	105 67	15.0 10.3
VII.	RECEIVER-TRANSMITTER-MODULATOR TEST STATION PERSONNEL (GRP083)	4.9	96	14.1
	 a. 12A16882 Test Station Personnel (GRP099) b. 12A6872 Test Station Personnel (GRP244) c. 12A16802 Test Station Personnel (GRP236) 	5.0 4.9 4.9	102 99 99	15.1 14.2 14.0

TABLE 8 (CONTINUED)

GROUP		ATDPUTS*	NUMBER OF TASKS PERFORMED	JOB DIFFICULTY INDEX
VII.	CENPAC, MTU, AND TAPE READER MAINTAINERS (GRP067)	4.9	88	13.1
	a. CENPAC Supervisors (GRP159) b. CENPAC Maintainers (GRP137)	4.7 4.9	110 66	14.0 11.3
IX.	DISPLAYS TEST STATION PERSONNEL (GRP065)	4.7	94	12.7
X.	APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERSONNEL (GRP071)	4.8	79	11.9
XI.	SUPERVISION AND MANAGEMENT PERSONNEL (GRP014)	4.4	69	9.1
	a. Shop NCOICs (GRP116)b. Shift Supervisors (GRP077)c. Instructor Supervisors (GRP049)	4.5 4.5 4.2	82 73 60	10.9 9.7 7.5
XII.	ATTITUDE AND RATE TEST STATION PERSONNEL (GRP061)	4.5	49	7.9
XIII.	RESIDENT TECHNICAL SCHOOL INSTRUCTORS (GRP026)	4.6	42	7.5
XIV.	SCHEDULING/DUE-IN FROM MAINTENANCE (DIFM) MONITORS (GRP091)	3.6	18	1.0

^{*}ATDPUTS = AVERAGE TASK DIFFICULTY PER UNIT TIME SPENT

ANALYSIS OF DAFSC GROUPS

In conjunction with the identification and analysis of the job structure of the 326X4 career ladder, 3-, 5-, and 7-skill level groups within the survey sample were also examined. This analysis revealed similarities and differences between these groups in relation to the tasks they performed and the relative percentage of time they spent on particular duties. This information may also be useful in determining the accuracy of career ladder documents, such as the AFR 39-1 Specialty Descriptions and the Specialty Training Standard (STS).

As personnel progress through the 326X4 specialty, these individuals typically spend less time maintaining test stations and LRUs, and increasingly greater percentages of their job time on supervisory and managerial functions (see Table 9). Such a trend reflects a common personnel utilization and progression pattern. While this table indicates that the change in emphasis is fairly sharp, there are some commonalities between the groups. For example, nearly all incumbents spend approximately the same percentage of their time making necessary entries on forms and records or performing administrative, supply, and general equipment maintenance functions, regardless of the skill level held.

Overall, the responsibilities of the 3- and 5-skill level incumbents are very similar. Both of these groups have a primarily technically oriented job, with over 81 percent (DAFSC 32634A) and 68 percent (DAFSC 32654A) of their time devoted to the maintenance and testing of avionics equipment. As a result, these personnel are well distributed among the different varieties of stations (reference Table 10), although the Video Test Station Personnel account for the largest single concentration of respondents in both skill levels. In general, no major task differences were noted between the two groups although, as demonstrated by Table 11, slightly larger percentages of personnel holding the 32654A AFSC performed some supervisory tasks and maintenance functions on some types of common automatic test equipment such as micrologic power supply SRUs and TRUs.

In comparison, most incumbents holding a 7-skill level and working with A-shred individuals, are predominantly involved with performing supervisory and managerial duties, although some of these individuals were also found in technically oriented job groups. (See the CAREER LADDER STRUCTURE Section of this report.) Their job often focuses around such tasks as counseling subordinates, evaluating compliance with supervising and performance standards, and reviewing or writing correspondence. demonstrated by Table 12, these tasks most clearly differentiate this group from the 5-skill level respondents. Lower percentages of airmen holding the 32674 AFSC were also noted to perform such general maintenance tasks as inspecting and cleaning test station filters, removing or replacing test station light bulbs, fuses, and other minor hardware, or removing or replacing LRU pins or connectors. In contrast to other groups, these respondents, as a group, reported spending approximately only 28 percent of their job time on maintenance tasks, but devoted approximately equal amounts of time to making entries on records and performing other administrative and supply functions as both the 3- and 5-skill level individuals.

Summary

Members of the 3- and 5-skill level groups spend the majority of their time performing general maintenance tasks, maintaining F/FB-111 test stations, and testing or maintaining avionics equipment and components. These respondents, similar to their 7-skill level counterparts, are also responsible for annotating and making entries on such records as AFTO Form 95 (Significant Historical Data), AFTO Form 349 (Maintenance Data Collection Record) and AFTO Form 350 (Reparable Item Processing Tag). Conversely, the job of incumbents holding a 32674 AFSC has a supervisory emphasis. The change in orientation between the 5- and 7-skill level jobs is fairly sharp, although the more senior groups also spends substantial percentages of their time on some technical tasks.

TABLE 9

RELATIVE PERCENTAGE OF TIME SPENT ON DUTIES BY DAFSC GROUPS

Ind	DUTIES	DAFSC 32634A (N=82)	DAFSC 32654A (N=268)	DAFSC 32674 (N=106)
< 0	ORGANIZING AND PLANNING	∻રન	77	10
ء د	DINCTING AND INFLIGUENTING INCRESSING AND EVALUATING	c -;c	7 6	7 18
<i>-</i>	TRAINING THE EVALUATION OF THE PRINCE OF THE	: -;<	יו ר	9
(LL)	MAKING ENTRIES ON FORMS AND RECORDS	11	7 =	11
<u>(84</u>	PERFORMING ADMINISTRATIVE, SUPPLY, AND GENERAL EQUIPMENT MAINTENANCE FUNCTIONS	∞	60	6
ပ	PERFORMING GENERAL F/FB-111 AVIONICS MAINTENANCE	15	13	8
×	MAINTAINING F/FB-111 COMMON AUTOMATIC TEST EQUIPMENT	13	12	2
-	MAINTAINING F/FB-111 CENTRAL PROCESSORS AND CONTROLLERS (CENPAC, 12A6830)			
	ND TAPE READERS	7	4	-
7	MAINTAINING F/FB-111 12A16805, 12A16846, 12A6876, AND 12A6886 TEST STATIONS AND			
	\vdash	6	7	က
×	MAINTAINING F/FB-111 12A16803, 12A6873, AND 12A6883 TEST STATIONS AND ASSIGNED			
	LINE REPLACEABLE UNITS (LRU)	7	9	3
J	_			
:	AND ASSIGNED LINE REPLACEABLE UNITS	11	œ	2
Σ	MAINTAINING F/FB-111 12A6868 AND 12A6888 TEST STATIONS AND ASSIGNED LINE REPLACEABLE UNITS	-	-	⋠
Z	11 12A16802,	i	ı	
c	PRESSURIZATION TEST STATIONS (65AN), AND ASSIGNED LINE REPLACEABLE UNITS MAINTAINING E/FR-111 1246825 AND 1246825 TEST STATIONS AND ASSIGNED LINE	6	9	2
)	danotion dur description des Coords dur Capona;	9	æ	2
۵	11 12A6863 TE			
(TEST AIDS (ITS), AND ASSIGNED LINE REPLACEABLE UNITS	7	2	2
~	MAINTAINING LINE REPLACEABLE UNITS ASSIGNED TO F/FB-111 12A6887 TEST STATIONS AND INDICATOR DISPLAY SYSTEM MOCKUPS	"	2	*
œ	MAINTAINING F-: 11D APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) AND)	1	
	ASSIGNED REPLACEABLE UNITS	2	-	*

* DENOTES LESS THAN ONE PERCENT

TABLE 10

DAFSC DISTRIBUTION ACROSS JOB GROUPS (NUMBER RESPONDING)

JOB GROUPS	DAFSC 32634A (N=79)	DAFSC 32654A (N=238)	
JUB UNOUFS		<u> </u>	
RECEIVER-TRANSMITTER-MODULATOR TEST STATION PERSONNEL	12	33	5
CONTROLS, SENSORS, INDICATORS, AND MODULES MAINTAINERS	8	16	-
COMPUTER MAINTENANCE PERSONNEL	7	29	8
NAVIGATIONAL SYSTEMS MAINTENANCE PERSONNEL	8	33	6
VIDEO TEST STATION PERSONNEL	18	49	6
INDICATORS/SERVOS TEST STATION PERSONNEL	9	14	3
DISPLAYS TEST STATION PERSONNEL	6	12	-
TEST STATION AREA SUPERVISORS	-	2	7
ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERSONNEL	3	4	-
ATTITUDE AND RATE TEST STATION PERSONNEL	2	6	-
CENPAC, MTU, AND TAPE READER MAINTAINERS	5	17	2
SUPERVISION AND MANAGEMENT PERSONNEL	-	7	53
SCHEDULING/DIFM MONITORS	1	3	1
RESIDENT TECHNICAL SCHOOL INSTRUCTORS	-	13	1

TABLE 11

TASKS WHICH BEST DIFFERENTIATE DAFSCs 32634A AND 32654A PERSONNEL (PERCENT MEMBERS PERFORMING)

TASKS		DAFSC 32634A (N=82)	DAFSC 32654A (N=268)	DIFFERENCE
D96	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION	5	45	-40
D92	CONDUCT OJT	2	37	-35
B44	SUPERVISE APPRENTICE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND COMPONENT SPECIALISTS (F/FB-111)			
	(AFSC 32634A)	1	31	-30
D95	COUNSEL TRAINEES ON TRAINING PROGRESS	-	30	-30
E136	MAKE ENTRIES ON SYSTEM/EQUIPMENT STATUS RECORD			
	(AFTO FORM 244 OR 245)	33	57	-24
H224	ALIGN F/FB-111 LOGIC POWER SUPPLY TESTER REPLACEABLE			
	UNITS (TRU)	38	58	-20
G187	INSPECT F/FB-111 EQUIPMENT FOR CURRENT CALIBRATION			
	DATES	34	54	-20
H225	ALIGN F/FB-111 MICROLOGIC POWER SUPPLY TRUS	40	60	-20
H244				
	OF MICROLOGIC POWER SUPPLY TRUS	39	57	-18
H245				
	OF LOGIC POWER SUPPLY TRUS	40	56	-16
H246				
	SRUs	40	55	-15
H253				
	STIMULUS CONTROLLER SRUS	49	63	-14

TABLE 12

TASKS WHICH BEST DIFFERENTIATE DAFSCs 32654A AND 32674 PERSONNEL (PERCENT MEMBERS PERFORMING)

TASKS		DAFSC 32654A (N=268)		DIFFERENCE
G185 H235	• • • • • • • • • • • • • • • • • • • •	73	34	+39
	AND RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	71	34	+37
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS AND RELAYS USING MANUAL PROGRAMMING, TEST POINTS,		_	
G218	SCHEMATICS REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIP-	71	34	+37
H237	MENT LIGHT BULBS, FUSES, OR MINOR HARDWARE	80	43	+37
	STIMULUS RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	70	34	+36
G214	REMOVE OR REPLACE F/FB-111 LRU PINS OR CONNECTORS	74	39	+35
H230	·	74	3)	. 33
	SUPPLY TRUS USING SCHEMATICS	64	30	+34
G217			-	
	PACKAGE PINS OR CONNECTORS	72	38	+34
H226	ISOLATE MALFUNCTIONS IN F/FB-111 BINARY DATA REGISTER-			
	ROUTERS USING MAINTENANCE TAPE	63	29	+34
G213		72	39	+33
H229				
****	SCHEMATICS	65	32	+33
H228	•	67	27	+33
	USING SCHEMATICS	0/	34	733
C63	EVALUATE INDIVIDUALS FOR RECOGNITION	7	65	-58
C80	PREPARE APRS	28	83	- 55
C81	REVIEW CORRESPONDENCE	3	54	-51
B5 1	WRITE CORRESPONDENCE	6	57	-51
C57	ENDORSE AIRMAN PERFORMANCE REPORTS (APR)	9	58	-49
C68	EVALUATE COMPLIANCE WITH PERFORMANCE STANDARDS	8	56	-48
A3	COORDINATE JOB REQUIREMENTS WITH OTHER SECTIONS	11	57	-46
A26	SCHEDULE TEMPORARY DUTY, LEAVES, OR PASSES	3	47	-44
C83	REVIEW MAINTENANCE DATA COLLECTION RECORD		_	
	(AFTO FORM 349)	18	61	-43
A17	PARTICIPATE IN MEETINGS, SUCH AS STAFF MEETINGS,			4.0
200	BRIEFINGS, CONFERENCES, OR WORKSHOPS	15	58	-43
B29	COUNSEL PERSONNEL ON PERSONAL OR MILITARY RELATED	10	61	. 4.0
P/O	MATTERS CHEEDVICE INTECDATED AUTONICS COMPUTEDIZED TEST	19	61	-42
B49	SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND COMPONENT TECHNICIANS (32674)	1	43	-42
	SIMITON AND COMPONENT TECHNICIANS (320/4)	1	43	-42

COMPARISON OF SURVEY DATA TO AFR 39-1 SPECIALTY DESCRIPTIONS

A comparison was made between the survey data and the specialty descriptions for the 326X4 career ladder as outlined in AFR 39-1. These documents were written to provide a broad description of the functions commonly performed by personnel within all three shreds of the specialty.

Overall, survey data indicates that the current AFR 39-1 job descriptions give a very complete overview of the general responsibilities and duties of incumbents in the field.

ANALYSIS OF EXPERIENCE (TAFMS) GROUPS

Members of the 326X4A career ladder were also examined by TAFMS groups to determine how personnel utilization patterns change as a function of experience. Illustrated in Table 13, as incumbents progress through the specialty, increasing amounts of job time are spent on supervisory and administrative functions. This increase is fairly rapid. While first-term respondents indicated spending only approximately 25 percent of their time on such tasks, by their second enlistment incumbents typically spend almost half of their total job time (44 percent) in support of these duties. At this point, greater percentages of group members begin to perform such tasks as supervising or counseling subordinates and preparing APRs. Personnel in the specialty, though, still continue to devote substantial amounts of time to the maintenance of F/FB-111 test stations and LRUs throughout the third enlistment (97-144 months TAFMS).

Job Satisfaction

Table 14 reflects the expressed job interest, perceived utilization of talents and training, and reenlistment intentions of first enlistment (1-48 months), second enlistment (49-96 months), and career (97+ months) personnel. Generally, job satisfaction among 326X4A respondents in the 1-48 month and 49-96 month groups was higher than those of corresponding groups in a comparative sample composed of a number of AFSCs in the Mission Equipment Maintenance area. Responses from members in the career group and the reenlistment intentions of all three experience groups were similar to the results collected from individuals in the comparative sample.

Comparisons were also made between shreds of the 326X4 specialties. As demonstrated in Table 15, while job satisfaction tended to be higher among C shred individuals for each group on nearly all indices, A and B shred members in the career group gave very similar responses. Overall, perceived utilization of talents and training, and reenlistment intentions are often lower for 326X4B incumbents in the 1-48 months and 49-96 month groups.

First-Enlistment Personnel

The job of first-enlistment individuals is primarily technical in the 326X4 career ladder. Respondents in this group spend over 75 percent of their job time maintaining test stations and LRUs, and performing general maintenance tasks. They are responsible for basically the same full range of technical activities as more senior incumbents although lower percentages of first term personnel perform quality assurance (QA) and quality control (QC) inspections of test stations and LRUs. Greater percentages of these airmen also commonly are involved with general maintenance tasks such as performing foreign object damage (FOD) prevention walks and removing or replacing solderless circuit card components. Figure 2 lists the distribution of these members across the identified job groupings. As shown, first-enlistment personnel are divided fairly evenly among every technically oriented job group, reflecting the wide range of tasks performed by these incumbents.

TABLE 13

RELATIVE TIME SPENT ON DUTIES BY TAPMS GROUPS

			MONTHS TAFMS	TAFMS		
DUTIES	1-48 (N=282)	(65=N)	97-144 (N=39)	145-192 (N=37)	193-240 (N=31)	241+ (N=7)
RCANIZING AND PLANNING	-	4	4	11	12	2.1
IRECTING AND IMPLEMENTING	_	- 4	7	13	1 2	22
NSPECTING AND EVALUATING	7	7	∞	18	25	28
RAINING	7	10	15	œ	10	∞
AKING ENTRIES ON FORMS AND RECORDS	11	12	10	12	6	6
ERFORMING ADMINISTRATIVE SUPPLY AND GENERAL EQUIPMENT MAINTENANCE FUNCTIONS	œ	10	œ	12	01	0
ERFORMING GENERAL F/FB-111 AVIONICS MAINTENANCE	14	12	12	œ	9	٣
AINTAINING F/FB-111 COMMON AUTOMATIC TEST EQUIPMENT	13	6	10	S	7	1
AINTAINING F/FB-111 CENTRAL PROCESSORS AND CONTROLLERS (CENPAC, 12A6830)						
MAGNETIC TAPE UNITS (MTU), AND TAPE READERS	4	4	-	7	1	*
AINTAINING F/FB-111 12A16805, 12A16846, 12A6876, AND 12A6886 TEST STATIONS			ı	•	•	
AND ASSIGNED LINE REPLACEABLE UNITS (LRU)	æ	9	~	8	6	4
AINTAINING F/FB-111 12A16803, 12A6873, AND 12A6883 TEST STATIONS AND			1	1	1	
ASSIGNED LINE REPLACEABLE UNITS (LRU)	9	9	9	7	2	•
AINTAINING F/FB-111 12A6836, 12A6815, 12A6875, AND 12A6885 TEST STATIONS AND				1	ı	
ASSIGNED LINE REPLACEABLE UNITS (LRU)	6	∞	9	2	_	•
AINTAINING F/FB-111 12A6868 AND 12A6888 TEST STATIONS AND LINE REPLACEABLE						
UNITS (LRU)		*	•	*	*	
AINTAINING F/FB-111 12A16802, 12A6872, AND 12A16882 TEST STATIONS, FLUID						
AND PRESSURIZATION (65AN), AND ASSIGNED LINE REPLACEABLE UNITS (LRU)	7	4	6	-	7	1
AINTAINING F/FB-111 12A6825 AND 12A6895 TEST STATIONS AND ASSIGNED						
LINE REPLACEABLE UNITS (LRU)	2	m	7	-	7	•
AINTAINING F/FB-111 12A6863 TEST STATIONS INERTIAL NAVIGATIONAL SYSTEM TEST AINS (TES) AND ASSIGNED TIME DEPLACEABLE HANTES (TEM)		ć	•	•	•	
AINTAINING LINE REPLACEABLE UNITS (LRU) ASSIGNED TO F/FR-111 1246887 TEST	c	7	3	7	×	•
STATIONS AND INDICATOR DISPLAY SYSTEM MOCKUPS	2		*	*	*	٠
AINTAINING F-111D APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) AND	ı					
ASSIGNED LINE REPLACEABLE UNITS (LRU)	-		*	*	÷	٠
	ORGANIZING AND PLANNING DIRECTING AND IMPLEMENTING TRAINING THE SUPPLY AND GENERAL EQUIPMENT MAINTENANCE FUNCTIONS PERFORMING GENERAL F/FB-111 AVIONICS MAINTENANCE TRAINING F/FB-111 COMMON AUTONATIC TEST EQUIPMENT TRAINING F/FB-111 COMMON AUTONATIC TEST EQUIPMENT TRAINING F/FB-111 LENTRAL PROCESSORS AND CONTROLLERS (CENPAC, 12A6830) TRAINITAINING F/FB-111 12A16803, 12A6876, AND 12A6886 TEST STATIONS TRAINITAINING F/FB-111 12A16803, 12A6873, AND 12A6883 TEST STATIONS AND ASSIGNED LINE REPLACEABLE UNITS (LRU) TRAINITAINING F/FB-111 12A6886 AND 12A6887 TEST STATIONS AND TASIGNED LINE REPLACEABLE UNITS (LRU) TRAINITAINING F/FB-111 12A6883 AND 12A6888 TEST STATIONS AND TASIGNED LINE REPLACEABLE UNITS (LRU) TRAINITAINING F/FB-111 12A6863 AND 12A6895 TEST STATIONS AND TASIGNED LINE REPLACEABLE UNITS (LRU) TRAINITAINING F/FB-111 12A6863 TEST STATIONS AND ASSIGNED LINE REPLACEABLE UNITS (LRU) TRAINITAINING F/FB-111 12A6863 TEST STATIONS AND ASSIGNED TINE REPLACEABLE UNITS (LRU) TRAINING F/FB-111 12A6863 TEST STATIONS AND ASSIGNED TINE REPLACEABLE UNITS (LRU) TRAINITAINING F/FB-111 12A6881 TEST STATIONS AND ASSIGNED TO TAKE TRAINING T/FB-111 12A6881 TEST STATIONS AND ASSIGNED TO TAKE TRAINING T/FB-111 12A6881 TEST STATIONS AND ASSIGNED TO TAKE TRAINING T/FB-111 12A6881 TEST TRAINING T/FB-111 12A681 TEST STATIONS AND TAKEN TRAINING TINE REPLACEABLE UNITS (LRU) TRAINING TRAINING T/FB-111 12A6881 TEST TRAINING TRAINING T/FB-111 12A6881 TEST TRAINING TRAINING T/FB-111 12A6881 TEST TRAINING TRAIN	TING AND PLANNING ECTING AND IMPLEMENTING EFECTING AND IMPLEMENTING FRECTING AND IMPLEMENTING FRECTING AND IMPLEMENTING FRECTING AND IMPLEMENTING FROM THE SOLVE SUPPLY AND GENERAL EQUIPMENT MAINTENANCE FUNCTIONS FORMING CENERAL F/FB-111 AVIONICS MAINTENANCE NTAINING F/FB-111 COMMON AUTONATIC TEST EQUIPMENT MAINING F/FB-111 LENTRAL PROCESSORS AND CONTROLLERS (CENPAC, 1246830) GNETIC TAPE UNITS (HTU), AND TAPE REAGRES NTAINING F/FB-111 1246805, 1246846, 1246876, AND 1246886 TEST STATIONS IN ASSIGNED LINE REPLACEABLE UNITS (LRU) NTAINING F/FB-111 1246803, 1246815, 1246875, AND 1246885 TEST STATIONS AND SIGNED LINE REPLACEABLE UNITS (LRU) NTAINING F/FB-111 1246802, 1246815, 1246875, AND 1246882 TEST STATIONS, FLUID NTAINING F/FB-111 1246802, 1246872, AND 1246882 TEST STATIONS, FLUID NTAINING F/FB-111 1246803, TEST STATIONS AND ASSIGNED NTAINING F/FB-111 1246803 TEST STATIONS INFRITAL NAVIGATIONAL SYSTEM TEST NTAINING F/FB-111 1246803 TEST STATIONS AND ASSIGNED STATIONS AND INDICATOR DISPLAY SYSTEM TEST STATION (SST) AND ASSIGNED LINE REPLACEABLE UNITS (LRU) STONED LINE REPLACEABLE UNITS (LRU)	ANIZING AND PLANNING ECTING AND IPLEMENTING PECTING AND IPLEMENTING PECTING AND IPLEMENTING PECTING AND IPLEMENTING PECTING AND IPLEMENTING INNING INNING INNING PECTING AND EVALUATING INNING INNING PECTING AND RECORDS INNING PECTING INNING PECHILI SUPPLY AND GENERAL EQUIPMENT MAINTENANCE FUNCTIONS PEORHING GENERAL F/FB-111 AVIONICS MAINTENANCE WITAINING F/FB-111 COMPON AUTOHATIC TEST EQUIPMENT WITAINING F/FB-111 COMPON AUTOHATIC TEST EQUIPMENT WITAINING F/FB-111 LEAVERABLE UNITS (LRU) ANTAINING F/FB-111 12A6805, 12A6875, AND 12A6886 TEST STATIONS WITAINING F/FB-111 12A6886 AND 12A6875, AND 12A6885 TEST STATIONS AND SIGNED LINE REPLACEABLE UNITS (LRU) WITAINING F/FB-111 12A6888 AND 12A6875, AND 12A6885 TEST STATIONS AND SIGNED LINE REPLACEABLE UNITS (LRU) WITAINING F/FB-111 12A6888 AND 12A6875, AND 12A16882 TEST STATIONS WITAINING F/FB-111 12A6888 AND 12A6887 AND 12A16882 TEST STATIONS WITAINING F/FB-111 12A6883 AND 12A6887 TEST STATIONS AND ASSIGNED LINE REPLACEABLE UNITS (LRU) WITAINING F/FB-111 12A6883 TEST STATIONS AND ASSIGNED WERPLACEABLE UNITS (LRU) WITAINING F/FB-111 12A6883 TEST STATIONS AND ASSIGNED	### AND PLANNING ### CECTING AND PLANNING ### CECTING AND PLANNING ### CECTING AND IMPLERENTING ### CECTING AND IMPLERENTING ### CECTING AND IMPLERENTING ### CECTING AND IMPLEMENT ### CECTING AND RECORDS ### CECTING ADMINISTRATIVE SUPPLY AND GENERAL EQUIPMENT ### CECTING ADMINISTRATIVE SUPPLY AND GENERAL EVENT ### CECTING ADMINISTRATIVE SUPPLY AND GENERAL EVENT ### CECTING ADMINISTRATIVE SUPPLY AND GENERAL EVENT ### CECTING ADMINISTRATIVE SUPPLY AND CONTROLLERS (CENPAC, 12A6830) ### CECTING FFE-111 CENTRAL PROCESSORS AND CONTROLLERS (CENPAC, 12A6830) ### CECTING FFE-111 CATAGEORY AND 12A6886 TEST STATIONS ### CECTING FFE-111 12A6803, 12A6873, AND 12A6883 TEST STATIONS AND ### AND AND HAND AND AND AND AND AND AND AND AND AND	### CECTING AND PLANNING ### CECTING AND IPPLEMENTING ### CECTING AND IPPLEMENT ### CECTING AND IPPLEMENT ### CECTING AND IPPLEMENT ### CECTING ADMINISTRATIVE SUPPLY AND GENERAL EQUIPMENT ### CECTING ADMINISTRATIVE SUPPLY AND GENERAL EQUIPMENT ### CECTING ADMINISTRATIVE SUPPLY AND CENTROLLERS (CENPAC, 12A6830) ### CECTING ADMINISTRATIVE SUPPLY AND CONTROLLERS (CENPAC, 12A6830) ### CECTING ADMINISTRATIVE SUPPLY AND CONTROLLERS (CENPAC, 12A6830) ### CECTING AND AUTOMATIC TEST EQUIPMENT ### CENTRAL PROCESSORS AND CONTROLLERS (CENPAC, 12A6830) ### CENTRAL PROCESSORS AND 12A6880 TEST STATIONS AND ### CENTRAL PROCESSORS AND 12A6881 TEST STATIONS AND ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND LINE REPLACEABLE UNITS (LRU) ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND LINE REPLACEABLE UNITS (LRU) ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND ASSIGNED ### REPLACEABLE UNITS (LRU) ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND ASSIGNED ### REPLACEABLE UNITS (LRU) ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND ASSIGNED ### REPLACEABLE UNITS (LRU) ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND ASSIGNED ### REPLACEABLE UNITS (LRU) ### CENTRAL PROCESSORS AND 12A6882 TEST STATIONS AND ASSIGNED ### REPLACEABLE UNITS (LRU) ### PREPLACEABLE UNITS (LR	### CENTRO AND PLANNING ### CE

*DENOTES LESS THAN ONE PERCENT

39

TABLE 14

JOB SATISFACTION DATA FOR TAFMS GROUPS (PERCENT MEMBERS RESPONDING)*

	1-4	1-48 MONTHS	6-67	SHLNOW 96-65	+76	97+ MONTHS
	326X4A RESPONDENTS (N=282)	1980 COMPARATIVE SAMPLE (N=1,374)	326X4A RESPONDENTS (N=59)	1980 COMPARATIVE SAMPLE (N=853)	326X4A RESPONDENTS (N=114)	1980 COMPARATIVE SAMPLE (N=1,426)
I FIND MY JOB:						
DULL		24	12	17	11	14
SO-SO INTERESTING	12	20	19	22	18	16 07
NOT REPORTED	: '	g '	6	5 '	2	? '
MY JOB UTILIZES MY TALENTS:						
NOT AT ALL TO VERY LITTLE	17	37	17	31	19	24
FAIRLY WELL TO VERY WELL	7.5	58	78	62	65	61
EXCELLENTLY TO PERFECTLY	∞	י עיצ	ī.	7	15	15
NOI REPORTED	•	•	•		-	•
MY JOB UTILIZES MY TRAINING:						
NOT AT ALL TO VERY LITTLE	26	30	24	28	29	25
FAIRLY WELL TO VERY WELL	69	62	89	63	09	29
EXCELLENTLY TO PERFECTLY	2	7	6 0	∞	10	15
NOT REPORTED	1	•	ı	,,,		1
I PLAN TO REENLIST:						
NO OR PROBABLY NO YES OR PROBABLY YES NOT REPORTED	70 28 2	66 33 1	77 77 77	51 48 1	35 64 1	32 67 1

*THESE FIGURES ALSO INCLUDE DAFSC 32674 PERSONNEL CURRENLY ASSIGNED WITH A SHRED INDIVIDUALS COMPARATIVE SAMPLE TAKEN FORM ALL MISSION EQUIPMENT MAINTENANCE SPECIALTIES SURVEYED IN 1980; INCLUDES AFSCs 30XXX, 31XXX, 32XXX, 34XXX, 36XXX, 40XXX, 43XXX, 43XXX, AND 46XXX


JOB SATISFACTION BY 326X4X SHRED (PERCENT MEMBERS RESPONDING)*

		1-48 MONTHS	:	1	SHINOM 96-67	1		97+ MONTHS	
	326X4A RESPONDENTS (N=282)	326X4B RESPONDENTS (N=151)	326X4C RESPONDENTS (N=48)	326X4A RESPONDENTS (N=59)	326X4B RESPONDENTS (N=48)	326X4C RESPONDENTS (N=56)	326X4A RESPONDENTS (N=114)	326X4B RESPONDENTS (N=65)	326X4C RESPONDENTS (N=71)
I FIND MY JOB:									
DULL	11	10	9	12	19	6	11	15	60
80-80	12	17	13	19	19		18	=	13
INTERESTING	11	73	81	69	09	78	70	72	42
NOT REPORTED	•	i	•	•	2	1	1	2	
MY JOB UTILIZES MY TALENTS:									
NOT AT ALL TO VERY LITTLE		25	17	17	29	14	19	22	15
FAIRLY WELL TO VERY WELL	75	17	11	78	65	7.1	65	29	75
EXCELLENTLY TO PERFECTLY	œ	4	12	'n	7	6	15	19	10
NOT REPORTED	1	•	•		2	ı		-	1
MY JOB UTILIZES MY TRAINING									
NOT AT ALL TO VERY LITTLE		21	13	24	33	6	29	28	18
FAIRLY WELL TO VERY WELL	69	7.4	79	89	61	80	09	63	75
EXCELLENTLY TO PERFECTLY	2	٠,	80	90	9		10	6	7
NOT REPORTED	•	ı	•	•	t	•	-	•	•
I PLAN TO REENLIST									
I WILL RETIRE	•	•	ſ	•	•	•	25	29	15
NO OR PROBABLY NO	70	72	28	26	11	54	10	17	13
YES OR PROBABLY YES	87	56	77	77	29	97	7,	24	72
NOT REPORTED	7	7	•	ı	,	•	~		ı

*THESE FIGURES ALSO INCLUDE DAFSC 32674 PERSONNEL CURRENTLY ASSIGNED WITH A, B, AND C SHRED INDIVIDUALS

FIGURE 2

DISTRIBUTION OF FIRST ENLISTMENT PERSONNEL ACROSS CAREER LADDER JOBS (PERCENT MEMBERS RESPONDING)
(N=282)



TRAINING ANALYSIS

Training Emphasis and Task Difficulty Data

emphasis and task difficulty data were collected from experienced 326X4 personnel for each task within the current job inventory. Thirty-nine senior incumbents provided the training emphasis ratings which give useful information on the structured training needs of the specialty as perceived by individuals within the AFSC. These assessments produced an average rating of 2.07, with a standard deviation of 1.18. Task difficulty data were collected from a total of 31 respondents. These ratings provide an assessment of the relative degree of difficulty of each individual task as compared with all other tasks within the inventory. Results standardized so items of average difficulty have a rating of standard deviation of 1.0. The objective of this procedure is to develop an ordered listing of those items which should be considered for training. The Task Factor Administration section in the INTRODUCTION provides a more detailed explanation of both types of data. Complete lists of inventory items either in the order of relative task difficulty or training emphasis are included in the Analysis Extract.

Table 16 lists examples of those tasks which have been rated above average in both training emphasis and task difficulty. As this table shows, tasks having high ratings in both areas and being performed by relatively large percentages of personnel typically involved maintaining common automatic test equipment. Most items concerned isolating malfunctions in such equipment as stimulus controllers and relays, counter timers, and micrologic power supply tester replaceable units (TRU) as well as aligning micrologic and logic power supply TRUs. Generally, the majority of first-enlistment personnel performed these types of general maintenance functions. A number of other tasks were also given above average ratings in both areas. These primarly involved isolating malfunctions in test stations using methods such as maintenance tests, test equipment, and schematics, through interconnects of an installed LRU, or using diagnostic tapes only. Many of these tasks also involved aligning equipment such as MTU capstans, teletypewriters, and terrain following computers. Because the majority of these tasks were specific to individual types of test stations; fairly small percentages of first-enlistment incumbents usually performed them due to the large amount of test station specialization which is common. Overall, this seems to be a reflection of the large amount of specialization prevalent among members of the career ladder.

Many items were also rated high in training emphasis and below average in task difficulty. Most of these functions were related to making entries on forms and records, performing administrative, supply, and general equipment maintenance functions, and performing general avionics maintenance. Commonly included were such tasks as making entries on Maintenance Data Collection Record (AFTO Form 349), researching microfiche for part information, and inventorying test stations, cabinets, rollaways, simulators, or mockups. As shown by these high ratings, because the majority of first-term personnel are required to perform such tasks, senior career ladder respondents feel they are important to be trained even though as compared to other tasks within the inventory, they are not considered difficult to learn.

Similarily, Table 17 provides a list of tasks which have been rated below average in both training emphasis and task difficulty. As this table illustrates, many of these items are often performed by less than 10 percent of first-enlistment members. These tasks usually involve assigning personnel to positions, updating or verifying listings, and removing or replacing a number of SRUs and components associated with the 12A6825 and 12A6895 test stations.

TABLE 16

EXAMPLES OF TASKS RATED ABOVE AVERAGE IN TRAINING EMPHASIS AND TASK DIFFICULTY BY 326X4 PERSONNEL

TASK	96.9	6.95	6.90	7.20	6.74	7.10	7.49	6.83 8.83	6.03	7.13	6.54	6.76	6.80 6.04	00.9	7.09	7.11
PERCENT OF 1-48 MONTHS TAFMS MEMBERS PERFORMING 1 (N=282)	7.4	74	73	99	43	07	29	38 67	51	99	47	51	50 57	26	14	∞
TRAINING* EMPHASIS	7.13	6.87	6.87	6.31	6.18	6.13	6.10	5.97 5.90	5.74	5.74	5.54	5.33	5.1 8 5.15	5.05	5.03	7.00
S)	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AN MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	ISOLATE MALEUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	/ ISOLATE MALFUNCTIONS IN F/FB-III TEST POINT OR STIMULUS KELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS 8 ISOLATE MALFUNCTIONS IN F/FB-III COUNTER TIMERS USING SCHEMATICS	ISOLATE MALFUNCTIONS IN F/FB-111 MICROLOGIC POWER SUPPLY TRUS USCHEMATICS	2 ISOLATE MALFUNCTIONS IN F/FB-111 PROGRAMMABLE PULSE GENERATORS (PPG) USING MAINTENANCE TAPES 4 ISOLATE MALFUNCTIONS IN F/FB-111 PPGs USING FRONT PANEL CONTROLS AND	SCHEMATICS	ISOLATE MALFUNCTIONS IN F/FB-111	3 ISOLATE MALETINCTIONS IN F/FB-III PPGS USING MANUAL PROGRAMMING 7 ISOLATE MALETINCTIONS IN F/FB-III COMNTER TIMERS MAINTENANCE TAPE	FABRICATE OR REBUILD F/FB-111 AVIONICS CABLES	ISOLATE MALFUNCTIONS IN F/FB-111 BINARY DATA REGI	TRANSFORMERS (PSCRT) USING MAINTENANCE TAPES R ISOLATE MAIFINCTIONS WITHIN F/FR-111 INDIVIDIAL POWER SUPPLIES OF	MICROLOGIC POWER SUPPLY TRUS ISOLATE MALFUNCTIONS WITHIN F/FB-111 INDIVIDUAL POWER SUPPLIES	FOWER SUPPLY TRUS 5 ALIGN F/FB-111 MICROLOGIC POWER SUPPLY TRUS		SCHEMATICS	TEST, TEST EQUIPMENT, AND SCHEMA
TASKS	Н235	H236	H23/ H228	H230	H232 H234		H229	H227	G184	H226	H238	H239	H225	H224 I265	1871	

PERCENT OF

DIFFICULTY 6.56 6.99 96.9 6.72 6.35 TASK TAFHS MEMBERS 1-48 MONTHS PERFORMING 2 14 (N=282) TRAINING* EMPHASIS 3.56 3.26 3.67 3.97 3.97 MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS ISOLATE MALFUNCTIONS IN F/FB-111 12A6873 TEST STATIONS USING MAINTENANCE MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS THROUGH ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS THROUGH TEST, TEST EQUIPMENT, AND SCHEMATICS ISOLATE MALFUNCTIONS IN F/FB-111 12A16802 TEST STATIONS USING ISOLATE MALFUNCTIONS IN F/FB-111 12A16876 TEST STATIONS USING INTERCONNECTS OF AN INSTALLED LRU INTERCONEECTS OF AN INSTALLED LRU TASKS 1338 K410 N578 P726 9979

* AVERAGE TRAINING EMPHASIS IS 2.07 WITH A STANDARD DEVIATION OF 1.18 AVERAGE TASK DIFFICULTY IS 5.00 WITH A STANDARD DEVIATION OF 1.00

TABLE 17

EXAMPLES OF TASKS RATED BELOW AVERAGE IN TRAINING EMPHASIS AND TASK

DIFFICULTY BY 326X4 PERSONNEL

TASKS		TRAINING* EMPHASIS	PERCENT OF 1-48 MONTHS TAFMS MEMBERS PERFORMING (N=282)	TASK DIFFICULTY
F170 D91 F152 E132 D89 E123 A17 F172 A2 E139 C86	ASSIGN RESIDENT COURSE INSTRUCTORS MAINTAIN VECHICLE CONTROL LOGS MAKE ENTRIES ON SCHEDULE OF TECHNICIAN AVAILABILTY (AF FORM 2446) ADMINISTER TESTS MAKE ENTRIES ON MAINTENANCE PREPLAN (AF FORM 2406) PARTICIPATE IN MEETINGS, SUCH AS STAFF MEETINGS, BRIEFINGS, CONFERENCES, OR WORKSHOPS UPDATE MASTER IDENTIFICATION (ID) LISTINGS ASSIGN SPONSORS FOR NEWLY ASSIGNED PERSONNEL MAKE ENTRIES ON TRAINING REQUEST AND COMPLETION NOTIFICATION (AF FORM 2426) VERIFY MAINTENANCE MANAGEMENT INFORMATION AND CONTROL SYSTEM (MMICS) SPECIAL CERTIFICATION/INSPECTION LISTINGS SUPERVISE APPRENTICE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND		7 2 3 1 2 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	3.70 3.25 3.26 3.20 3.79 3.81 3.91
A1 F153 F142 0673 0670 0688 0687 0687 0687 0671 0669	FSC 32634B) NS SC 32634B) NS SC 32634B SINS STO DETERMINE PART AVAILABE FUNDE VERTICAL VELOCITY INDIC SPEED MACH INDICATOR COMPONE STINGS ING DISTANCE HEADING INDICAT ING DISTANCE HEADING INDICAT INDE VERTICAL VELOCITY INDICAT SPEED MACH INDICATOR SRUS HT DIRECTOR COMPUTER COMPONE IT DIRECTOR COMPUTER COMPONE IT DIRECTOR CALIBRATION (PM	. 333 . 466 . 466 . 51 . 51 . 52 . 53 . 53 . 53 . 53 . 53 . 53 . 53 . 53		3.90 3.90 3.56 3.77 3.65 3.65 3.65 3.78 3.78

ij

Specialty Training Standard (STS)

STS 326X4A, dated April 1979, was reviewed for 3- and 5-skill level personnel. Subject matter specialists at the Lowry Technical Training Center assisted in the analysis by matching job inventory tasks to specific STS items. Generally, large percentages of respondents usually performed general tasks, such as those related to supply discipline, using maintenance data collection forms, and maintaining common automatic test equipment. In contrast, due to the high degree of specialization in the field (see the SPECIALTY JOBS section of this report), relatively small percentages of incumbents, overall, worked with each individual station. As a result, many of the tasks annotated to specific types of stations reflected fairly low performance although they were often rated fairly high in training emphasis. In view of this, computer printouts of the STS-task matchings have been forwarded to the appropriate career ladder personnel for an in-depth evaluation of this document.

Plan of Instruction (POI)

The Plan of Instruction for both the F/FB-111A/E/F (POI GABR32634A 000) and the F-111D (POI G3ABR32634A 001), dated January 1981, were also examined in conjunction with survey information. Inventory tasks were matched to specific learning objectives, allowing each objective to be evaluated in terms of training emphasis and task difficulty ratings, as well as the percent of first-enlistment personnel performing related tasks. Similar to the results found in the STS analysis, due to the structure of this specialty, relatively small percentages of respondents reported performing many of the tasks annotated to many POI blocks. Because many of these tasks were still given high training emphasis ratings subject matter specialists will have to closely assess each of these blocks. As with the STS, a computer listing of all matched and unreferenced tasks has been provided to subject matter specialists for their review in the Training Extract.

ANALYSIS OF CONUS VERSUS OVERSEAS GROUPS

A comparison was made between the tasks performed by DAFSC 32654A respondents assigned within the Continental United States (CONUS) and those overseas. Results indicated that the job of both groups of incumbents was very similar, although some differences were noted. Personnel overseas reported performing a slightly greater number of tasks than their counterparts in the CONUS (126 versus 106), while the average paygrade for both groups was approximately the same (E-4). Table 18 provides a list of some of the tasks which best distinguish between these groups. As shown, greater percentages of individuals assigned within the CONUS indicated doing general maintenance functions associated with mobility operations. By comparison, larger percentages of the respondents stationed overseas reported performing such tasks as isolating malfunctions in programmable pulse generators using either maintenance tapes or manual programming, aligning and bench checking terrain following indicators or indicator recorders, and isolating malfunctions in simulators or mockups.

There were also some background differences between the two groups. As is common in many AFSCs, overseas respondents tended to have slightly more time in the career field and time in service than incumbents in the CONUS (see Table 19). Also, as demonstrated by this table, the domestic automatic test station shops seemed, on the average, to be larger both in terms of number of test sets in the shop and the number of people assigned. Job satisfaction was nearly identical for both groups. The majority of incumbents in the CONUS and overseas felt their job was interesting and utilized their talents and training effectively. Approximately a third of the members of both groups are currently planning to reenlist (33 percent for personnel in the CONUS and 30 percent for overseas respondents).

Finally, there were differences in the aircraft commonly worked with by these two groups. Greater percentages of individuals assigned within the CONUS indicated working with the F-111A, F-111D, and FB-111A, while greater percentages of overseas respondents worked with such models as the F-111E and F-111F.

TABLE 18

TASKS WHICH BEST DIFFERENTIATE 32654A CONUS AND OVERSEAS PERSONNEL (PERCENT MEMBERS PERFORMING)

C210 PREPARE F/FB-111 AVIONICS AND SUPPORT EQUIPMENT NOBILITY OPERATIONS 39 13 +26	TASKS		CONUS (N=204)	OVERSEAS (N=64)	DIFFERENCE
Cali Reconfigure f/fb-111 avionics and support equipment	G210		20	10	126
FOR NORMAL OPERATIONS AFTER MOBILITY USE 30 8 +22	G211		39	13	720
F177 VERIFY MONITOR REPORTS (D-18 OR D-19) 26 9	0211		30	R	+22
### F147 MAINTAIN STATUS BOARDS, GRAPHS, OR CHARTS	F177				
L447 ALIGN F/FB-111 INDICATOR RECORDERS 12 38 -26 L457 BENCH CHECK F/FB-111 INDICATOR RECORDERS 13 38 -25 H232 ISOLATE MALFUNCTIONS IN F/FB-111 PROGRAMMABLE PULSE GENERATORS USING MAINTENANCE TAPES 37 61 -24 L463 BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS 11 34 -23 L451 ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS 11 34 -23 H233 ISOLATE MALFUNCTIONS IN F/FB-111 PPGS USING MANUAL PROGRAMMING 33 56 -23 L507 REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRU'S 12 34 -22 L498 REMOVE OR REPLACE F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZER SRU'S 12 34 -22 L444 ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS 12 34 -22 L451 ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS 12 34 -22 L519 REMOVE OR REPLACE F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 31 -22 L519 REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING 1 33 -22 L519 REMOVE OR REPLACE F/FB-111 SIMULATORS 14 36 -22 L473 ISOLATE MALFUNCTIONS IN F/FB-111 SIMULATORS 14 36 -22 L468 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS 13 34 -21 L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 INDULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18				-	
L457 BENCH CHECK F/FB-111 INDICATOR RECORDERS 13 38 -25 H232 ISOLATE MALFUNCTIONS IN F/FB-111 PROGRAMMABLE PULSE GENERATORS USING MAINTENANCE TAPES 37 61 -24 L463 BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS 11 34 -23 L451 ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS 11 34 -23 H233 ISOLATE MALFUNCTIONS IN F/FB-111 PPGs USING MANUAL PROGRAMMING 33 56 -23 L507 REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRU'S 12 34 -22 L498 REMOVE OR REPLACE F/FB-111 ATTACK RADAR SET	H249	REMOVE OR REPLACE F/FB-111 PPG SRUs	35	61	-26
H232 ISOLATE MALFUNCTIONS IN F/FB-111 PROGRAMMABLE PULSE GENERATORS USING MAINTENANCE TAPES 37 61 -24	L447	ALIGN F/FB-111 INDICATOR RECORDERS	12	38	-26
GENERATORS USING MAINTENANCE TAPES L463 BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS L511 ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS L512 ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS L513 ISOLATE MALFUNCTIONS IN F/FB-111 PPGs USING MANUAL PROGRAMMING L507 REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRU'S L508 REMOVE OR REPLACE F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZER SRU'S L444 ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS L519 REMOVE OR REPLACE F/FB-111 MODULAR RECEIVER TRANSMITTERS RECEIVER TRANSMITTERS L519 REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING INDICATOR SRUS L519 ISOLATE MALFUNCTIONS IN F/FB-111 SIMULATORS OR MOCKUPS L519 REMOVE OR REPLACE F/FB-111 SIMULATORS OR MOCKUPS L510 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS L510 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS L510 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS L510 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS L510 ISOLATE MALFUNCTIONS IN AAR-34 VID	L457	BENCH CHECK F/FB-111 INDICATOR RECORDERS	13	38	-25
L463 BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS 11 34 -23	H232	ISOLATE MALFUNCTIONS IN F/FB-111 PROGRAMMABLE PULSE			
L451 ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS 11 34 -23		GENERATORS USING MAINTENANCE TAPES	37	61	-24
H233 ISOLATE MALFUNCTIONS IN F/FB-111 PPGs USING MANUAL PROGRAMMING 33 56 -23	L463	BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS	11	34	-23
MANUAL PROGRAMMING	L451	ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS	11	34	-23
L507 REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRU'S 12 34 -22	H233	ISOLATE MALFUNCTIONS IN F/FB-111 PPGs USING			
SRU'S L498 REMOVE OR REPLACE F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZER SRU'S L444 ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS N574 ISOLATE MALFUNCTIONS IN F/FB-111 MODULAR RECEIVER TRANSMITTERS PREMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING INDICATOR SRUS G192 ISOLATE MALFUNCTIONS IN F/FB-111 SIMULATORS OR MOCKUPS OR MOCKUPS L473 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS RECORDERS 10 31 -21 L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18		MANUAL PROGRAMMING	33	56	-23
L498 REMOVE OR REPLACE F/FB-111 ATTACK RADAR SET	L507	REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER			
ELECTRICAL SYNCHRONIZER SRU'S 12 34 -22			12	34	-22
L444 ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS N574 ISOLATE MALFUNCTIONS IN F/FB-111 MODULAR RECEIVER TRANSMITTERS PEMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING INDICATOR SRUS G192 ISOLATE MALFUNCTIONS IN F/FB-111 SIMULATORS OR MOCKUPS OR MOCKUPS 14 36 -22 L473 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS 13 34 -21 L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18	L498				
SYNCHRONIZERS 12 34 -22		ELECTRICAL SYNCHRONIZER SRU'S	12	34	-22
N574 ISOLATE MALFUNCTIONS IN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 31 -22	L444	ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL			
RECEIVER TRANSMITTERS 9 31 -22			12	34	-22
L519 REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING INDICATOR SRUS 11 33 -22	N574	ISOLATE MALFUNCTIONS IN F/FB-111 MODULAR			
INDICATOR SRUS			9	31	-22
G192 ISOLATE MALFUNCTIONS IN F/FB-111 SIMULATORS OR MOCKUPS L473 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS 13 34 -21 L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 16 34 -18	L519	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING			
OR MOCKUPS L473 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18		INDICATOR SRUs	11	33	-22
L473 ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS 13 34 -21 L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18	G192	ISOLATE MALFUNCTIONS IN F/FB-111 SIMULATORS			
RECORDERS L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18			14	36	-22
L468 ISOLATE MALFUNCTIONS IN AAR-34 VIDEO SIGNALS PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18	L473				
PROCESSORS 10 31 -21 N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18			13	34	-21
N558 ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS 9 30 -21 L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18	L468				
L448 ALIGN F/FB-111 INTERFERENCE BLANKERS 16 34 -18					
L459 BENCH CHECK F/FB-111 LARARTS 17 34 -17					
	L459	BENCH CHECK F/FB-111 LARARTS	17	34	-17

TABLE 19
BACKGROUND INFORMATION FOR CONUS/OVERSEAS GROUPS

	CONUS (N=204)	OVERSEAS (N=64)
AVERAGE NUMBER OF TASKS PERFORMED: JOB DIFFICULTY INDEX: AVERAGE PAYGRADE:	106 13.2 E-4	126 15.4 E-4
AVERAGE PAIGRADE:	E-4	E-4
MAJOR COMMAND:		
USAFE	1%	98%
ATC	11%	-
SAC	22%	2%
TAC	65%	-
OTHER	1%	-
AVERAGE MONTHS IN CAREER FIELD:	37	43
AVERAGE MONTHS IN SERVICE (TAFMS):	46	50
NUMBER OF SETS IN SHOP:		
DO NOT WORK IN AUTOMATIC TEST STATION SHOP	18%	-
1 SET OF TEST STATIONS	7%	-
2 SETS OF TEST STATIONS	10%	19%
3 SETS OF TEST STATIONS	10%	
4 SETS OF TEST STATIONS	52%	
NUMBER OF PEOPLE ASSIGNED TO SHOP:		
DO NOT WORK IN AUTOMATIC TEST STATION SHOP	18%	-
LESS THAN 20 PEOPLE	4%	-
20 OR MORE BUT LESS THAN 40	16%	-
40 OR MORE BUT LESS THAN 60	14%	28%
60 OR MORE BUT LESS THAN 80	3%	45%
80 OR MORE BUT LESS THAN 100	8%	23%
100 OR MORE BUT LESS THAN 120	6%	-
120 PEOPLE OR MORE	31%	-
AIRCRAFT WORK WITH IN PRESENT JOB:		
NONE	12%	3%
F-111A	32%	8%
F-111D	37%	3%
F-111E	7%	44%
F-111F	6%	48%
FB-111A	27%	5%

ANALYSIS OF MAJCOM GROUPS

An examination of MAJCOM groups indicated that the job of 326X4A personnel was very similar across major commands. Table 20 lists the relative time spent on duties by members of the four largest sample groups. As shown by this table, respondents in USAFE, SAC, and TAC all spent approximately the same amount of time in each of the functional areas, while incumbents in ATC were performing a distinctly different job as a result of their training responsibilities.

Some task differences, however, were found between these groups. For example, greater percentages of personnel in SAC reported performing general tasks such as maintaining tool boxes or performing foreign object damage (FOD) prevention walks. Slightly greater percentages of these members also were involved with maintaining 12A6863 test stations and common test equipment (see Table 21). By comparison, although very few respondents in any command reported maintaining heads up display (HUD) units or F-lliD APQ-130 attack radar subsystem test stations, the majority of airmen responsible for these functions were either assigned to TAC or ATC. Similarily, although few personnel performed maintenance on doppler electronics units, these incumbents were primarily a SAC or TAC resource.

As illustrated by Table 22, there were also a number of background differences between the groups. Overall, personnel in SAC reported performing the greatest average number of tasks (136), compared to an average of only 91 for incumbents assigned to ATC. In contrast, ATC accounted for the most senior personnel with an average of ll9 months TAFMS while TAC respondents were the most junior with an average of only 54. Additionally, shop size varied among major commands. While seventy-three percent of the incumbents in TAC worked in automatic test station shops containing four sets of test equipment, the majority of USAFE shops contained only three. SAC shops tended to be even smaller, with less than 27 percent of these personnel working in shops having more than two sets. The average number of people assigned to the shops followed the same general pattern. Over half of the TAC respondents were assigned to shops of 120 people or more, while approximately 66 percent of the personnel in USAFE worked in shops of less than 80 people. Correspondingly, the majority (76 percent) of SAC personnel were in test station shops of less than 60 persons.

The model of aircraft worked with also often differed among groups. USAFE incumbents most commonly worked with "E" and "F" models while TAC personnel were primarily associated with "A" and "D" model aircraft. The job of most SAC respondents centered basically around the FB-lllA.

Finally, job satisfaction was about the same among all members, although a smaller percentage of respondents assigned to SAC felt that their training was utlized at least fairly well. Reenlistment intentions, however, were found the most favorable among ATC incumbents and the least favorable among respondents in TAC.

TABLE 20

RELATIVE PERCENT TIME SPENT ON DUTIES BY MAJOR COMMAND GROUPS

5	DUTLES	USAFE PERSONNEL (N=131)	ATC PERSONNEL (N=40)	SAC PERSONNEL (N=61)	TAC PERSONNE1 (N=225)
≪ 0	ORGANIZING AND PLANNING	~	۵	∘7	-3
x (DIRECTING AND IMPLEMENTING		r.,	4	4
۽ د	INSPECTING AND EVALUATING	2	9	٠	9
_	TRAINING	7	33	7	~
ш	MAKING ENTRIES ON FORMS AND RECORDS		· ~	œ	
	PERFORMING ADMINISTRATIVE, SUPPLY, AND GENERAL EQUIPMENT MAINTENANCE		1	ı	,
	FUNCTIONS	œ	ټ	6	91
٠	PERFORMING GENERAL F/FB-111 AVIONICS MAINTENANCE	17	ۍ.	13	13
×	MAINTAINING F/FB-111 COMMON AUTOMATIC EQUIPMENT	12	7	12	01
	MAINTAINING F/FB-111 CENTRAL PROCESSORS AND CONTROLLERS (CEMPAC 12A6830),			ļ	:
	MAGNETIC TAPE UNITS (MTU), AND TAPE READERS	\ 1			
7	MAINTAINING F/FB-111 12A16805, 12A16846, AND 12A6886 TEST STATIONS AND		,	,	1
	ASSIGNED LINE REPLACEABLE UNITS (LRU)	۲	77	ď	4
×	MAINTAINING F/FB-111 12A16803, 12A6873, AND 12A6883 TEST STATIONS AND		•	,	>
	ASSIGNED LINE REPLACEABLE UNIT (LRU)	7	-1	•	7
د	MAINTAINING F/FB-111 12A6836, 12A6815, 12A6875, AND 12A6885 TEST STATIONS		,	>	•
	AND ASSIGNED LINE REPLACEABLE UNITS (LRU)	σ	•	,	,
E	MAINTAINING F/FB-111 12A6868 AND 12A6888 TEST STATIONS AND LINE REPLACEMENT	`	-	-	
	UNITS	•	,		_
2	MAINTAINING F/FB-111 12A16802, 12A6872, AND 12A16882 TEST STATIONS, FLUID AND PRESSURIZATION TEST STATIONS (65AN), AND ASSIGNED LINE REPLACEARLE			.	•
	UNITS (LRU)	4	~	~	4
0	MAINTAINING F/FB-111 12A6825 AND 12A6895 TEST STATIONS AND ASSIGNED LINE REPLACEARIE INTES (TELL)		,	۱ ،	•
Д	MAINTAINING F/FB-111 12A6863 TEST STATIONS. INFRITAL MAUTCATIONAL CVCTFM	,	•	^	2
	TEST AIDS (ITS), AND ASSIGNED LINE REPLACEABLE UNITS (LRU)	4	,	œ	~
0	MAINTAINING LINE REPLACEABLE UNITS (LRU) ASSIGNED TO F/FB-111 12A6887		•	ò	1
	TEST STATIONS AND INDICATOR DISPLAY SYSTEM MOCKUPS	*		*	•
ΩÇ	MAINTAINING F-111D APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST)				1
	AND ASSIGNED LINE REPLACEABLE UNITS (LRU)	*	4:	•	2

TABLE 21

REPRESENTATIVE TASKS WHICH BEST DIFFERENITATE MAJOR COMMAND GROUPS (PERCENT MEMBERS PERFORMING)

TASKS		USAFE PERSONNEL (N=131)	ATC PERSONNEL (N=40)	SAC PERSONNEL (N=61)	TAC PERSONNEL (N=225)
F150	MAINTAIN TOOL BOXES OR CONSOLIDATED TOOL KITS (CTR) PERFORM FOREIGN OBJECT DAMAGE (FOD) PREVENTION WALKS	53 77	13	79 59	32
F163	PREPARE QUALITY DEFICIENCY REPORTS	33	œ	57	43
H244	REMOVE OR REPLACE F/FB-111 INDIVIDUAL POWER SUPPLIES OF MICROLOGIC POWER SUPPLIES TRUS	87	23	63	77
H246	REMOVE OR REPLACE F/FB-111 MICROLOGIC POWER SUPPLY SRUS	87	20	67	7
C47H	KEMOVE OK KETLACE F/FB-111 INDIVIDUAL POWER SUPPLIES OF LOGIC POWER SUPPLY TRUS	67	20	79	57
P725	ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING MAINTENANCE	•	i	į	?
	TEST, TEST EQUIPMENT, AND SCHEMATICS		23	30	12
P710	BENCH CHECK F/FB-111 INERTIAL REFERENCE UNITS	6	13	53	6
P743	REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS	80	18	29	Ξ
0759	ISOLATE MALFUNCTIONS IN F/FB-111 HUD UNITS	-	90	7	11
0753	BENCH CHECK F/FB-111 HUD UNITS	1	80	7	=
0773	REMOVE OR REPLACE F/FB-111 HUD UNIT SRUS	1	10	7	10
9770	REMOVE OR REPLACE F/FB-111 MULTISENSOR DISPLAY SRUS		10	7	10
9770	ALIGN F/FB-111 HEADS UP DISPLAY (HUD) UNITS	-	2	2	01
R801	REMOVE OR REPLACE F-111D APQ-130 TEST STATION TRUS	_	3	•	12
R793	ISOLATE MALFUNCTIONS IN F-111D APQ-130 TEST STATIONS TO LRU	-	•		11
R794	ISOLATE MALFUNCTIONS IN F-111D APQ-130 TEST STATIONS TO TESTER				
	REPLACEABLE UNIT (TRU)	2	m	•	11
R791	DETERMINE STATUS OF F-111D BAD ACTOR ARS TRANSMITTERS	•	•	•	10
960	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION	77	70	36	07
D105	EVALUATE PROGRESS OF STUDENTS	7	89	7	15
D112	SCORE TESTS	•	65	٠	2
089	ADMINISTER TEST	~	65	•	2
M536		•		18	9
M532	BENCH CHECK F/FB-111 DOPPLER ELECTRONICS UNITS			18	2
H5 30	ALIGN E/FB-111 DOPPLER ELECTRONICS UNITS	•	•	18	7

TABLE 22
BACKGROUND INFORMATION FOR MAJOR COMMAND GROUPS

	USAFE PERSONNEL (N=131)	ATC PERSONNEL (N=40)	SAC PERSONNEL (N=61)	TAC PERSONNEL (N=225)
AVERAGE NUMBER OF TASKS PERFORMED	108	91	136	94
DAFSC:				
32634A	20%	2%	5% 74% 20%	23%
32654A	50%	58%	74%	59%
32674	30%	40%	20%	17%
NO RESPONSE	*	-	1%	*
AVERAGE NUMBER OF PERSONNEL SUPERVISED:	2	3		3
AVERAGE MONTHS TAFMS:	79	119	73	54
PERCENT LOCATED OVERSEAS:	97%	-	2%	-
NUMBER OF SETS IN SHOP:				
DO NOT WORK IN AUTOMATIC TEST STATION SHOP	5%	67%	16%	11%
1 SET	~	35%	10%	1%
2 SETS	18%	-	47%	*
3 SETS	54%	-	2%	15%
4 SETS	20%	5%	25%	73%
NUMBER OF PEOPLE IN SHOP:		-		
DO NOT WORK IN AUTOMATIC TEST STATION SHOP	5%	70%	16%	11%
LESS THAN 20	~	17%	-	4%
20 OR MORE BUT LESS THAN 40	2%	15%	43%	5%
40 OR MORE BUT LESS THAN 60	23%	-	33%	9%
60 OR MORE BUT LESS THAN 80	41%	-	8%	-
80 OR MORE BUT LESS THAN 100	26%	-	-	10%
100 OR MORE BUT LESS THAN 120	-	-	-	10%
120 +	2%	-	-	52%
AIRCRAFT WORK WITH IN PRESENT JOB:			**************************************	
NONE	2%	55%	7%	5%
F-111A	8%	23%	3%	37%
F-111D	5%	25%	-	58%
F-111E	40%	20%	2%	5%
F-111F	54%	18%	- ~	5 %
FB-111A	5%	20%	90%	4%
OTHER	-	3%	-	1%

^{*} DENOTES LESS THAN ONE PERCENT

TABLE 23

JOB SATISFACTION DATA FOR MAJOR COMMAND GROUPS (PERCENT MEMBERS RESPONDING)

	USAFE PERSONNEL	ATC PERSONNEL	SAC PERSONNEL	TAC PERSONNEL
I FIND MY JOB:				
DULL SO-SO INTERESTING NO RESPONSE	14 11 74	10 13 75 2	5 21 74	10 15 75
MY JOB UTILIZES MY TALENTS:				
LITTLE OR NOT AT ALL FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY NO RESPONSE	14 76 10	20 65 12 3	15 75 10	20 71 9
MY JOB UTILIZES MY TRAINING:				
LITTLE OR NOT AT ALL FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY NO RESPONSE	25 68 7 -	17 68 13 2	34 59 7	27 67 6
I PLAN TO REENLIST:				
I WILL RETIRE NO OR PROBABLY NO YES OR PROBABLY YES NO RESPONSE	9 46 43 2	13 25 60 2	8 49 43	5 62 32 1

SUMMARY OF BACKGROUND INFORMATION

Along with task and duty information, general biographical data were also collected on each survey respondent. This information is often useful in determining relationships between job structure and background factors, as well as making comparisons between identified job groups. In addition, surveys simultaneously taken of 326X4A, B, and C-shred members have allowed a cross comparison of this information for all 326X4 respondents.

Table 24 lists the most common methods of assignment of 326X4 personnel. As shown by this table, the majority of A and B shred members indicated entering the career ladder by completing resident technical training. A much smaller percentage of these individuals reported that they had been retrained from some other specialty. In contrast, C-shred respondents showed a reversed trend. Seventy-seven percent of these incumbents were retrained from other AFSCs, with only approximately 15 percent entering through resident training.

The average number of test stations in each shop also differed by shred. A-shred shops tended to be the largest, often containing four sets, while B-shred personnel commonly reported working in shops having only two sets. F-16 shops tended to be even smaller, and frequently contained only one test station set (See Table 25). This difference is most likely a reflection of the relative size of each of the 326X4 shreds.

Table 26 lists the work shifts most often held by 326X4 personnel. As shown, the most common work schedule for members of all three shreds was the day shift, although substantial percentages of incumbents also presently work the swing and mid-shifts, very few individuals were on 12-hour or rotating eight-hour schedules.

Repondents were also asked to indicate the specialty in which they had attained a primary AFSC at the 7-skill level. Even though responses were fairly scattered, a distinct trend was identified. The most common AFSC reported by members was the 5-skill level AFSC of the shred which they presently supervise (see Table 27).

A shred members, in particular, seem to be relatively experienced in working with their respective aircraft. Of the incumbents working on each model of the F/FB-lll, a large percentage had worked with that model for over 18 months and, on the average, most respondents indicated having at least 12 months.

TABLE 24

METHOD OF ASSIGNMENT TO PRESENT CAREER LADDER (PERCENT MEMBERS RESPONDING)

<u>-</u>	326X4	(X) PERSO	ONNEL
METHOD OF ASSIGNMENT	326X4A	326X4B	326X4C
COMPLETED RESIDENT TECHNICAL TRAINING	71	68	15
RECLASSIFIED WITHOUT COMPLETING TECHNICAL TRAINING OR OJT	2	2	1
DIRECTED DUTY ASSIGNMENT (DDA) FROM BASIC TRAINING TO OJT WITHOUT BYPASS TEST	1	2	•
DDA FROM BASIC TRAINING BY BYPASS TEST CONVERTED FROM ANOTHER AF SPECIALTY WITHOUT TRAINING	-	-	•
BY CLASSIFICATION BOARD ACTION	4	3	2
RETRAINED FROM ANOTHER SPECIALTY REENLISTED AFTER PRIOR SERVICE IN USAF OR FROM ANOTHER	13	18	77
BRANCH OF SERVICE	2	2	2
NOT ASSIGNED TO MY CAREER LADDER BY ANY OF THE ABOVE METHODS NO REPLY	7 *	5	3 *

^{*} DENOTES LESS THAN ONE PERCENT (THESE FIGURES ALSO INCLUDE 7-SKILL LEVEL INCUMBENTS ASSIGNED WITH A,B, AND C SHRED MEMBERS)

TABLE 25

NUMBER OF TEST STATION SETS IN SHOP (PERCENT MEMBERS RESPONDING)

	326X4(X) PERSONNEL		ONNEL
NUMBER	326X4A	326X4B	326X4C
DO NOT WORK IN AUTOMATIC TEST STATION SHOP	15	11	6
1 SET OF TEST STATIONS	5	16	42
2 SETS OF TEST STATIONS	12	46	14
3 SETS OF TEST STATIONS	23	28	32
4 SETS OF TEST STATIONS	45	*	6

^{*} DENOTES LESS THAN ONE PERCENT (THESE FIGURES ALSO INCLUDE 7-SKILL LEVEL INCUMBENTS ASSIGNED WITH A,B, AND C SHRED MEMBERS)

TABLE 26
SHIFT OF PRESENT WORK SCHEDULE (PERCENT MEMBERS RESPONDING)

326X4	(X) PERSO	ONNEL
326X4A	326X4B	326X4C
3	3	2
49	44	49
25	27	33
21	21	9
*	2	1
-	-	-
1	1	2
-	*	-
1	2	3
	326X4A 3 49 25 21	3 3 49 44 25 27 21 21 * 2 1 1 - *

^{*} DENOTES LESS THAN ONE PERCENT (THESE FIGURES ALSO INCLUDE 7-SKILL LEVEL INCUMBENTS ASSIGNED WITH A,B, AND C SHRED MEMBERS)

TABLE 27

AFSC ATTAINED PRIMARY AFSC AT THE 7-SKILL LEVEL (PERCENT MEMBERS RESPONDING)

	326X4(X) PERSONNEL		
AFSC	326X4A	326X4B	326X4C
DO NOT HOLD PRIMARY AFSC AT 7-SKILL LEVEL	62	68	55
32650	1	2	2
32650A	*	1	-
32650B	3	2	2
32651A	7	4	1
32651B	*	*	1
32651C	-	-	1
32651D	4	6	4
32651E	-	*	-
32651F	2	1	3
32651G	•	-	-
32654A	15	*	1
32654B	2	13	-
32654C	*	*	18
32655A	-	-	of the state of th
32655B	-	-	**
OTHER	4	3	12

*DENOTES LESS THAN ONE PERCENT

**NO DATA WAS COLLECTED ON THESE AFSCs FOR C-SHRED INDIVIDUALS

IMPLICATIONS

As shown by the current study, incumbents in the 325X4A career ladder concentrate much of their time on a limited number of functional areas. There does seem to be, however, a common core of tasks that are usually perform 1 by personnel in the field, regardless of their area of specialization. This 1acc, in addition to a review of career ladder documents such as the STS and POI, supports a generalized approach to training in which the basic fundamentals, skills, and knowledges involved with maintaining a test station, LRU, or other avionics equipment are taught in the entry-level technical training course.

Job satisfaction in the specialty is fairly high and essentially remains stable as individuals progress through the career ladder. The only notable exception was found among first-enlistment members. While these respondents generally seemed satisfied overall, less than 30 percent reported positive reenlistment intentions. Such a trend may represent a problem area in terms of future availability of 326X4A technicians and needs to be explored to see if remedial action is necessary.

APPENDIX A

REPRESENTATIVE TASKS OF CAREER LADDER STRUCTURE GROUPS

I. TEST STATION AREA SUPERVISORS (GRP111, N=9)

TASKS		PERCENT MEMBERS PERFORMING
B47	SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND COMPONENT SPECIALISTS (F/FB-111) (AFSC 32654A)	100
B44	SUPERVISE APPRENTICE INTEGRATED AVIONICS COMPUTERIZED TEST	100
דדע	STATION AND COMPONENT SPECIALISTS (F/FB-111) (AFSC 32634A)	100
F177	VERIFY MONITOR REPORTS (D-18 OR D-19)	100
A6	DETERMINE WORK PRIORITIES	100
F176	VERIFY DUE-IN FROM MAINTENANCE (DIFM) DOCUMENT LISTINGS (R-26)	
C62	ANALYZE WORKLOAD REQUIREMENTS	100
A17	PARTICIPATE IN MEETINGS, SUCH AS STAFF MEETINGS, BRIEFINGS,	
	CONFERENCES, OR WORKSHOPS	100
E130		100
B43	REVISE DAILY MAINTENANCE PLANS TO MEET OPERATIONAL COMMITMENTS	
G202	(100
E125	MAKE ENTRIES ON NON-NSN REQUISITION (MANUAL) (DD FORM	
	1348-6)	100
D92	CONDUCT OJT	100
G210	•	
	OPERATIONS	100
G211		
7.50	OPERATION AFTER MOBILITY USE	100
F159	PREPARE AVIONICS EQUIPMENT FOR TURN-IN	100
C83	REVIEW MAINTENANCE DATA COLLECTION RECORD (AFTO FORM 349)	100
A3	COORDINATE JOB REQUIREMENTS WITH OTHER SECTIONS	100
A15	ESTABLISH PERFORMANCE STANDARDS FOR SUBORDINATES	100
B29	COUNSEL PERSONNEL ON PERSONAL OR MILITARY RELATED MATTERS	100
C76	EVALUATE WORK SCHEDULES	100 100
B51 B34	WRITE CORRESPONDENCE DIRECT MAINTENANCE OR UTILIZATION OF EQUIPMENT OR SUPPLIES	89
вэ4 A7	DEVELOP MOBILITY PLANS	89 89
B49	SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND	07
UHZ	COMPONENT TECHNICIANS (AFSC 32674)	67

II. INDICATORS/SERVOS TEST STATION PERSONNEL (GRP075, N=26)

TASKS		PERCENT MEMBERS PERFORMING
0632	ALIGN F/FB-111 TFR AMPLIFIER POWER SUPPLIES FOR ANY F-111	
	AIRCRAFT EXCEPT THE F-111D	100
0626	BENCH CHECK F/FB-111 ALTITUDE VERTICAL VELOCITY INDICATORS	100
0645	ISOLATE MALFUNCTIONS IN F/FB-111 ALTITUDE VERTICAL VELOCITY	
	ELECTRONIC CONTROL AMPLIFIERS	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	96
0638	BENCH CHECK F/FB-111 TFR RACKS	96
0625	BENCH CHECK F/FB-111 ALTITUDE VERTICAL VELOCITY ELECTRONIC	
	CONTROL AMPLIFIERS	96
0623	BENCH CHECK F/FB-111 AIR SPEED MACH ELECTRONIC CONTROL	
	AMPLIFIERS	96
0624	BENCH CHECK F/FB-111 AIR SPEED MACH INDICATORS	96
0632	BENCH CHECK F/FB-111 ATTITUDE DIRECTOR INDICATORS	96
0627	BENCH CHECK F/FB-111 ARS ANTENNA CONTROL UNITS	92
0637	BENCH CHECK F/FB-111 TFR AMPLIFIER POWER SUPPLIES FOR ANY	
	F-111 AIRCRAFT EXCEPT THE F-111D	92
06464	ISOLATE MALFUNCTIONS IN F/FB-111 ARS ANTENNA CONTROL UNITS	92
0629	BENCH CHECK F/FB-111 ARS ANTENNA PEDESTALS FOR ANY F-111	
	AIRCRAFT EXCEPT THE F-111D	92
0565	ISOLATE MALFUNCTIONS IN F/FB-111 TFR AMPLIFIER POWER SUPPLIES	
	FOR ANY F-111 AIRCRAFT EXCEPT THE F-111D	88
0630	BENCH CHECK F/FB-111 ARS ANTENNAS FOR ANY F-111 AIRCRAFT	
	EXCEPT THE F-111D	88
0649	ISOLATE MALFUNCTIONS IN F/FB-111 ARS ANTENNAS FOR ANY F-111	
	AIRCRAFT EXCEPT THE F-111D	88
0642	ISOLATE MALFUNCTIONS IN F/FB-111 AIR SPEED MACH ELECTRONIC	
	CONTROL AMPLIFIERS	88
0648	ISOLATE MAIFUNCTIONS IN F/FB-111 ARS ANTENNA PEDESTALS FOR AN	Y
	F-111 AIRCKAFT EXCEPT THE F-111D	88
0633	BENCH CHECK F/FB-111 BEARING DISTANCE HEADING INDICATORS	88
0614	ALIGN F/FB-111 ATTACK RADAR SYSTEM (ARS) ANTENNAS FOR ANY	
	F-111 AIRCRAFT EXCEPT THE F-111D	85
0657	ISOLATE MALFUNCTIONS IN F/FB-111 TFR RACKS	85
0616	ALIGN F/FB-111 ARS ANTENNA PEDESTALS FOR ANY F-111 AIRCRAFT	
	EXCEPT THE F-111D	85
0694	REMOVE OR REPLACE F/FB-111 TFR AMPLIFIER POWER SUPPLY SRUS	
	FOR ANY AIRCRAFT EXCEPT THE F-111D	81
0676	REMOVE OR REPLACE F/FB-111 ARS ANTENNA CONTROL UNIT SRUS	77
0631	BENCH CHECK F/FB-111 ARS SET CONTROL BOXES	77

IIa. 12A6895 AND 12A6876 TEST STATION PERSONNEL (GRP217, N=9)

TASKS		PERCENT MEMBERS PERFORMING
0622	ALIGN F/FB-111 TFR AMPLIFIER POWER SUPPLIES FOR ANY	
	AIRCRAFT EXCEPT THE F-111D	100
0629	BENCH CHECK F/FB-111 ARS ANTENNA PEDESTALS FOR ANY F-111	
	AIRCRAFT EXCEPT THE F-111D	100
0616	·	
	EXCEPT THE F-111D	100
0637	BENCH CHECK F/FB-111 TFR AMPLIFIER POWER SUPPLIES FOR ANY	
	F-111 AIRCRAFT EXCEPT THE F-111D	100
0630	BENCH CHECK F/FB-111 ARS ANTENNAS FOR ANY F-111 AIRCRAFT	
	EXCEPT THE F-111D	100
0627	BENCH CHECK F/FB-111 ARS ANTENNA CONTROL UNITS	100
0656	ISOLATE MALFUNCTIONS IN F/FB-111 TFR AMPLIFIER POWER SUPPLIES	
	FOR ANY F-111 AIRCRAFT EXCEPT THE F-111D	100
0638	·	100
0664	ISOLATE MALFUNCTIONS IN F/FB-111 12A6895 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	100
0641		100
0663	ISOLATE MALFUNCTIONS IN F/FB-111 12A6895 TEST STATIONS USING	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
J345	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6876 TEST	
0//0	STATIONS	100
0648	ISOLATE MALFUNCTIONS IN F/FB-111 ARS ANTENNA PEDESTALS FOR ANY	
0/7/	F-111 AIRCRAFT EXCEPT THE F-111D	100
0676	REMOVE OR REPLACE F/FB-111 ARS ANTENNA CONTROL UNIT SRUS	100
J368	REMOVE OR REPLACE F/FB-111 12A6876 TEST STATION SRU COMPONENTS	
J313	CONFIDENCE CHECK F/FB-111 12A6876 TEST STATIONS	100
J338	ISOLATE MALFUNCTIONS IN F/FB-111 12A16876 TEST STATIONS USING	0.0
070/	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS REMOVE OR REPLACE F/FB-111 12A6895 TEST STATION TRUS	89 89
0704 0703		89 89
0703	REMOVE OR REPLACE F/FB-111 12A6895 TEST STATION TRU SRUS REMOVE OR REPLACE F/FB-111 12A6895 TEST STATION SRU COMPONENTS	
J369	REMOVE OR REPLACE F/FB-111 12A6895 TEST STATION SRU COMPONENTS. REMOVE OR REPLACE F/FB-111 12A6876 TEST STATION TRU SRUS	89
0666	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6895 TEST	09
0000	STATIONS	78
J337	ISOLATE MALFUNCTIONS IN F/FB-111 12A16876 TEST STATIONS USING	70
3331	MAINTENANCE TEST ONLY	78
J370		78 78
0662	ISOLATE MALFUNCTIONS IN F/FB-111 12A6895 TEST STATIONS USING	70
JUJ2	MAINTENANCE TEST ONLY	78

IIb. 12A6985, 12A6876 AND 12A6873 TEST STATION PERSONNEL (GRP204, N=8)

TASKS		PERCENT MEMBERS PERFORMING
K380	BENCH CHECK F/FB-111 CONVERTER SETS	100
K427	REMOVE OR REPLACE F/FB-111 CONVERTER SET SRUS	100
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS	
	AND RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
H237	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT OR STIMULUS RELAY	
	CANS USING MANUAL PROGRAMMING AND SCHEMATICS	100
K411	ISOLATE MALFUNCTIONS IN F/FB-111 12A6873 TEST STATIONS THROUGH	
	INTERCONNECTS OF AN INSTALLED LRU	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
K410	ISOLATE MALFUNCTIONS IN F/FB-111 12A6873 TEST STATIONS USING	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
K429	REMOVE OR REPLACE F/FB-111 FEEL AND TRIM ASSEMBLY SRUS	100
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
W/ 00	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
K400	ISOLATE MALFUNCTIONS IN F/FB-111 FEEL AND TRIM ASSEMBLIES	100
0663	ISOLATE MALFUNCTIONS IN F/FB-111 12A6895 TEST STATIONS USING	100
G218	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT LIGHT	
K437	BULBS, FUSES OR MINOR HARDWARE REMOVE OR REPLACE F/FB-111 12A6873 TEST STATION SRU COMPONENTS	100 5 100
K416	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6873 TEST	100
V410	STATIONS	100
0641	CONFIDENCE CHECK F/FB-111 12A6895 TEST STATIONS	100
K438	REMOVE OR REPLACE F/FB-111 12A6873 TEST STATION TRU SRUS	100
K385	CONFIDENCE CHECK F/FB-111 12A6873 TEST STATIONS	100
K439	REMOVE OR REPLACE F/FB-111 12A6873 TEST STATION TRUS	100
K409	ISOLATE MALFUNCTIONS IN F/FB-111 12A6873 TEST STATIONS USING	100
N403	MAINTENANCE TEST ONLY	100
J338	ISOLATE MALFUNCTIONS IN F/FB-111 12A16876 TEST STATIONS USING	100
0330	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	75
J339	ISOLATE MALFUNCTIONS IN F/FB-111 12A16876 TEST STATIONS THROUGH	
0337	INTERCONNECTS OF AN INSTALLED LRU	75
J369	REMOVE OR REPLACE F/FB-111 12A6876 TEST STATION TRU SRUS	75
J368	REMOVE OR REPLACE F/FB-111 12A6876 TEST STATION SRU COMPONENTS	
J345	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6876 TEST	
	STATIONS	75
0664	ISOLATE MALFUNCTIONS IN F/FB-111 12A6895 TEST STATION THROUGH	
	INTERCONNECTS OF AN INSTALLED LRU	75

IIc. 12A6825 TEST STATION PERSONNEL (GRP128, N=5)

TASKS		PERCENT MEMBERS PERFORMING
G222	RESEARCH F/FB-111 MANUALS TO DETERMINE FAULT ISOLATION	
	PROCEDURES	100
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	100
	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	
	(AFTO FORM 349)	100
0622	ALIGN F/FB-111 TFR AMPLIFIER POWER SUPPLIES FOR ANY F-111	
	EXCEPT THE F-111D	100
	MAKE ENTRIES ON ISSUE/TURN IN REQUEST (AF FORM 2005)	100
	REMOVE OR REPLACE F/FB-111 LRU MINOR HARDWARE	100
	ISOLATE MALFUNCTIONS IN F/FB-111 ARS ANTENNA CONTROL UNITS	100
	RESEARCH MICROFICHE FOR PART INFORMATION	100
	ALIGN F/FB-111 ARS ANTENNA INDICATOR CONTROLS	100
0642	ISOLATE MALFUNCTIONS IN F/FB-111 AIR SPEED MACH ELECTRONIC	
	CONTROL AMPLIFIERS	100
0625	•	
	CONTROL AMPLIFIERS	100
0626		100
0627	BENCH CHECK F/FB-111 ARS ANTENNA CONTROL UNITS	100
0628	BENCH CHECK F/FB-111 ARS ANTENNA INDICATOR CONTROL	100
0631	BENCH CHECK F/FB-111 ARS SET CONTROL BOXES	100
0632	BENCH CHECK F/FB-111 ATTITUDE DIRECTOR INDICATORS	100
0633	BENCH CHECK F/FB-111 BEARING DISTANCE HEADING INDICATORS	100
0647	ISOLATE MALFUNCTIONS IN F/FB-111 ARS ANTENNA INDICATOR	
	CONTROLS	100
F164	RESEARCH MANUALS FOR PART NUMBERS	100
	INSPECT AND CLEAN F/FB-111 TEST STATION FILTERS	100
0645		
	ELECTRONIC CONTROL AMPLIFIERS	100
0640	CONFIDENCE CHECK F/FB-111 12A6825 TEST STATIONS	80
0661	ISOLATE MALFUNCTIONS IN F/FB-111 12A6825 TEST STATIONS	60

III. NAVIGATIONAL SYSTEMS MAINTENANCE PERSONNEL (GRP054, N=47)

TASKS		PERCENT MEMBERS PERFORMING
P725		98
H236		
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	94
H235		
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	94
P717		
	COMPUTERS	91
P727	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6863 TEST	
	STATIONS	91
H237		
	RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	91
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG (AFTO	
	FORM 350)	91
P743	REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU	
	COMPONENTS	91
P715	CONFIDENCE CHECK F/FB-111 12A6863 TEST STATIONS	91
P708	BENCH CHECK F/FB-111 AYK-6 GENERAL PURPOSE COMPUTERS	89
P710	BENCH CHECK F/FB-111 INERTIAL REFERENCE UNITS	87
P724	ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	
	MAINTENANCE TEST ONLY	87
P714	CALIBRATE F/FB-111 INERTIAL REFERENCE UNITS	85
P730		
	SRUs	85
P719	ISOLATE MALFUNCTIONS IN F/FB-111 INERTIAL REFERENCE UNITS	83
P707		83
P726	ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	83
P716	ISOLATE MALFUNCTIONS IN F/FB-111 AJN-16 NAVIGATION COMPUTER	
	UNITS	81
P735	REMOVE OR REPLACE F/FB-111 INERTIAL REFERENCE UNIT SRUS	81
P728		
	SHOP REPLACEABLE UNITS (SRU)	79
P723	ISOLATE MALFUNCTIONS IN F/FB-111 NAVIGATION DISPLAY UNITS	79
	BENCH CHECK F/FB-111 NAVIGATION DISPLAY UNITS	79
P718		77
P734	·	71

IIIa. CONSOLIDATED MAINTENANCE SQUADRON PERSONNEL (GRP105, N=8)

USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100	TASKS		PERCENT MEMBERS PERFORMING
USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 150LATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 K413 ISOLATE MALFUNCTIONS IN F/FB-111 12A6883 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 N584 ISOLATE MALFUNCTIONS IN F/FB-111 12A6882 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J341 ISOLATE MALFUNCTIONS IN F/FB-111 12A6882 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J346 PERFORM MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 COMPONENTS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 68 M610 MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS M610 MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 M620 ISOLATE MALFUNCTIONS IN F/FB-111 12A6883 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 M640 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 M640 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 M640 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 M640 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS	1.490	ISOLATE MALFUNCTIONS IN F/FR-111 12A6885 TEST STATIONS	
P725	2170		100
USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 N584 ISOLATE MALFUNCTIONS IN F/FB-111 12A6882 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J341 ISOLATE MALFUNCTIONS IN F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J346 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6886 TEST STATIONS K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 COMPONENTS 100 J347 CONFIDENCE CHECK F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 COMPONENTS 100 L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 Q765 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K408 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST EQUIPMENT, AND SCHEMATICS 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6880 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND	P725	ISOLATE MALFUNCTIONS IN F/FR-111 12A6863 TEST STATIONS	100
R413	. , 25	USING MAINTENANCE TEST TEST FOILIPMENT AND SCHEMATICS	100
USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 150LATE MALFUNCTIONS IN F/FB-111 12A6882 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J341 ISOLATE MALFUNCTIONS IN F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J346 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6886 TEST STATIONS 100 K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 RM40 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 N609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 F715 CONFIDENCE CHECK F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 48 J371 REMOVE OR SEPLACE F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A6883 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K408 ISOLATE MALFUNCTIONS IN F/FB-111 12A6883 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K409 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 L497 SIGNLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 L496 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONE	K413		100
N584	1413		100
USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS J341 ISOLATE MALFUNCTIONS IN F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 100 J346 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6886 TEST STATIONS 100 K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 COMPONENTS 100 J314 CONFIDENCE CHECK F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J372 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100 M609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K408 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J3332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMP	N584		100
J341	MJ04		100
USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6886 TEST STATIONS K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS N610 REMOVE OR REPLACE F/FB-111 12A6882 TEST STATION TRU SRUS COMPONENTS J314 COMFIDENCE CHECK F/FB-111 12A6886 TEST STATION SRU COMPONENTS J327 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS N609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 R58 R58 R59 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS R8 R8 R58 L499 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS R8 R8 L499 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST ONLY S88 L499 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY S88 L499 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY S88 L499 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 L499 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 L590 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 R5945 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SUSING COMPONENTS 88 R5944 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STAT	T2/,1		100
D346 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6886 TEST STATIONS 100	3341		100
TEST STATIONS	12/6		100
K441 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION TRU SRUS 100 N610 REMOVE OR REPLACE F/FB-111 12A6882 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION SRU 100 COMPONENTS 100 J314 CONFIDENCE CHECK F/FB-111 12A6886 TEST STATION TRU SRUS 100 N609 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU 100 COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU 100 COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU 100 COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATIONS 100 P715 CONFIDENCE CHECK F/FB-111 12A6885 TEST STATIONS 100 L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS 88 Q765 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L489 PERFORM MAINTENANCE TAPE CHECKS O	3340	•	100
N610 REMOVE OR REPLACE F/FB-111 12A6882 TEST STATION TRU SRUS 100 K440 REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION SRU 100 J314 CONFIDENCE CHECK F/FB-111 12A6886 TEST STATIONS 100 J372 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100 N609 REMOVE OR REPLACE F/FB-111 12A6882 TEST STATION SRU 100 COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU 100 COMPONENTS 100 P715 CONFIDENCE CHECK F/FB-111 12A6883 TEST STATIONS 100 L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS 100 L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATION SRU COMPONENTS	V/./.1		
REMOVE OR REPLACE F/FB-111 12A6883 TEST STATION SRU			=
COMPONENTS			100
J314 COMFIDENCE CHECK F/FB-111 12A6886 TEST STATIONS 100 J372 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100 N609 REMOVE OR REPLACE F/FB-111 12A6882 TEST STATION SRU 100 COMPONENTS 100 J371 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU 100 COMPONENTS 100 COMPONENTS 100 P715 CONFIDENCE CHECK F/FB-111 12A6863 TEST STATIONS 100 L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS 100 L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 R407 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS 88 P744 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATIONS USING REMOVE OR REPLACE F/FB-111 12A68615 TEST S	K440	·	100
3772 REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS 100	T21/	- · · · · · · · · · · · · · · · · · · ·	
N609 REMOVE OR REPLACE F/FB-111 12A6882 TEST STATION SRU	_		
COMPONENTS REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION SRU COMPONENTS 100 P715 CONFIDENCE CHECK F/FB-111 12A6863 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS K508 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS K509 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS K500 AND SCHEMATICS K500 AND SCHEMATICS			100
THE STATE OF THE S	NOUS	·	100
COMPONENTS COMFIDENCE CHECK F/FB-111 12A6863 TEST STATIONS L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS WAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS B8 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS L495 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS B8 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS B8 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P746 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P747 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P744 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P746 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P747 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P744 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	1271		100
P715 CONFIDENCE CHECK F/FB-111 12A6863 TEST STATIONS L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 Q765 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS 88 P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS	33/1	·	100
L481 ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS RAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS B8 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P746 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P747 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P748 REMOVE OR REPLACE F/FB-111 12A6865 TEST STATION SRU COMPONENTS B8 P749 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P740 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P741 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P742 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P742 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P744 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P745 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P746 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P747 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	D715		
USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS 1 USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATION SUSING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 1 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION TRU SRUS 1 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 2 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS 3 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 4 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 4 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING			100
Q765 ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS R58 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS R69 R69 R69 R69 R69 R69 R69 R6	1401		0.0
MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS R58 P744 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS R68 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS R750 R760 R87 R87 R87 R87 R88 R89 R89 R89	0765		00
K407 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS EAST STATIONS L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS EBS P744 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	Q/03		00
MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS R88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	V/.07		00
N578 ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS 88 L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS 88 L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY 88 J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS 88 P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 L520 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	R407		QΩ
MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	N578		00
L495 PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	M3/6		9.0
STATIONS L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS B8 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	T // QS		00
L489 ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	143J	·	00
MAINTENANCE TEST ONLY J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	T /. Q Q		00
J332 ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS 88 P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS 88 P748 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS 88 L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	£403		9.0
USING MAINTENANCE TEST TEST EQUIPMENT, AND SCHEMATICS P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	1222		00
P745 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	J J J Z		00
P743 REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENTS L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING	D7/.5		
L520 REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENTS 88 P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING			
P724 ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS USING			
, , , , , , , , , , , , , , , , , , ,			, 00
		•	88

IIIb. 12A6863 TEST STATION PERSONNEL (GRP068, N=39)

TASKS		PERCENT MEMBERS PERFORMING
P717	ISOLATE MALFUNCTIONS IN F/FB-111 AYK-6 GENERAL PURPOSE	
	COMPUTERS	100
P710	BENCH CHECK F/FB-111 INERTIAL REFERENCE UNITS	97
P714	CALIBRATE F/FB-111 INERTIAL REFERENCE UNITS	97
P707	BENCH CHECK F/FB-111 AJN-16 NAVIGATION COMPUTER UNITS	97
P708	BENCH CHECK F/FB-111 AYK-6 GENERAL PURPOSE COMPUTERS	97
P725	ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS	
	USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	97
P727	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6863 TEST	
	STATIONS	97
P716	ISOLATE MALFUNCTIONS IN F/FB-111 AJN-16 NAVIGATION COMPUTER UNITS	95
P730	REMOVE OR REPLACE F/FB-111 AYK-6 GENERAL PURPOSE COMPUTER	
	SRUs	95
P723	ISOLATE MALFUNCTIONS IN F/FB-111 NAVIGATION DISPLAY UNITS	95
	BENCH CHECK F/FB-111 NAVIGATION DISPLAY UNITS	95
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS,	
	MOCKUPS, OR LINE REPLACEABLE UNITS (LRU)	95
P719	ISOLATE MALFUNCTIONS IN F/FB-111 INERTIAL REFERENCE UNITS	92
P728	REMOVE OR REPLACE F/FB-111 AJN-16 NAVIGATION COMPUTER UNIT	
	SHOP REPLACEABLE UNITS (SRU)	92
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS	
	AND RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	92
P743	REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION SRU COMPONENT	
P706	ALIGN F/FB-111 INERTIAL NAVIGATION SYSTEMS ON ITSS	90
P718	ISOLATE MALFUNCTIONS IN F/FB-111 COMPUTER CONTROL UNITS	90
P726	ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS	, ,
1,20	THROUGH INTERCONNECTS OF AN INSTALLED LRU	90
P715	CONFIDENCE CHECK F/FB-111 12A6863 TEST STATIONS	90
P745	REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TRU SRUS	90
P709	BENCH CHECK F/FB-111 COMPUTER CONTROL UNITS	87
P724	ISOLATE MALFUNCTIONS IN F/FB-111 12A6863 TEST STATIONS	•
	USING MAINTENANCE TEST ONLY	87
P744	REMOVE OR REPLACE F/FB-111 12A6863 TEST STATION TESTER	٠,
	REPLACEABLE UNITS (TRU)	85
P742		82

IV. VIDEO TEST STATION PERSONNEL (GRP037, N=73)

TASKS		PERCENT MEMBERS PERFORMING
L478	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING COMPUTERS	93
L462	BENCH CHECK F/FB-111 TERRAIN FOLLOWING COMPUTERS	93
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	
	(AFTO FORM 349)	92
L474	ISOLATE MALFUNCTIONS IN F/FB-111 INTERFERENCE BLANKERS	90
L458	BENCH CHECK F/FB-111 INTERFERENCE BLANKERS	89
L517	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING COMPUTER SRUS	88
	ORDER PARTS BY TELEPHONE	86
L460	BENCH CHECK F/FB-111 LOW ALTITUDE MONITORS	85
L476	ISOLATE MALFUNCTIONS IN F/FB-111 LOW ALTITUDE MONITORS	84
L509	REMOVE OR REPLACE F/FB-111 INTERFERENCE BLANKER SRUS	78
L448	ALIGN F/FB-111 INTERFERENCE BLANKERS	75
	ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS	71
L516	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING COMPUTER	
	COMPONENTS	71
	BENCH CHECK F/FB-111 INDICATOR RECORDERS	70
	ISOLATE MALFUNCTIONS IN F/FB-111 LARARTS	68
L460	BENCH CHECK F/FB-111 LARARTS	67
L451	ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS	67
L479	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING	
	INDICATORS	67
L449	ALIGN F/FB-111 LOW ALTITUDE RADAR ALTIMETER RECEIVER	
	TRANSMITTERS (LARART)	67
L507	REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRUS	67
	ALIGN F/FB-111 INDICATOR RECORDERS	66
L444	ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS	64
	BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS	64
L469	ISOLATE MALFUNCTION IN F/FB-111 ATTACK RADAR SET ELECTRICAL	
	SYNCHRONIZERS	64
T.453	RENCH CHECK F/FR-111 ATTACK RADAR SET FIFCTRICAL SYNCHRONIZER	S 62

IVa. 12A6885, 12A6815, AND 12A6825 TEST STATION PERSONNEL (GRP189, N=13)

TASKS		PERCENT MEMBERS PERFORMING
L453	BENCH CHECK F/FB-111 ATTACK RADAR SET ELECTRICAL	
	SYNCHRONIZERS	100
L498	REMOVE OR REPLACE F/FB-111 ATTACK RADAR SET ELECTRICAL	
	SYNCHRONIZER SRUs	100
L473	ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS	100
0630	BENCH CHECK F/FB-111 ARS ANTENNAS FOR ANY F-111 AIRCRAFT	
	EXCEPT THE F-111D	100
0676	REMOVE OR REPLACE F/FB-111 ARS ANTENNA CONTROL UNIT SRUS	100
L493	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6815 TEST	
	STATIONS	92
L520	REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU COMPONENT	S 92
L521		
	REPLACEABLE UNIT (TRU) SRU'S	92
0661		
	INTERCONNECTS OF AN INSTALLED LRU	92
L464	CONFIDENCE CHECK F/FB-111 12A6815 TEST STATIONS	92
0699	REMOVE OR REPLACE F/FB-111 12A6825 TEST STATION SRU COMPONENT	
0660	ISOLATE MALFUNCTIONS IN F/FB-111 12A6825 TEST STATIONS USING	, , <u>.</u>
0000	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	92
0700	REMOVE OR REPLACE F/FB-111 12A6825 TEST STATION TESTER	72
0,00	REPLACEABLE UNIT (TRU) SRUS	92
0640		92
0659	ISOLATE MALFUNCTIONS IN F/FB-111 12A6825 TEST STATIONS USING	72
0037	MAINTENANCE TEST ONLY	92
L522		92
L482	ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS THROUG	
L402	INTERCONNECTS OF AN INSTALLED LRU	85
L481	ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS USING	63
1401	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	85
L480	ISOLATE MALFUNCTIONS IN F/FB-111 12A6815 TEST STATIONS USING	6.5
1460	MAINTENANCE TEST ONLY	85
0665	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6825 TEST	63
0003	STATIONS	85
L495	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6885 TEST	63
L493	STATIONS	77
L490	ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING	//
1490	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	69
T / O 1		
L491	INTERCONNECTS OF AN INSTALLED LRU	n 69
T 1.67		
L467	ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING	69
L489	MAINTENANCE TECT ONLY	62

IVb. SENIOR 12A675 TEST STATION PERSONNEL (GRP140, N=21)

TASKS		PERCENT MEMBERS PERFORMING
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	
	(AFTO FORM 349)	100
L462	BENCH CHECK F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
L478	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
H237	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
L507	REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRUS	100
L511	REMOVE OR REPLACE F/FB-111 LARART SRUs	100
H253	REMOVE OR REPLACE F/FB-111 TEST POINT CONTROLLER OR STIMULUS	
	CONTROLLER SRUS	100
L469	ISOLATE MALFUNCTION IN F/FB-111 ATTACK RADAR SET ELECTRICAL	
	SYNCHRONIZERS	100
H228	ISOLATE MALFUNCTIONS IN F/FB-111 COUNTER TIMERS USING	
	SCHEMATICS	100
H227	ISOLATE MALFUNCTIONS IN F/FB-111 COUNTER TIMERS USING	
	MAINTENANCE TAPE	100
L459	BENCH CHECK F/FB-111 LARARTS	95
L449	ALIGN F/FB-111 LOW ALTITUDE RADAR ALTIMETER RECEIVER	
	TRANSMITTERS (LARART)	95
L466	CONFIDENCE CHECK F/FB-111 12A6875 TEST STATIONS	95
	ALIGN F/FB-111 TERRAIN FOLLOWING COMPUTERS	90
L487	ISOLATE MALFUNCTIONS IN F/FB-111 12A6875 TEST STATIONS USING	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	90
L488	ISOLATE MALFUNCTIONS IN F/FB-111 12A6875 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	90
L526	REMOVE OR REPLACE F/FB-111 12A6875 TEST STATION SRU	
	COMPONENTS	90
L527	REMOVE OR REPLACE F/FB-111 12A6875 TEST STATION TRU SRUS	90
L494	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6875 TEST	
	STATIONS	86
L528	REMOVE OR REPLACE F/FB-111 12A6875 TEST STATION TRUS	86
L486	ISOLATE MALFUNCTIONS IN F/FB-111 12A6875 TEST STATIONS USING	- -
	MAINTENANCE TEST ONLY	5.7

IVc. 12A6815 TEST STATION PERSONNEL (GRP157, N=7)

TASKS		PERCENT MEMBERS PERFORMING
L473	ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS	100
L457	BENCH CHECK F/FB-111 INDICATOR RECORDERS	100
L447	ALIGN F/FB-111 INDICATOR RECORDERS	100
L469	ISOLATE MALFUNCTIONS IN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS	100
L444	ALIGN F/FB-111 ATTACK RADAR SET ELECTRICAL SYNCHRONIZERS	100
L481	·	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
H251		100
L475		100
G218		
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
L459	BENCH CHECK F/FB-111 LARARTS	100
L521	REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION TESTER	
	REPLACEABLE UNIT (TRU) SRUs	100
G214	REMOVE OR REPLACE F/FB-111 LRU PINS OR CONNECTORS	100
L453	BENCH CHECK F/FB-111 ATTACK RADAR SET ELECTRICAL	
	SYNCHRONIZERS	86
	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING INDICATORS	86
L520	REMOVE OR REPLACE F/FB-111 12A6815 TEST STATION SRU	
	COMPONENTS	86
L498		
	SYNCHRONIZER SRUs	86
	REMOVE OR REPLACE F/FB-111 INDICATOR RECORDER SRUS	86
	REMOVE OR REPLACE F/FB-111 PPG SRU COMPONENTS	86
L482		
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	86
H237		
	CANS USING MANUAL PROGRAMMING AND SCHEMATICS	86
E133	MAKE ENTRIES ON SERVICEABLE TAG MATERIEL FORMS (DD FORM	
	1574)	86
L493		
	STATIONS	86
	CONFIDENCE CHECK F/FB-111 12A6815 TEST STATIONS	86
エミココ	DEMOVE OF PERIACE E/ED-111 1984015 TECT CTATION TRUE	71

IVd. JUNIOR 12A6875 TEST STATION PERSONNEL (GRP168, N=6)

TASKS		PERCENT MEMBERS PERFORMING
L478	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
L450	ALIGN F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
L462	BENCH CHECK F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD FORMS	100
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG (AFTO	
	FORM 350)	100
L459	BENCH CHECK F/FB-111 LARARTS	100
L475	ISOLATE MALFUNCTIONS IN F/FB-111 LARARTS	100
L449	ALIGN F/FB-111 LOW ALTITUDE RADAR ALTIMETER RECEIVER	
	TRANSMITTERS (LARART)	100
L473	ISOLATE MALFUNCTIONS IN F/FB-111 INDICATOR RECORDERS	100
L447	ALIGN F/FB-111 INDICATOR RECORDERS	100
L457	BENCH CHECK F/FB-111 INDICATOR RECORDERS	100
L451	ALIGN F/FB-111 TERRAIN FOLLOWING INDICATORS	100
L463	BENCH CHECK F/FB-111 TERRAIN FOLLOWING INDICATORS	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
L460	BENCH CHECK F/FB-111 LOW ALTITUDE MONITORS	100
L476	ISOLATE MALFUNCTIONS IN F/FB-111 LOW ALTITUDE MONITORS	100
H251	PEMOVE OR REPLACE F/FB-111 RELAY CAN COMPONENTS	100
E140	MAKE ENTRIES ON UNSERVICEABLE (CONDEMNED) TAG MATERIEL	
	(DD FORM 1577)	100
L483	ISOLATE MALFUNCTIONS IN F/FB-111 12A6875 TEST STATIONS THROUGH	
	INTERCONNECTS OF AN INSTALLED LRU	83
L494	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6875 TEST	
	STATIONS	83
L486	ISOLATE MALFUNCTIONS IN F/FB-111 12A6875 TEST STATIONS USING	
	MAINTENANCE TEST ONLY	83
L487	ISOLATE MALFUNCTIONS IN F/FB-111 12A6875 TEST STATIONS USING	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	83
L526	· · · · · · · · · · · · · · · · · · ·	
L527	REMOVE OR REPLACE F/FB-111 12A6875 TEST STATION TRU SRUS	67
1.466	CONFIDENCE CHECK F/FR-111 1246875 TEST STATIONS	67

IVe. 12A6886 TEST STATION PERSONNEL (GRP097, N=21)

TASKS		PERCENT MEMBERS PERFORMING
L450	ALIGN F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
L462	BENCH CHECK F/FB-111 TERRAIN FOLLOWING COMPUTERS	100
L517	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING COMPUTER	
	SRUs	100
L490	ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS	100
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
L478	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING	
	COMPUTERS	95
L491	ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	90
L471	ISOLATE MALFUNCTIONS IN F/FB-111 DDPUs	90
L455	BENCH CHECK F/FB-111 DIGITAL DOPPLER PROCESSING UNITS (DDPU)	90
L503	REMOVE OR REPLACE F/FB-111 DDPU SRUS	90
L474	ISOLATE MALFUNCTIONS IN F/FB-111 INTERFERENCE BLANKERS	90
H237	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT OR STIMULUS	
	RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	90
L458	BENCH CHECK F/FB-111 INTERFERENCE BLANKERS	90
F155	ORDER PARTS BY TELEPHONE	86
L472	ISOLATE MALFUNCTIONS IN F/FB-111 ELECTRONIC PROCESSING	
	UNITS	86
L456	BENCH CHECK F/FB-111 ELECTRONIC PROCESSING UNITS	86
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	86
L467	CONFIDENCE CHECK F/FB-111 12A6885 TEST STATIONS	81
L513	REMOVE OR REPLACE F/FB-111 LOW ALTITUDE MONITOR SRUS	81
L489	ISOLATE MALFUNCTIONS IN F/FB-111 12A6885 TEST STATIONS USING	
	MAINTENANCE TEST ONLY	52
L446	ALIGN F/FB-111 ELECTRONIC PROCESSING UNITS	52
T.445	ALIGN F/FR-111 DIGITAL DOPPLER PROCESSING UNITS	52

V. CONTROLS, SENSORS, INDICATORS, AND MODULES MAINTAINERS (GRP079, N=24)

TASKS		PERCENT MEMBERS PERFORMING
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	
	(AFTO FORM 349)	100
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG	
	(AFTO FORM 350)	100
J305	•	
0305	OR 12A6886 TEST STATIONS	100
H251	REMOVE OR REPLACE F/FB-111 RELAY CAN COMPONENTS	96
H237		,0
11237	RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	96
นวาร	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	90
n233		06
2217	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	96
G21/	REMOVE OR REPLACE F, FB-111 TEST STATION OR TEST PACKAGE	•
	PINS OR CONNECTORS	96
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	96
J307		
	OR 12A6886 TEST STATIONS	96
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS,	
	MOCKUPS, OR LINE REPLACEABLE UNITS (LRU)	96
G214	REMOVE OR REPLACE F/FB-111 LRU PINS OR CONNECTORS	96
H236	ISOLALE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS	
	AND RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	92
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	92
	ORDER PARTS BY TELEPHONE	92
F165		92
	ISOLATE MALFUNCTIONS IN F/FB-111 ARS LOW VOLTAGE POWER	72
3322	SUPPLIES	88
E1/1		00
E141		0.0
	(DD FORM 1577-2)	88
J323		
	INDICATORS, OR MODULES TO SRU	88
H253	REMOVE OR REPLACE F/FB-111 TEST POINT CONTROLLER OR	
	STIMULUS CONTROLLER SRU'S	88
J304	BENCH CHECK F/FB-111 CONTROLS, SENSORS, INDICATORS, OR	
	MODULES EXCEPT ARS ANTENNA INDICATOR CONTROLS	88
J302	BENCH CHECK F/FB-111 AUXILIARY FLIGHT REFERENCE SYSTEM (AFRS)	
	ELECTRONIC CONTROL AMPLIFIERS (COMPASS ECA)	83
J321	ISOLATE MALFUNCTIONS IN F/FB-111 AFRS ELECTRONIC CONTROL	
	AMPLIFIERS	83
J303	BENCH CHECK F/FB-111 CONTROL BOXES ASSIGNED TO 12A6846,	
	12A6876, OR 12A6886 TEST STATIONS	83
J308	BENCH CHECK F/FB-111 SENSORS ASSIGNED TO 12A6846, 12A6876,	0.5
3,300	OR 12A6886 TEST STATIONS	83
1224		03
J324	ISOLATE MALFUNCTIONS IN F/FB-111 CONTROLS, SENSORS,	47
	INDICATORS, OR MODULES TO SRU COMPONENT	67

Va. 12A6886 TEST STATION PERSONNEL (GRP119, N=14)

TASKS		PERCENT MEMBERS PERFORMING
E122		
	(AFTO FORM 349)	100
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG	
	(AFTO FORM 350)	100
J322	ISOLATE MALFUNCTIONS IN F/FB-111 ARS LOW VOLTAGE POWER	
	SUPPLIES	100
J356		100
J305	BENCH CHECK F/FB-111 INDICATORS ASSIGNED TO 12A6846,	•••
120/	12A6876, OR 12A6886 TEST STATIONS	100
J304	BENCH CHECK F/FB-111 CONTROLS, SENSORS, INDICATORS, OR	100
1207	MODULES EXCEPT ARS ANTENNA INDICATOR CONTROLS	100
J307	BENCH CHECK F/FB-111 MDOULES ASSIGNED TO 12A6846, 12A6876,	100
11005	OR 12A6886 TEST STATIONS	100
H235	ISOLATE MAY FUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	0.2
11226	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	93
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS AND	0.0
7200	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS BENCH CHECK F-111D TF AMP/PSs	93
J300	·	93
J353	•	0.2
127.1	ELECTRONIC CONTROL AMPLIFIER SRUS	93
J341	ISOLATE MALFUNCTIONS IN F/FB-111 12A6886 TEST STATIONS USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	93
J303	BENCH CHECK F/FB-111 CONTROL BOXES ASSIGNED TO 12A6846, OR	93
3303	12A6876, OR 12A6886 TEST STATIONS	93
J321	ISOLATE MALFUNCTIONS IN F/FB-111 AFRS ELECTRONIC CONTROL	93
J 3 4 1	AMPLIFIERS	93
J323	ISOLATE MALFUNCTIONS IN F/FB-111 CONTROLS, SENSORS,	73
J J Z J	INDICATORS, OR MODULES TO SRU	93
J308	BENCH CHECK F/FB-111 SENSORS ASSIGNED 12A6846, 12A6876,	93
3300	OR 12A6886 TEST STATIONS	93
J372	REMOVE OR REPLACE F/FB-111 12A6886 TEST STATION TRU SRUS	93
J314	CONFIDENCE CHECK F/FB-111 12A6886 TEST STATIONS	93
H253	REMOVE OR REPLACE F/FB-111 TEST POINT CONTROLLER OR STIMULUS	73
11233	CONTROLLER SRUS	93
J373		93
J371		
J342	ISOLATE MALFUNCTIONS IN F/FB-111 12A6886 TEST STATIONS	3 00
J J 42	THROUGH INTERCONNECTS OF AN INSTALLED LRU	86
J349	REMOVE OR REPLACE F-111D ARS ROLL PEDESTAL SRUS	86
J354	REMOVE OR REPLACE F/FB-111 CONTROL, SENSOR, INDICATOR OR	50
	MODULE SRUs	86
J346	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6886 TEST	
	STATIONS	86

Vb. 12A6846 TEST STATION PERSONNEL (GRP130, N=10)

TASKS		PERCENT MEMBERS PERFORMING
H251	REMOVE OR REPLACE F/FB-111 RELAY CAN COMPONENTS	100
H237	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT OR STIMULUS	
	RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	100
J305		
	12A6876, OR 12A6886 TEST STATIONS	100
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
E122		
	(AFTO FORM 349)	100
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG	
	(AFTO FORM 350)	100
F155	ORDER PARTS BY TELEPHONE	100
E141		
	(DD FORM 1577-2)	100
J335	ISOLATE MALFUNCTIONS IN F/FB-111 12A6846 TEST STATIONS	
	USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	90
	CONFIDENCE CHECK F/FB-111 12A6846 TEST STATIONS	90
	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	90
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	90
J307	BENCH CHECK F/FB-111 MODULES ASSIGNED TO 12A6846, 12A6876,	
	OR 12A6886 TEST STATIONS	90
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS,	
	MOCKUPS, OR LINE REPLACEABLE UNITS (LRU)	90
H247	REMOVE OR REPLACE F/FB-111 PHASE SENSITIVE CONVERTERS	
0011	(PSC) FROM PSCRT TRUS	90
G216	REMOVE OR REPLACE F/FB-111 SOLDERLESS CIRCUIT CARD	0.0
T2//	COMPONENTS PERFORM MAINTENANCE TARE CHECKS OF EACH 111 104(0)(6 TECT	90
J344	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6846 TEST	0.0
70//	STATIONS PROOF OF PERIACE FOR 111 104(0)/(MEGIT CITATION MRV	80
	REMOVE OR REPLACE F/FB-111 12A6846 TEST STATION TRUS	80 80
	ISOLATE MALFUNCTIONS IN F/FB-111 12A6846 TEST STATIONS	80
3365	REMOVE OR REPLACE F/FB-111 12A6846 TEST STATION SRU COMPONENTS	80
J336	ISOLATE MALFUNCTIONS IN F/FB-111 12A6846 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	70
	REMOVE OR MEPLACE F/FB-111 12A6846 TEST STATION TRU SRUS	70
	PREPARE AVIONICS EQUIPMENT FOR TURN IN	70
G219	REMOVE OR REPLACE F/FB-111 TESTER REPLACEABLE UNITS (TRU)	70

VI. COMPUTER MAINTENANCE PERSONNEL (GRP066, N=44)

TASKS		PERCENT MEMBERS PERFORMING
K400	ISOLATE MALFUNCTIONS IN F/FB-111 FEEL AND TRIM ASSEMBLIES	98
K428	REMOVE OR REPLACE F/FB-111 FEEL AND TRIM ASSEMBLY COMPONENTS	95
K431	REMOVE OR REPLACE F/FB-111 FLIGHT CONTROL COMPUTER SRUS	95
K402	ISOLATE MALFUNCTIONS IN F/FB-111 FLIGHT CONTROL COMPUTERS	95
K381	BENCH CHECK F/FB-111 FEEL AND TRIM ASSEMBLIES	93
K429	REMOVE OR REPLACE F/FB-111 FEEL AND TRIM ASSEMBLY SRUS	93
K382	BENCH CHECK F/FB-111 FLIGHT CONTROL COMPUTERS	93
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	93
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	91
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS, MOCKUPS	,
	OR LINE REPLACEABLE UNITS (LRU)	91
G218		
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	91
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	
	(AFTO FORM 349)	86
K378	BENCH CHECK F/FB-111 BALLISTICS COMPUTER UNITS	70
K407	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	68
K430	REMOVE OR REPLACE F/FB-111 FLIGHT CONTROL COMPUTER COMPONENTS	68
K376		66
K387	ISOLATE MALFUNCTIONS IN F/FB-111 AJQ-20 NAVIGATION COMPUTER	
	UNITS	66
K392	ISOLATE MALFUNCTIONS IN F/FB-111 BALLISTICS COMPUTER UNITS	64
K415	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A16803 TEST	
	STATIONS	64
K384	CONFIDENCE CHECK F/FB-111 12A16803 TEST STATIONS	64
K403	ISOLATE MALFUNCTIONS IN F/FB-111 FLIGHT CONTROL COMPUTER	
	COMPONENTS	64
K422	REMOVE OR REPLACE F/FB-111 BALLISTIC COMPUTER UNIT SRUS	61
K408		
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	59
K418	REMOVE OR REPLACE F/FB-111 AJQ-130 NAVIGATION COMPUTER	
	INIT SHOP REPLACEARLE INITS (SRII)	5.7

VIa. CENTRAL PROCESSORS AND CONTROLLERS (CENPAC) AND 12A16803 COMPUTER TEST STATION PERSONNEL (GRP183, N=6)

TASKS		PERCENT MEMBERS PERFORMING
1255	ALIGN F/FB-111 MTU CIRCUIT CARDS	100
1265	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING DIAGNOSTIC	
	TAPES AND SCHEMATICS	100
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	100
K429	REMOVE OR REPLACE F/FB-111 FEEL AND TRIM ASSEMBLY SRUS	100
I 257	ALIGN F/FB-111 TELETYPEWRITERS	100
1283	REMOVE OR REPLACE F/FB-111 MTU VACUUM CHAMBER LIGHTS	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
1264	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING DIAGNOSTIC	
	TAPES ONLY	100
K407	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS	
	USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
1263	ISOLATE MALFUNCTIONS IN F/FB-111 CENPAC'S USING COMPUTER	
	EXERCISE TEST PANELS (CETP)	100
1274		100
I269	LOAD F/FB-111 CENPAC BOOTSTRAPS	100
K434	REMOVE OR REPLACE F/FB-111 12A16803 TEST STATION SRU	
	COMPONENTS	100
K435		
	REPLACEABLE UNITS (TRU)	100
K436	REMOVE OR REPLACE F/FB-111 12A16803 TEST STATION TRU SRUS	100
I272	REMOVE OR REPLACE F/FB-111 CENPAC COMPUTER POWER SUPPLY	
	COMPONENTS	100
1275	REMOVE OR REPLACE F/FB-111 CENPAC TELETYPEWRITERS	100
1273	REMOVE OR REPLACE F/FB-111 CENPAC PUNCHED TAPE READERS	100
1266	ISOLATE MALFUNCTIONS IN F/FB-111 CENPAC'S USING SHOP	_
	REPLACEABLE UNITS (SRU) AND DIAGNOSTIC PROCEDURES	83
1262	ISOLATE MALFUNCTIONS IN F/FB-111 CENPAC TELETYPEWRITERS	83
1259	COPY F/FB-111 CENPAC TAPES	83
K408	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS	_
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	83
1288		83
K406	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS USING	
	MAINTENANCE TEST ONLY	83
K384	CONFIDENCE CHECK F/FB-111 12A16803 TEST STATIONS	67

VIb. 12A16803 AND 12A16846 TEST STATION PERSONNEL (GRP161, N=21)

TASKS		PERCENT MEMBERS PERFORMING
K407	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS	
	USING MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
K400	ISOLATE MALFUNCTIONS IN F/FB-111 FEEL AND TRIM ASSEMBLIES	100
K382	·	100
K428		100
K431	•	100
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
K378	BENCH CHECK F/FB-111 BALLISTIC COMPUTER UNITS	100
K402	ISOLATE MALFUNCTIONS IN F/FB-111 FLIGHT CONTROL COMPUTERS	100
K381	BENCH CHECK F/FB-111 FEEL AND TRIM ASSEMBLIES	95
K408	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS	95
E122	MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	
	(AFTO FORM 349)	95
K434	REMOVE OR REPLACE F/FB-111 12A16803 TEST STATION SRU	
	COMPONENTS	95
K384	CONFIDENCE CHECK F/FB-111 12A16803 TEST STATIONS	90
K376		86
K387	ISOLATE MALFUNCTIONS IN F/FB-111 AJQ-20 NAVIGATION	
	COMPUTER UNITS	86
K435	REMOVE OR REPLACE F/FB-111 12A16803 TEST STATION TESTER	
	REPLACEABLE UNITS (TRU)	86
K436	REMOVE OR REPLACE F/FB-111 12A16803 TEST STATION TRU SRUs	81
K406	ISOLATE MALFUNCTIONS IN F/FB-111 12A16803 TEST STATIONS	
	USING MAINTENANCE TEST ONLY	71
J336	ISOLATE MALFUNCTIONS IN F/FB-111 12A16846 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	71
J367	REMOVE OR REPLACE F/FB-111 12A16846 TEST STATION TRU SRUS	71
J365	REMOVE OR REPLACE F/FB-111 12A16846 TEST STATION SRU	
	COMPONENTS	71
J344	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6846 TEST	
	STATIONS	71
K391	ISOLATE MALFUNCTIONS IN F/FB-111 BALLISTICS COMPUTER UNIT	
	COMPONENTS	67
1366	REMOVE OR REPLACE E/FR-111 12416846 TEST STATION TRUS	67

VIc. 12A6873 TEST STATION PERSONNEL (GRP084, N=11)

TASKS		PERCENT MEMBERS PERFORMING
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS,	
	MOCKUPS, OR LINE REPLACEABLE UNITS (LRU)	100
K411		
***	THROUGH INTERCONNECTS OF AN INSTALLED LRU	100
K410		
***	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
K416		100
11050	STATIONS	100
	REMOVE OR REPLACE F/FB-111 RELAY CAN SRUS	100
	REMOVE OR REPLACE F/FB-111 12A6873 TEST STATION TRU SRUS	100
G185	INSPECT AND CLEAN F/FB-111 TEST STATION FILTERS	100
H240	REMOVE OR REPLACE F/FB-111 COUNTER TIMER SHOP REPLACEABLE	100
110/3	UNIT (SRU) COMPONENTS	100
H241	·	100
H243		100
K437	REMOVE OR REPLACE F/FB-111 12A6873 TEST STATION SRU	100
VOOF.	COMPONENTS CONFIDENCE CHECK FOR 111 104(072 FFOR CEATIONS	100
K385	•	100
K428	REMOVE OR REPLACE F/FB-111 FEEL AND TRIMASSEMBLY COMPONENTS	91
K402	ISOLATE MALFUNCTIONS IN F/FB-111 FLIGHT CONTROL COMPUTERS	91
H229	ISOLATE MALFUNCTIONS IN F/FB-111 DATAC'S USING SCHEMATICS	91
K439 H235		91
п233	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	82
K396	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS ISOLATE MALFUNCTIONS IN F/FB-111 CONVERTER SETS	82 82
K429	REMOVE OR REPLACE F/FB-111 FEEL AND TRIM ASSEMBLY SRUS	82 82
K429	REMOVE OR REPLACE F/FB-111 FLIGHT CONTROL COMPUTER SRUS	82 82
K427	REMOVE OR REPLACE F/FB-111 FLIGHT CONTROL COMPUTER SRUS	82 82
K427 K432	REMOVE OR REPLACE F/FB-111 CONVERTER SET SRUS REMOVE OR REPLACE F/FB-111 FLIGHT CONTROL COMPUTER COMPONENTS	
K432 K382	BENCH CHECK F/FB-111 FLIGHT CONTROL COMPUTERS	82 82
K381		82 82
K409	ISOLATE MALFUNCTIONS IN F/FB-111 12A6873 TEST STATIONS USING	02
K403	MAINTENANCE TEST ONLY	82

VId. JUNIOR COMPUTER TEST STATION PERSONNEL (GRP117, N=6)

TASKS		PERCENT MEMBERS PERFORMING
E122		
	(AFTO FORM 349)	100
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	100
K382	BENCH CHECK F/FB-111 FLIGHT CONTROL COMPUTERS	100
K387	ISOLATE MALFUNCTIONS IN F/FB-111 AJQ-20 NAVIGATION COMPUTER UNITS	100
K376		100
K381		100
K400	• • • • • • • • • • • • • • • • • • • •	100
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG (AFTO FORM	
	350)	100
K431	•	100
K429		100
F155		100
G214		100
K428		83
E133		83
K402	ISOLATE MALFUNCTIONS IN F/FB-111 FLIGHT CONTROL COMPUTERS	83
E120	MAKE ENTRIES ON ISSUE/TURN IN REQUEST FORMS (AF Form 2005)	83
F164	RESEARCH MANUALS FOR PART NUMBERS	83
F165	RESEARCH MICROFICHE FOR PART INFORMATION	83
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	83
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	83
H237	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT OR STIMULUS	
	RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	83
G185		83
G217		
	PINS OR CONNECTORS	83
K418		
	SHOP REPLACEABLE UNITS (SRU)	67
E141	· · · · · · · · · · · · · · · · · · ·	
	(DD FORM 1577-2)	67

VII. RECEIVER-TRANSMITTER-MODULATOR TEST STATION PERSONNEL (GRP083, N=51)

TASKS		PERCENT MEMBERS PERFORMING
N575	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING RADAR	
	ANTENNA RECEIVERS	96
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	96
F165	RESEARCH MICROFICHE FOR PART INFORMATION	96
N559	ALIGN F/FB-111 TERRAIN FOLLOWING RADAR ANTENNA RECEIVERS	92
F155	ORDER PARTS BY TELEPHONE	92
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG	
	(AFTO FORM 350)	90
N565	BENCH CHECK F/FB-111 TERRAIN FOLLOWING RADAR ANTENNA	90
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS,	
	MOCKUPS, OR LINE REPLACEABLE UNITS (LRU)	90
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	90
N560	ALIGN F/FB-111 TERRAIN FOLLOWING RADAR TRANSMITTER	
	SYNCHRONIZERS	88
N566	BENCH CHECK F/FB-111 TERRAIN FOLLOWING RADAR TRANSMITTER	
	SYNCHRONIZERS	86
E141	MAKE ENTRIES ON UNSERVICEABLE (REPARABLE) TAG MATERIAL	
	(DD FORM 1577-2)	86
	REMOVE OR REPLACE F/FB-111 TESTER REPLACEABLE UNITS (TRU)	86
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING TEST POINTS, SCHEMATICS	86
G217	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST PACKAGE	
	PINS OR CONNECTORS	86
N599	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING RADAR ANTENNA	
	RECEIVER SRUS	84
N576	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING RADAR	
	TRANSMITTER SYNCHRONIZERS	84
N601	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING RADAR	
	TRANSMITTER SYNCHRONIZER SRUs	80
N600	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING RADAR ANTENNA	
	RECEIVER COMPONENTS	69
N574		
_	TRANSMITTERS	61
	ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS	61
N602	REMOVE OR REPLACE F/FB-111 TERRAIN FOLLOWING RADAR	
	TRANSMITTER SYNCHRONIZER COMPONENTS	61
N564	BENCH CHECK F/FB-111 MDOULATOR RECEIVER TRANSMITTERS	57

VIIa. 12A16882 TEST STATION PERSONNEL (GRP099, N=20)

TASKS		PERCENT MEMBERS PERFORMING
N575	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING RADAR	
	RECEIVERS	100
N565	BENCH CHECK F/FB-111 TERRAIN FOLLOWING RADAR ANTENNA	95
F155	ORDER PARTS BY TELEPHONE	95
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	95
N561	BENCH CHECK F/FB-111 APQ-130 TRANSMITTERS	95
N562	BENCH CHECK F/FB-111 MASTER FREQUENCY GENERATORS	95
N566	BENCH CHECK F/FB-111 TERRAIN FOLLOWING RADAR TRANSMITTER	
	SYNCHRONIZERS	95
N610	REMOVE OR REPLACE F/FB-111 12A16882 TEST STATION TRU SRUS	95
N584	ISOLATE MALFUNCTIONS IN F/FB-111 12A16882 TEST STATION USING	
	MAINTENANCT TEST, TEST EQUIPMENT, AND SCHEMATICS	95
N560	ALIGN F/FB-111 TERRAIN FOLLOWING RADAR TRANSMITTER	
	SYNCHRONIZERS	95
N572	ISOLATE MALFUNCTIONS IN F/FB-111 MASTER FREQUENCY GENERATORS	95
N557	ALIGN F/FB-111 MICROWAVE RECEIVER UNITS	95
F165	RESEARCH MICROFICHE FOR PART INFORMATION	95
N556	ALIGN F/FB-111 MASTER FREQUENCY GENERATORS	95
N559	ALIGN F/FB-111 TERRAIN FOLLOWING RADAR ANTENNA RECEIVERS	90
N585	ISOLATE MALFUNCTIONS IN F/FB-111 12A16882 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	90
N609	REMOVE OR REPLACE F/FB-111 12A16882 TEST STATION SRU	
	COMPONENTS	90
N611	REMOVE OR REPLACE F/FB-111 12A16882 TEST STATION TRUS	90
N563	BENCH CHECK F/FB-111 MICROWAVE RECEIVER UNITS	90
N555	ALIGN F/FB-111 APQ-130 TRANSMITTERS	90
N569	CONFIDENCE CHECK F/FB-111 12A16882 TEST STATIONS	85
N590	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A16882 TEST	
	STATIONS	80
N583	ISOLATE MALFUNCTIONS IN F/FB-111 12A16882 TEST STATIONS USING	
	MAINTENANCE TEST ONLY	70

VIIb. 12A6872 TEST STATION PERSONNEL (GRP244, N=8)

TASKS		PERCENT MEMBERS PERFORMING
N564 N597	BENCH CHECK F/FB-111 MODULATOR RECEIVER TRANSMITTERS REMOVE OR REPLACE F/FB-111 MODULATOR RECEIVER TRANSMITTER	100
NJ97	SRUs	100
N574		100
	TRANSMITTERS	100
N558	ALIGN F/FB-111 MODULAR RECEIVER TRANSMITTERS	100
N581		
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
N582	ISOLATE MALFUNCTIONS IN F/FB-111 12A6872 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	100
E130		100
H227	(AFTO FORM 350)	100
H237	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT OR STIMULUS RELAY CANS USING MANUAL PROGRAMMING AND SCHEMATICS	100
E122		100
L122	(AFTO FORM 349)	100
E133	MAKE ENTRIES ON SERVICEABLE TAG MATERIEL (DD FORM 1574)	100
H236	ISOLATE MALFUNCTIONS IN F/FB-111 TEST POINT CONTROLLERS	•••
_	AND RELAYS USING MANUAL PROGRAMMING, TEST POINTS,	
	SCHEMATICS	100
H235		
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
F155		100
N598	REMOVE OR REPLACE F/FB-111 MODULATOR RECEIVER TRANSMITTER	
MCOZ	COMPONENTS PENONE OR PERIACE F/FR 111 104/070 TECT CTATION TRUE CRU-	100
N607 N608		100 100
N606	REMOVE OR REPLACE F/FB-111 12A68/2 TEST STATION TRUS REMOVE OR REPLACE F/FB-111 12A68/2 TEST STATION SRU	100
NOOO	COMPONENTS	100
N589		100
	STATIONS	100
N568	CONFIDENCE CHECK F/FB-111 12A6872 TEST STATIONS	100
G186	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS,	
	MOCKUPS, OR LINE REPLACEABLE UNITS (LRU)	100
G219	REMOVE OR REPLACE F/FB-111 TESTER REPLACEABLE UNITS (TRU)	100
G217	•	
	PINS OR CONNECTORS	100
G214	· · · · · · · · · · · · · · · · · · ·	100
H241	· · · · · · · · · · · · · · · · · · ·	100
N580	ISOLATE MALFUNCTIONS IN F/FB-111 12A6872 TEST STATIONS USING	5.0
	MAINTENANCE TEST ONLY	50

VIIc. 12A16802 TEST STATION PERSONNEL (GRP236, N=14)

TASKS		PERCENT MEMBERS PERFORMING
	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95) MAKE ENTRIES ON MAINTENANCE DATA COLLECTION RECORD	100
E122	(AFTO FORM 349)	100
N575		100
N3/3	ANTENNA RECEIVERS	100
N558		100
N559	·	100
	ISOLATE MALFUNCTIONS IN F/FB-111 TERRAIN FOLLOWING RADAR	100
11370	TRANSMITTER SYNCHRONIZERS	100
N574	ISOLATE MALFUNCTIONS IN F/FB-111 MODULAR RECEIVER	100
	TRANSMITTERS	100
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	100
N578	ISOLATE MALFUNCTIONS IN FB-111 12A16802 TEST STATIONS USING	100
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	100
F155	ORDER PARTS BY TELEPHONE	100
N579	ISOLATE MALFUNCTIONS IN F/FB-111 12A16802 TEST STATIONS	
	THROUGH INTERCONNECTS OF AN INSTALLED LRU	100
G219		
G185	INSPECT AND CLEAN F/FB-111 TEST STATION FILTERS	100
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	100
F165	RESEARCH MICROFICHE FOR PART INFORMATION	100
N567	CONFIDENCE CHECK F/FB-111 12A16802 TEST STATIONS	100
G214	REMOVE OR REPLACE F/FB-111 LRU PINS OR CONNECTORS	100
H235	ISOLATE MALFUNCTIONS IN F/FB-111 STIMULUS CONTROLLERS AND	
	RELAYS USING MANUAL PROGRAMMING, TEST POINTS, SCHEMATICS	100
N603		
	COMPONENTS	79
N605	REMOVE OR REPLACE F/FB-111 12A16802 REST STATION TRU SRUS	79
N604	REMOVE OR REPLACE F/FB-111 12A16802 TEST STATION TESTER	
	REPLACEABLE UNITS (TRU)	79
N588	•	
	STATIONS	79
N577	ISOLATE MALFUNCTIONS IN F/FB-111 12A16802 TEST STATIONS	
	USING MAINTENANCE TEST ONLY	79
N598	,	
	COMPONENTS	71

VIII. CENPAC, MTU, AND TAPE READER MAINTAINERS (GRP067, N=24)

TASKS		PERCENT MEMBERS PERFORMING
1254	ALIGN F/FB-111 MTU CAPSTANS	100
1255	ALIGN F/FB-111 MTU CIRCUIT CARDS	100
	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING DIAGNOSTIC	
	TAPES ONLY	100
1269	LOAD F/FB-111 CENPAC BOOTSTRAPS	100
1283	REMOVE OR REPLACE F/FB-111 MTU VACUUM CHAMBER LIGHTS	100
1258	CLEAN F/FB-111 MTU TRANSPORTS	100
I257	ALIGN F/FB-111 TELETYPEWRITERS	100
1275	REMOVE OR REPLACE F/FB-111 CENPAC TELETYPEWRITERS	100
1278	REMOVE OR REPLACE F/FB-111 MTU CAPSTANS	100
1259		100
I 265	•	
	TAPES AND SCHEMATICS	100
1262	ISOLATE MALFUNCTIONS IN F/FB-111 CENPAC TELETYPEWRITERS	100
1267	·	100
1282	· · · · · · · · · · · · · · · · · · ·	100
1279	•	100
F165	RESEARCH MICROFICHE FOR PART INFORMATION	100
1274	REMOVE OR REPLACE F/FB-111 CENPAC SRUS	100
1276	·	100
I281	REMOVE OR REPLACE F/FB-111 MTU POWER SUPPLY COMPONENTS	100
1272	REMOVE OR REPLACE F/FB-111 CENPAC COMPUTER POWER SUPPLY	
	COMPONENTS	100
	UPDATE F/FB-111 CENPAC TAPES	96
1286		96
1263	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING COMPUTER	
	EXERCISE TEST PANELS (CETP)	83
1287	•	79
1268	ISOLATE MALFUNCTIONS IN F/FB-111 TAPE PREPARATION UNITS	75

VIIIa. CENPAC SUPERVISORS (GRP159, N=5)


TASKS		PERCENT MEMBERS PERFORMING
C83	REVIEW MAINTENANCE DATA COLLECTION RECORD (AFTO FORM 349)	100
I257	ALIGN F/FB-111 TELETYPEWRITERS	100
I262 E136	MAKE ENTRIES ON SYSTEM/EQUIPMENT STATUS RECORD (AFTO FORM	100
	244 OR 245)	100
A6		100
1265	ISOLATE MALFUNCTIONS IN F/FB-111 CENPAC'S USING DIAGNOSTIC	
	TAPES AND SCHEMATICS	100
1255	•	100
1264		•••
000	TAPES ONLY	100
C82		100
1283		100
1254		100
D95		100
	ISOLATE MALFUNCTIONS IN F/FB-111 TAPE PREPARATION UNITS	100
1259	· · · · · · · · · · · · · · · · · · ·	100
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	100
C80	PREPARE APRS	100
I288		100
G201	PERFORM QUALITY ASSURANCE (QA) OR QUALITY CONTROL (QC) INSPECTIONS OF F/FB-111 LRUs	80
C53	CERTIFY STATUS OF REPARABLE, SERVICEABLE, OR CONDEMNED PARTS	80
B42	INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR SUBORDINATE	
C85	SELECT INDIVIDUALS FOR SPECIALIZED TRAINING	80
D92	CONDUCT OJT	80
A11	DEVELOP WORK METHODS OR PROCEDURES	80
G202		80 80
B43	REVISE DAILY MAINTENANCE PLANS TO MEET OPERATIONAL COMMITMENT	
U#J	WEATOR DUITE INTIMENANCE LIMES TO HERE ALEXALIANAT COMMITTIENT	5 00


VIIIb. CENPAC MAINTAINERS (GRP137, N=13)

TASKS		PERCENT MEMBERS PERFORMING
TOF /	ALTON E /DD 111 MMH CADOMANO	100
	ALIGN F/FB-111 MTU CAPSTANS	100
	ALIGN F/FB-111 MTU CIRCUIT CARDS	100
	LOAD F/FB-111 CENPAC BOOTSTRAPS	100
1264	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING DIAGNOSTIC	
	TAPES ONLY	100
	REMOVE OR REPLACE F/FB-111 CENPAC TELETYPEWRITERS	100
	REMOVE OR REPLACE F/FB-111 MTU VACUUM CHAMBER LIGHTS	100
1257	ALIGN F/FB-111 TELETYPEWRITERS	100
1258	CLEAN F/FB-111 MTU TRANSPORTS	100
1267	ISOLATE MALFUNCTIONS IN F/FB-111 MTU POWER SUPPLIES	100
	REMOVE OR REPLACE F/FB-111 MTU CAPSTANS	100
1265	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING DIAGNOSTIC	
	TAPES AND SCHEMATICS	100
	REMOVE OR REPLACE F/FB-111 MTU PUSHBUTTON INDICATOR LAMPS	100
I279	REMOVE OR REPLACE F/FB-111 MTU PHOTOSENSE HEAD ASSEMBLIES	100
1274	REMOVE OR REPLACE F/FB-111 CENPAC SRUS	100
I288	UPDATE F/FB-111 CENPAC TAPES	100
1276	REMOVE OR REPLACE F/FB-111 MTU CAPSTAN BELTS	100
I281	REMOVE OR REPLACE F/FB-111 MTU POWER SUPPLY COMPONENTS	100
I259	COPY F/FB-111 CENPAC TAPES	100
I262	ISOLATE MALFUNCTIONS IN F/FB-111 CENPAC TELETYPEWRITERS	100
F165	RESEARCH MICROFICHE FOR PART INFORMATION	100
1256	ALIGN F/FB-111 MTU POWER SUPPLIES	100
1272	REMOVE OR REPLACE F/FB-111 CENPAC COMPUTER POWER SUPPLY	
	COMPONENTS	100
1286	REMOVE OR REPLACE F/FB-111 TELETYPEWRITER COMPONENTS	92
1263	ISOLATE MALFUNCTIONS IN F/FB-111 CENPACS USING COMPUTER	
-	EXERCISE TEST PANELS (CETP)	85
I273	REMOVE OR REPLACE F/FB-111 CENPAC PUNCHED TAPE READERS	85

IX. DISPLAYS TEST STATION PERSONNEL (GRP065, N=18)

TASKS		PERCENT MEMBERS PERFORMING
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	100
E141	MAKE ENTRIES ON UNSERVICEABLE (REPARABLE) TAG MATERIEL	
	(DD FORM 1577-2)	94
G200	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	94
E133	MAKE ENTRIES ON SERVICEABLE TAG MATERIEL (DD FORM 1574)	89
Q759	ISOLATE MALFUNCTIONS IN F/FB-111 HUD UNITS	89
Q776	REMOVE OR REPLACE F/FB-111 MULTISENSOR DISPLAY SRUS	89
Q753	BENCH CHECK F/FB-111 HUD UNITS	89
Q773	REMOVE OR REPLACE F/FB-111 HUD UNIT SRUs	89
Q754	BENCH CHECK F/FB-111 MULTISENSOR DISPLAYS	89
Q763	ISOLATE MALUFNCTIONS IN 1, FB-111 VSDs	89
Q756	BENCH CHECK F/FB-111 VSD'S	89
Q746	ALIGN F/FB-111 HEADS UP DISPLAY (HUD) UNITS	83
Q761	ISOLATE MALFUNCTIONS IN F/FB-111 MULTISENSOR DISPLAYS	83
Q781	REMOVE OR REPLACE F/FB-111 VSD SRUs	83
Q757	CONFIDENCE CHECK F/FB-111 12A6887 TEST STATIONS	83
Q750	ALIGN F/FB-111 VIDEO SIGNALS DISPLAYS (VSD)	83
F164	RESEARCH MANUALS FOR PART NUMBERS	78
Q758	ISOLATE MALFUNCTIONS IN F/FB-111 HSD INDICATORS	78
Q765	ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING	
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	78
Q767	PERFORM MAINTENANCE TAPE CHECKS OF F/FB-111 12A6887 TEST	
	STATIONS	78
Q752	BENCH CHECK F/FB-111 HSD PROCESSORS	72
Q777	REMOVE OR REPLACE F/FB-111 MULTISENSOR DISPLAY COMPONENTS	67
	REMOVE OR REPLACE F/FB-111 VSD COMPONENTS	67
Q766	ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS THROUG	Н
•	INTERCONNECTS OF AN INSTALLED LRU	67
Q764	ISOLATE MALFUNCTIONS IN F/FB-111 12A6887 TEST STATIONS USING	
•	MAINTENANCE TEST ONLY	61





X. APQ-130 ATTACK RADAR SUBSYSTEM TEST STATION (SST) PERSONNEL (GRP071, N=7)

TACEC	
TASKS	
R792	ELECTRICALLY BORESIGHT F-111D ARS ANTENNAS
R784	ALIGN F-111D ARS ANTENNA SHOP REPLACEABLE UNITS (SRU)
R782	ADJUST VIDEO PHASE SHIFT OF F-111D ATTACK RADAR SYSTEM (ARS) ANTENNAS
R798	
R799	
R800	REMOVE OR REPLACE F-111D APQ-130 TEST STATION LRUS
	MAKE ENTRIES ON ISSUE/TURN IN REQUEST FORMS (AF FORM 2005)
F165	RESEARCH MICROFICHE FOR PART INFORMATION
R795	ISOLATE MALFUNCTIONS IN F-111D APQ-130 TEST STATIONS TO SRU COMPONENTS
	ISOLATE MAFUNCTIONS IN F-111D APQ-130 TEST STATIONS TO SRU
R794	TESTER REPLACEABLE UNIT (TRU)
	ALIGN F-111D APQ-130 TEST STATIONS
R805	TEST F-111D ARS ANTENNA SRUS
R797	
	ISOLATE MALFUNCTIONS IN F-111D APQ-130 TEST STATIONS TO LRU
	CALIBRATE F/FB-111 12A6615-3 PRESSURIZATION TEST SETS
	REMOVE OR REPLACE F-111D APQ-130 TEST STATION COMPONENTS
R802	REMOVE OR REPLACE F-111D APQ-130 TEST STATION SRUS
R801	REMOVE OR REPLACE F-111D APQ-130 TEST STATION TRUS
R787	DETERMINE STATUS OF F-111D BAD ACTOR ARS ELECTRONICS PROCESSOR UNITS
R791	DETERMINE STATUS OF F-111D BAD ACTOR ARS TRANSMITTERS
R786	DETERMINE F-111D LOCAL OSCILLATOR AND TRAVELING WAVE TUBE
	OUTPUT LEVELS
R789	DETERMINE STATUS OF F-111D BAD ACTOR ARS MASTER FREQUENCY GENERATORS
R790	DETERMINE STATUS OF F-111D BAD ACTOR ARS MICROWAVE RECEIVER UNITS
G197	PERFORM OPERATIONAL CHECKS OF F/FB-111 12A6615-3 PRESSURIZATION TEST SETS

XI. SUPERVISION AND MANAGEMENT PERSONNEL (GRP014, N=60)

TASKS		PERCENT MEMBERS PERFORMING
C80	PREPARE APRS	92
A6	DETERMINE WORK PRIORITIES	77
A3	COORDINATE JOB REQUIREMENTS WITH OTHER SECTIONS	72
D95		72
C63	EVALUATE INDIVIDUALS FOR RECOGNITION	72
A17	PARTICIPATE IN MEETINGS, SUCH AS STAFF MEETINGS, BRIEFINGS,	
	OR WORKSHOPS	72
D96		72
B29	COUNSEL PERSONNEL ON PERSONAL OR MILITARY RELATED MATTERS	70
A15	ESTABLISH PERFORMANCE STANDARDS FOR SUBORDINATES	70
B42	INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR	. m
	SUBORDINATES	67
C57	ENDORSE AIRMAN PERFORMANCE REPORTS (APR)	67
A1	ASSIGN PERSONNEL TO DUTY POSITIONS	65
	REVIEW CORRESPONDENCE	62
	EVALUATE COMPLIANCE WITH PERFORMANCE STANDARDS	62
E134 B47	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95) SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND	62
	COMPONENT SPECIALISTS (F/FB-111) (AFSC 32654A)	60
C83	REVIEW MAINTENANCE DATA COLLECTION RECORD (AFTO FORM 349)	60
C82	REVIEW EQUIPMENT RECORDS	60
B51	WRITE CORRESPONDENCE	60
E141	MAKE ENTRIES ON UNSERVICEABLE (REPARABLE) TAG MATERIEL	
	(DD FORM 1577-2)	60
A26	SCHEDULE TEMPORARY DUTY, LEAVES, OR PASSES	60
C53	CERTIFY STATUS OF REPARABLE, SERVICEABLE, OR CONDEMNED PARTS	57
C52	ANALYZE WORKLOAD REQUIREMENTS	57
E133	MAKE ENTRIES ON SERVICEABLE TAG MATERIEL (DD FORM 1574)	57
B49	SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND	52

XIa. SHOP NCOICs (GRP116, N=20)

TASKS		PERCENT MEMBERS PERFORMING
A3		100
C80		100
A1	ASSIGN PERSONNEL TO DUTY POSITIONS	100
B42	· · · · · · · · · · · · · · · · · · ·	
	SUBORDINATES	95
B29		
	DETERMINE WORK PRIORITIES	95
_	EVALUATE INDIVIDUALS FOR RECOGNITION	9 5
	ENDORSE AIRMAN PERFORMANCE REPORTS (APR)	95
A17	PARTICIPATE IN MEETINGS, SUCH AS STAFF MEETINGS, BRIEFINGS, CONFERENCES, OR WORKSHOPS	95
A26	▼ · · · · · · · · · · · · · · · · · · ·	95 95
	EVALUATE WORK SCHEDULES	90
	ESTABLISH PERFORMANCE STANDARDS FOR SUBORDINATES	90
	REVIEW CORRESPONDENCE	85
	REVIEW EQUIPMENT RECORDS	85
	WRITE CORRESPONDENCE	85
	EVALUATE COMPLIANCE WITH PERFORMANCE STANDARDS	85
	ANALYZE WORKLOAD REQUIREMENTS	85
C66	EVALUATE MAINTENANCE OR UTILIZATION OF WORKSPACE, EQUIPMENT,	63
000	OR SUPPLIES	85
C56	DRAFT REPLIES TO INSPECTION REPORTS	85
	DETERMINE OUT TRAINING REQUIREMENTS	80
C62		
	RECLASSIFICATION	80
B34	DIRECT MAINTENANCE OR UTILIZATION OF EQUIPMENT OR SUPPLIES	80
C67		70
B47		
-	COMPONENT SPECIALISTS (F/FB-111) (AFSC 32654A)	70
B49	SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND	
	COMPONENT TECHNICIANS (AFSC 32674)	65

XIb. SHIFT SUPERVISORS (GRP077, N=15)

TASKS		PERCENT MEMBERS PERFORMING
B44	SUPERVISE APPRENTICE INTEGRATED AVIONICS COMPUTERIZED TEST	
B47	STATION AND COMPONENT SPECIALISTS (F/FB-111) (AFSC 32634A) SUPERVISE INTEGRATED AVIONICS COMPUTERIZED TEST STATION AND	100
	COMPONENT SPECIALISTS (F/FB-111) (AFSC 32654A)	100
C53	CERTIFY STATUS OF REPARABLE, SERVICEABLE, OR CONDEMNED PARTS	100
A6	DETERMINE WORK PRIORITIES	100
C80	PREPARE APRS	100
E141	MAKE ENTRIES ON UNSERVICEABLE (REPARABLE) TAG MATERIEL	
	(DD FORM 1577-2)	93
E133	MAKE ENTRIES ON SERVICEABLE TAG MATERIEL (DD FORM 1574)	93
E135	MAKE ENTRIES ON SUPPLY CONTROL LOG (AF FORM 2413)	93
C83		87
A15	ESTABLISH PERFORMANCE STANDARDS FOR SUBORDINATES	87
B29	COUNSEL PERSONNEL ON PERSONAL OR MILITARY RELATED MATTERS	80
	RESEARCH MICROFICHE FOR PART INFORMATION	80
D96	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION	80
	INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR	
	SUBORDINATES	73
C60	EVALUATE COMPLIANCE WITH PERFORMANCE STANDARDS	73
D95	COUNSEL TRAINEES ON TRAINING PROGRESS	73
E164	RESEARCH MANUALS FOR PART NUMBERS	73
G201	PERFORM QUALITY ASSURANCE (QA) OR QUALITY CONTROL (QC)	, ,
	INSPECTIONS OF F/FB-111 LRUs	67
C57	ENDORSE AIRMAN PERFORMANCE REPORTS (APR)	67
A3	COORDINATE JOB REQUIREMENTS WITH OTHER SECTIONS	67
C63	EVALUATE INDIVIDUALS FOR RECOGNITION	60
C52	ANALYZE WORKLOAD REQUIREMENTS	53
D92	CONDUCT OJT	53

XIc. INSTRUCTOR SUPERVISORS (GRP049, N=11)

TASKS		PERCENT MEMBERS PERFORMING
D105	EVALUATE PROGRESS OF STUDENTS	100
D104	EVALUATE INSTRUCTOR PERFORMANCE	100
	PREPARE APRS	100
	COUNSEL TRAINEES ON TRAINING PROGRESS	100
	EVALUATE TRAINING METHODS OR TECHNIQUES	91
D110	PREPARE LESSON PLANS	91
D113	WRITE TEST QUESTIONS	91
D91		82
	CONDUCT RESIDENT COURSE CLASSROOM TRAINING	82
D98	DETERMINE RESIDENT COURSE TRAINING REQUIREMENTS	82
D112	SCORE TESTS	82
D97	DETERMINE OJT TRAINING REQUIREMENTS	82
D89		82
B49		
	COMPONENT TECHNICIANS (AFSC 32674)	. 73
C63	EVALUATE INDIVIDUALS FOR RECOGNITION	73
D96	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION	73
D92	CONDUCT OJT	73
D100	DEVELOP TRAINING AIDS	73
A26		73
D101	DIRECT OR IMPLEMENT OUT PROGRAMS	64
D109	PLAN OJT	64
A3	COORDINATE JOB REQUIREMENTS WITH OTHER SECTIONS	64
F147	MAINTAIN STATUS BOARDS, GRAPHS, OR CHARTS	64
D102	DIRECT OR IMPLEMENT TRAINING PROGRAMS OTHER THAN OJT	55
A6	DETERMINE WORK PRIORITIES	55

XII. ATTITUDE AND RATE TEST STATION PERSONNEL (GRP061, N=8)

TASKS		PERCENT MEMBERS PERFORMING
J309	BENCH CHECK F/FB-111 STABILIZED PLATFORM UNITS	100
J329	ISOLATE MALFUNCTIONS IN F/FB-111 STABILIZED PLATFORM UNITS	100
-0-2	TO SRU	100
E134	MAKE ENTRIES ON SIGNIFICANT HISTORICAL DATA (AFTO FORM 95)	100
	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG (AFTO	
	FORM 350)	100
F165	RESEARCH MICROFICHE FOR PART INFORMATION	100
	REMOVE OR REPLACE F/FB-111 12A16805 TEST STATION TRU SRUS	100
	REMOVE OR REPLACE F/FB-111 STABILIZED PLATFORM UNIT SRUS	88
	ALIGN F/FB-111 STABILIZED PLATFORM UNITS	88
	INSPECT AND CLEAN F/FB-111 TEST STATIONS, SIMULATORS, MOCKUPS,	•
	OR LINE REPLACEABLE UNITS (LRU)	88
J362	REMOVE OR REPLACE F/FB-111 12A16805 TEST STATION SRU	
	COMPONENTS	88
	REMOVE OR REPLACE F/FB-111 LRU MINOR HARDWARE	88
G185	INSPECT AND CLEAN F/FB-111 TEST STATION FILTERS	88
G218	REMOVE OR REPLACE F/FB-111 TEST STATION OR TEST EQUIPMENT	
	LIGHT BULBS, FUSES, OR MINOR HARDWARE	88
J363	REMOVE OR REPLACE F/FB-111 12A16805 TEST STATION TESTER	
	REPLACEABLE UNITS (TRU)	88
	CONFIDENCE CHECK F/FB-111 12A16805 TEST STATIONS	88
	ORDER PARTS BY TELEPHONE	88
	PERFORM PERIODIC INSPECTIONS OF F/FB-111 TEST STATIONS	75
J332		
	MAINTENANCE TEST, TEST EQUIPMENT, AND SCHEMATICS	75
G189		
	SIMULATORS, OR MOCKUPS	75
	MAINTENANCE CHECK F/FB-111 12A16805 TEST STATIONS	75
J360	REMOVE OR REPLACE F/FB-111 STABILIZED PLATFORM UNIT	
	COMPONENTS	63
J333	ISOLATE MALFUNCTIONS IN F/FB-111 12A16805 TEST STATIONS THROUGH	
	INTERCONNECTS OF AN INSTALLED LRU	63
	REMOVE OR REPLACE F/FB-111 TESTER REPLACEABLE UNITS (TRU)	63
	PERFORM PERIODIC INSPECTIONS OF F/FB-111 LRUs	50
J330	ISOLATE MALFUNCTIONS IN F/FB-111 STABILIZED PLATFORM UNITS	
	TO SRU COMPONENTS	50

XIII. RESIDENT TECHNICAL SCHOOL INSTRUCTORS (GRP026, N=14)

TASKS		PERCENT MEMBERS PERFORMING
D110	PREPARE LESSON PLANS	100
D105	EVALUATE PROGRESS OF STUDENTS	100
D112	SCORE TESTS	100
D89	ADMINISTER TESTS	100
D96	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION	90
D93	CONDUCT RESIDENT COURSE CLASSROOM TRAINING	80
D113	WRITE TEST QUESTIONS	80
D100	DEVELOP TRAINING AIDS	60
E137	MAKE ENTRIES ON TECHNICAL ORDER SYSTEM PUBLICATION	_
	IMPROVEMENT REPORT AND REPLY (AFTO FORM 22)	50
G189	INVENTORY F/FB-111 TEST STATIONS, CABINETS, ROLLAWAYS,	
	SIMULATORS, OR MOCKUPS	50
D95	COUNSEL TRAINEES ON TRAINING PROGRESS	50
D99	DEVELOP RESIDENT COURSE OR CAREER DEVELOPMENT COURSE (CDC)	
	CURRICULUM MATERIALS	40

XIV. SCHEDULING/DUE-IN FROM MAINTENANCE (DIFM) MONITORS (GRP091, N=5)

TASKS		PERCENT MEMBERS PERFORMING
F176	VERIFY DUE-IN FROM MAINTENANCE (DIFM) DOCUMENT LISTINGS	
	(R-26)	100
E119		
_	(AF FORM 2520) TO SHOW RECEIPT OF LRUS	100
E117		
	DOCUMENTS (DD FORM 1348-1)	100
E130	MAKE ENTRIES ON REPARABLE ITEM PROCESSING TAG (AFTO	
	FORM 350)	100
E133	MAKE ENTRIES ON SERVICEABLE TAG MATERIEL (DD FORM 1574)	100
C53	· · · · · · · · · · · · · · · · · · ·	
	PARTS	80
F147	MAINTAIN STATUS BOARDS, GRAPHS, OR CHARTS	60
	MAKE ENTRIES ON SUPPLY CONTROL LOG (AF FORM 2413)	60
	MAKE ENTRIES ON ISSUE/TURN IN REQUEST (AF FORM 2005)	60
	RESEARCH MICROFICHE FOR PART INFORMATION	60
	MAKE ENTRIES ON UNSERVICEABLE (CONDEMNED) TAG MATERIEL	•
22.40	(DD FORM 1577)	60
E141		00
E141	(DD FORM 1577-2)	60
B00	·	60
B30	DIRECT DEVELOPMENT OR MAINTENANCE OF STATUS BOARDS, GRAPHS,	60
	OR CHARTS	60

